# SAFETY DATA SHEEET

Prilled Sulfur SDS DATE: 3/16/2020

## 1. IDENTIFICATION

Product Name: Prilled Sulfur

Synonyms / Common Name: Sulfur

Company Name: True Drganic Products, Inc.

16782 West Kamm Avenue, Helm, CA 93627

Emergency phone number: 559-866-3003

For emergency medical treatment information,

call National Poison Control Center:

1-800-222-1222.

**Chemical Name:** 

Chemical Formula: Sulfur

Molecular Weight: S



Physical Hazards: Not Classified

Health Hazards: Acute Toxicity, inhalation

Skin corrosion/irritation

OSHA Defined Hazards: Combustible dust

**(!)** 

Label Elements:

Signal Word: Warning

Hazard Statement: Causes skin irritation. Harmful if inhaled. May form combustible dust concentrations in air.

Precautionary statement Prevention: Keep away from heat, sparks, open flames, and hot surfaces. - No smoking. Keep

Troop away from heat, open harnes, and her canadas. The emergence

container tightly closed. Avoid breathing dust or fumes. Wash thoroughly after handling. Use only outdoors or in a well ventilated area. Wear protective gloves. Prevent dust

Category 4

Category 2

accumulation to minimize explosion hazard. Observe good industrial hygiene practices.

Response: If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep

comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. If skin

irritation occurs: Get medical attention. Take off contaminated clothing and wash before

reuse. In case of fire: Use appropriate media as described in Section 5 to extinguish.

**Storage:** Store away from incompatible materials.

Disposal: Not applicable.

Hazard(s) not otherwise classified

(HNOC): Not known

Supplemental information: None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

 Chemical Name
 CAS #
 Approx. %

 Sulfur
 7704-34-9
 99.9%

PAGE#

1 OF 5

0

STATES STATES STATES

### 4. FIRST AID MEASURES

**Inhalation:** Remove victim to fresh air and administer CPR if necessary.

**Skin Contact:** Remove contaminated clothing and wash with soap and water.

Eye Contact: Irrigate eyes a minimum of 15 minutes with water.

**Ingestion:** If ingested, give several glasses of water.

**Effects of Overexposure:** 

Inhalation: Nuisance dust PEI/TVL 15 mg/m3 total dust. 5mg/m3 respirable dust. Wear approved

respiratory protection for exposures above the PEL/TVL.

Skin Contact: May cause skin irritation.

Eye Contact: Sulfur may cause eye irritation. Do not rub eyes if exposed. If exposed, flush eyes a

minimum of 15 minutes with water. Wear proper eye protection to reduce exposure.

**Ingestion:** Do not ingest. Wash before eating, drinking and smoking. Do not store near food or feed.

Delayed Effects: May cause skin or eye irritation. If ingested, it may cause vomiting and diarrhea. Chronic

exposure may cause skin and eye irritation.

**Medical Conditions Agrravated** 

by Exposure: Pre-existing conditions involving the above symptoms can be aggravated by exposure.

### **5. FIRE-FIGHTING MEASURES**

Flash Point: 374° F (Dust)

Flammable Limits in Air % by Volume: Lower: N/A

Upper: N/A

**Extinguishing Media:** Water Fog.

Special Fire Fighting Procedures: Fight fire upwind. Wear positive pressure self-contained breathing apparatus and full

personal protective equipment. Avoid solid streams of water which may stir dust clouds

and spread fire. Do not breathe smoke or spray mist.

Unusual Fire & Explosion Hazards: See National Fire Protection (NFPA) Code 655 for specific fire and explosion hazards.

# **6. ACCIDENTAL RELEASE MEASURES**

Actions to take for Leaks & Spills: Do not use flares in area. Wear appropriate eye protection. Control dust with water fog.

Sweep into disposal container.

Waste Disposal Method: Dispose of in accordance with federal, state and local regulations.

## 7. HANDLING AND STORAGE

WASHINGTON WASHINGTON TO THE WASHINGTON THE WASHINGTON TO THE WASH

Special Precautions: Keep out of reach of children. Read and follow all label instructions. Sulfur dust can be

explosive. Do not allow dust to build up. Keep clear of ignition sources.

**Other Precautions:** 

ANNOUNCE DE LA CONTRACTOR DEL CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Respiratory Protection:** Use a respirator, see other equipment below.

**Eye Protection:** Safety goggles or glasses with side shields and brow protection.

Skin Protection: Chemical resistant gloves and long-sleeved coveralls.

Other Clothing: Wear long sleeved shirt, pants, and shoes plus socks.

Other Equipment: Use only NIOSH/MSHA - approved respiratory protection for nuisance particulates up to

10 times the PEL/TLV. Positive pressure self-contained breathing apparatus should be

used for confined space entry and high exposures.

**Engineering controls:** 

### 9. PHYSICAL & CHEMICAL CHARACTERISTICS

Appearance: Yellow Pastilles Melting Point: 246 Deg. F

Color:YellowBoiling Point:Not applicableState:SolidFlash Point:374 Deg. F

Odor Characteristics: Sulfur Freezing Point: Not applicable

pH: Not applicable Percent Volatility: Not applicable

Viscosity: Not applicable Evaporation Rate (BAc = 1): Not applicable

Specific Gravity (Water = 1): Not applicable Solubility in Water: Insoluble

Vapor Density (Air = 1):Not applicableSolubility in Oil:Not applicableVapor Pressure:Not applicableSolubility in Acetone:Not applicable

# 10. STABILITY AND REACTIVITY

Stability: Stable

Incompatibility (materials to avoid): Bases, Oxidizers, Powdered carbon.

Hazardous Combustion or

**Decomposition Products:** COx, SOx, H2S **Hazardous Polymerization:** Will not occur.

Conditions to Avoid: Bases, Oxidizers, Powdered carbon, open flames.

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Inhalation:** Harmful if inhaled.

Skin Contact: Causes skin irritation.

**Eye contact:** Direct contact with eyes may cause temporary irritation.

**Ingestion:** Expected to be a low ingestion hazard.

Symptoms related to the physical,

chemical and toxicological Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness

characteristics: and pain.

Prilled Sulfur		SAFETY DATA SHEET PAGE #: 4 OF 5		
I. TOXICOLOGICAL INFORMATION	(CONTINU	ED)		
nformation on Toxicological Effects:				
Acute Toxicity				
Product		Species	Test Results	
Prilled Sulfur				
Acute Dermal LD50		Rat	> 2000 mg/kg, 24 hours	
Inhalation LC50		Rat	>5.4 mg/l, 4 hours	
Oral LD50		Rat	>2200 mg/kg	
Components		Species	Test Results	
Sulfur, granular	(CAS 7704-3			
Acute	L DEO	Det	> 2000 melles 24 hours	
Dermal LD50 Oral LD50		Rat Rat	> 2000 mg/kg, 24 hours >2200 mg/kg	
Oral Et	730	Nat	22200 Highlig	
* Estimates	for product m	nay be based on addition	nal component data not shown.	
Chin comparing/invitations	Coupea akii	n imitation		
Skin corrosion/irritation: Causes skin Serious eye damage/eye irritation: Direct contact		ect contact with eyes may cause temporary irritation.		
Respiratory sensitization:	Not availab		temporary intation.	
, , , , , , , , , , , , , , , , , , , ,		ct is not expected to cau	se skin sensitization.	
Germ cell mutagenicity: No data avai		available to indicate product or any components present at greater than 0.1% are c or genotoxic.		
		his product is not considered to be carcinogen by IARC, ACGIH, NTP, or OSHA.		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):	Not listed.			
Reproductive toxicity:	This product is not expected to cause reproductive or developmental effects.			
Specific target organ toxicity- single exposure:	Not classifie	ed.		
Specific target organ toxicity- repeated exposure:	Not classified.			
Aspiration hazard:	Not availab	le.		
2. ECOLOGICAL INFORMATION		10000000000000000000000000000000000000	14 12 16 16 16 16 16 16 16 16 16 16 16 16 16	
Fate in the Environment:	Over time v	vill oxidize and form sulf	uric acid.	
3. DISPOSAL CONSIDERATIONS		12 47 34	· 大学· 1965 - 1975 - 1975 - 1975 - 1975 - 1975 - 1975 - 1975 - 1975 - 1975 - 1975 - 1975 - 1975 - 1975 - 1975 -	
<b>Procedures:</b> Dispose of a Regulations		f unrecoverable material in accordance with Federal, State and Local		
4. TRANSPORTATION INFORMATION	ON	100 100	是"是这种是一种"。	
DOT Classification:	Exempt - S	ulfur Pastille.		

Prilled Sulfur safety data sheet page #: 5 of 5

## 15. REGULATORY INFORMATION

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 **US Federal Regulations:** 

CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export

Notification (40CFR 707, Subpt. D): Not regulated.

**CERCLA Hazardous Substance** 

Not listed. List (40 CFR 302.4):

SARA 304 Emergency

release notification: Not regulated.

**OSHA Specifically Regulated** 

Substances (29 CFR 1910.1001-1050): Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard Categories

**Hazard Categories:** Immediate Hazard - Yes

> Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely Hazardous** 

Substance: Not listed.

SARA 311/312 chemical: Yes.

SARA 313 (TRI reporting): Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112

**Hazardous Air Pollutants (HAPs) List:** Not regulated.

Clean Air Act (CAA Section 112 (r)

**Accidental Release Prevention** 

Not regulated. (40 CFR 68.130):

Not regulated. Safe Drinking Water Act (SDWA):

**US State Regulations** 

**US California Controlled Substances.** CA Dept. of Justice (California

Health and Safety Code Section 11100): Not listed.

**US Massachusetts RTK** 

Substance List: Sulfur (CAS 7704-34-9)

**US New Jersey Worker and** 

**Community Right-to-Know Act:** Sulfur (CAS 7704-34-9)

**US Pennsylvania Worker and** 

Community Right-to-Know Law: Sulfur (CAS 7704-34-9)

> **US Rhode Island RTK:** Not regulated.

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This **US California Proposition 65:** 

material is not known to contain any chemicals currently listed as carcinogens or

reproductive toxins.

### **16. OTHER INFORMATION**

Issue Date: 3-16-2020