

GUARANTEED ANALYSIS		
Soluble Potash (K2O)1.0%		

DERIVED FROM: Kelp and plant extracts.

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS:

0.45% Humic Acid derived from Kelp

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENT

Wash thoroughly after handling product. Do not ingest. Avoid contact with eyes, skin or clothing. Do not breathe mist or vapor.

First Aid

IF ON SKIN: Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Move person to fresh air. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Rinse mouth.

Call a poison control center or doctor for treatment advice if symptoms persists.

GENERAL INFORMATION

Organic TRIGGRR® contains auxiliary soil and plant substances. It is formulated with kelp and plant extracts for use on all plants.

Organic TRIGGRR® may increase micronutrient uptake and correct minor potassium deficiencies. Potassium is important for root growth.

Organic TRIGGRR® can be mixed with other crop protection products and fertilizers and must be used as part of a complete crop management program.

DIRECTIONS FOR USE

SHAKE VIGOROUSLY BEFORE USING.

Organic TRIGGRR® can be applied to all food and non-food crops such as brassica (cole), berries, citrus, cucurbits, field vegetables, fruiting vegetables, fruit trees, grapes (raisin, table and wine), leafy vegetables, root and tuber vegetables, row crops, strawberries, tree nuts, ornamental trees, shrubs, flowers, containerized plants, lawns and turf. Organic TRIGGRR® can be applied using all types of liquid-application equipment, including chemigation.

Foliar Applications: May increase micronutrient uptake. Apply 2 ounces to 1 quart per acre of Organic TRIGGRR® per application of foliar fertilizers.

DIRECTIONS FOR USE (cont.)

Soil Applications: May increase soil micronutrient uptake. Apply Organic TRIGGRR[®] at 8 ounces to 1 quart per application of soil fertilizers.

Transplant Use: May increase micronutrient uptake. Apply Organic TRIGGRR® with transplant fertilizer in the transplant water as a seedling or bare root soak for 30 to 60 seconds prior to transplanting at 8 fluid ounces per 100 gallons of water.

Nursery and Container Use: May increase micronutrient uptake. Apply Organic TRIGGRR® as a soil drench with fertilizers at a rate of 1/2 quart per 100 gallons of water. Repeat applications every fertilizer application.

Seed Treatment: May increase micronutrient uptake, apply Organic TRIGGRR® with seed treatment fertilizers directly onto the seed prior to or at planting. Apply 4 to 8 fluid ounces per acre of seed. Dilute into seed treatment solution, and apply mixture directly on to the seed.

MIXING INSTRUCTIONS

Organic TRIGGRR® is water soluble and suitable for use in both organic and conventional liquid application systems.

Product Dilution: Thoroughly shake Organic TRIGGRR[®] and dilute in sufficient amount of water to ensure adequate and even coverage. Examples of dilution rates are listed below (for electrostatic sprayers use 5 to 15 gallons of water per acre).

Application Type	Crop	Amount of Water/Acre
Ariel	All	3 to 20 gallons
Ground	Field Crops	5 to 50 gallons
	Row Crops	10 to 200 gallons
	Tree and Vine Crops	25 to 400 gallons

Dilution Water pH: Alkaline dilution water (pH greater than 7) should be adjusted to pH 6 or below prior to the addition of Organic TRIGGRR®. Agitate the tank mixture during application and use within 12 hours after dilution.

Surfactants: When Organic TRIGGRR® is used with 0.1% to 0.5% of an anionic or nonionic surfactant, it may be added to the spray mix to improve droplet spreading on the leaves.

Chemigation Applications: Organic TRIGGRR® should be applied at the end of the irrigation cycle and in sufficient water to ensure adequate coverage. Add other desired chemicals to the supply tank, adjust pH to 7 or below then add Organic TRIGGRR®. The supply tank should be agitated throughout the application of Organic TRIGGRR®.

Phytotoxicity: Perform a phytotoxicity test on a small plot before large-scale application.

Compatibility: Organic TRIGGRR® can be tank mixed with organic and conventional crop protection products and fertilizers. Organic TRIGGRR® should be added last, with agitation, to the mix tank containing other fully diluted chemicals. Test compatibility of the intended tank mixture with a standard jar test before use.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.htm

NOTICE OF WARRANTY - Westbridge warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of Westbridge. In no case shall Westbridge be liable for consequential, special or indirect damages resulting from the use or handling of this product. Westbridge makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

NET CONTENTS:

- ☐ 1 Gallon (3.75 L) / 9.20 Lbs (4.17)
- ☐ 2.5 Gallons (9.46 L) / 23.75 Lbs (10.78 Kg)
- ☐ 30 Gallons (113.5 L) / 276 Lbs (125 Kg)
- ☐ 55 Gallons (208 L) / 506 Lbs (229 Kg)
- ☐ 275 Gallons (1040 L)/ 2530 Lbs (1148 Kg)

Bulk density 9.2 lb/gal at 68° F.



