

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US DEA Number: RK0595249

Certificate of Analysis

Dec 03, 2021 | Trilogene Seeds

Longmont, CO, 80504, US



Kaycha Labs

Orange Sunrise

Matrix: Flower



Sample: KN11129006-005

Harvest/Lot ID: N/A

Batch#: Orange Sunrise Seed to Sale# N/A

Batch Date: N/A

Sample Size Received: 4 gram

Total Weight/Volume: N/A

Retail Product Size: 1 gram

Ordered: 11/24/21 sampled: 11/24/21

Completed: 12/03/21 Expires: 12/03/22

Sampling Method: SOP Client Method TESTED

Page 1 of 1

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Heavy Metals



Microbials





Residuals Solvents



NOT TESTED



Water Activity



NOT



MISC.

NOT TESTED

CANNABINOID RESULTS



Total THC 0.561%



14.127%



Total Cannabinoids 16.736%

	CBDV	CBDA	CBGA	CBG	CBD	THCV	CBN	EXO-THC	D9-THC	D8-THC	D10-THC	СВС	THCA	рв-тнсо	D9-THCO
%	0.02	12.049	0.211	0.074	3.561	ND	ND	ND	0.308	ND	ND	0.224	0.289	ND	ND
mg/g	0.2	120.49	2.11	0.74	35.61	ND	ND	ND	3.08	ND	ND	2.24	2.89	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.002	0.001	0.001	0.001	0.001	0.001	0.002	0.002
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Cannabinoid Profile Test

Extraction date : d9-THC:12.7%, THCa: 9.5%, TOTAL THC 11

Dilution

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310. This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is

Sue Ferguson

Lab Director

State License # n/a ISO Accreditation # 17025:2017



12/03/21

Signature

Signed On