

Page 1/10

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2022

Reviewed on 10/20/2022

l Identification

- · Product identifier
- · Trade name: SUPERthrive pH-Down
- Relevant identified uses of the substance or mixture and uses advised against
- · Product description Mixed Liquid Specialty pH Control
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Dyna-Gro Nutrition Solutions
 2775 Giant Road
 Richmond, CA 94806
 (800) 396-2476
 Emergency telephone number: (510) 233-0254

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labeling:

Phosphoric acid Nitric Acid

· Hazard statements

Causes severe skin burns and eye damage.

Precautionary statements

Do not breathe dusts or mists.

Wear eye protection / face protection.

Wash thoroughly after handling.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

Reviewed on 10/20/2022

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2022

Trade name: SUPERthrive pH-Down

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Unknown acute toxicity:
- 11.5 percent of the mixture consists of ingredient(s) of unknown toxicity.
- Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH 4	Health = 4
FIRE 0	Fire = 0
REACTIVITY 0	Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients	
7732-18-5 Water, distilled water, deionized water	40-60%

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous Components:				
CAS: 7664-38-2 RTECS: TB 6300000	Phosphoric acid	Met. Corr.1, H290; Skin Corr. 1B, H314	25-50%	
CAS: 7697-37-2	Nitric Acid	🚸 Ox. Liq. 3, H272; 🚸 Skin Corr. 1A, H314	15-35%	
4 First-aid measures				

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness, place patient securely on side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Remove soiled clothing and consult a doctor immediately.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention.

- Information for doctor:
- *Most important symptoms and effects, both acute and delayed:* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2022

Reviewed on 10/20/2022

Trade name: SUPERthrive pH-Down

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- *Environmental precautions:* Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
- Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with occupational exposure limits:

7664-38-2 Phosphoric acid

PEL Long-term value: 1 mg/m³

(Contd. on page 4)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2022

Reviewed on 10/20/2022

Trade name: SUPERthrive pH-Down

- REL Short-term value: 3 mg/m³
- Long-term value: 1 mg/m³
- TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³

7697-37-2 Nitric Acid

- PEL Long-term value: 5 mg/m³, 2 ppm
- REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
- TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

• Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:



Self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• Eye protection:



Tightly sealed goggles

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2022

Trade name: SUPERthrive pH-Down

Reviewed on 10/20/2022

9 Physical and chemical properties

 Information on basic physical and ch General Information Appearance: 	nemical properties	
Form:	Liquid	
Color:	Clear	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. 83 °C (181 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	0.0 Vol %	
Upper:	0.0 Vol %	
· Vapor pressure @ 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density @ 20 °C (68 °F):	1.076 g/cm³ (8.98 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
 Solubility in / Miscibility with 		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	55.5 %	
• Other information	No further relevant information available.	
10 Stability and reactivity		

· Reactivity No further relevant information available.

· Chemical stability Stable under normal conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2022

Trade name: SUPERthrive pH-Down

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

	0 valu	es that are relevant for classification:
7664-38	8-2 Pho	osphoric acid
Oral	LD50	>5000 mg/kg (rat) (OECD Test Guideline 423)
Dermal	LD50	2740 mg/kg (rabbit) Remarks: Behavioral: Somnolence (general depressed activity). Behavioral: Excitement.
on the on the Strong i Corrosi	s <i>kin:</i> S eye: rritant v /e effe	<i>nt effect:</i> Strong caustic effect on skin and mucous membranes. with the danger of severe eye injury. ct. s eye irritation.
The prepara prepara Corrosiv Irritant	oduct tions: /e /ing wi	xicological information: shows the following dangers according to internally approved calculation methods fo Il lead to a corrosive effect on mouth and throat and to the danger of perforation of esophague
IARC (I Group 1 Group 2 Group 2 Group 3	n terna - Caro 2A - Pro 2B - Po 3 - Not	<i>categories</i> <i>tional Agency for Research on Cancer)</i> cinogenic to humans obably carcinogenic to humans ssibly carcinogenic to humans classifiable as to its carcinogenicity to humans oably not carcinogenic to humans
None of	the in	gredients are listed.
NTP (N	ationa	I Toxicology Program)
None of	the in	gredients are listed.
OSHA-	Ca (Oc	cupational Safety & Health Administration)
USIIA-		gredients are listed.

Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Reviewed on 10/20/2022

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2022

Trade name: SUPERthrive pH-Down

Reviewed on 10/20/2022

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA
- · UN proper shipping name

UN3264

8

8

• UN proper snipping name	
·DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
· ADR	UN3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid)
 Transport hazard class(es) 	
DOT	
and a second sec	
· Class	8 Corrosive substances

- · Class · Label
-
- · ADR



· Class · Label

IMDG, IATA



Class

- · Label
- · Packing group
- · DOT, ADR, IMDG, IATA

• Environmental hazards:

· Special precautions for user

8 Corrosive substances 8

8 (C1) Corrosive substances

II Not applicable. Warning: Corrosive substances

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2022

Reviewed on 10/20/2022

Trade name: SUPERthrive pH-Down

 Danger code (Kemler): EMS Number: Segregation groups Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	80 F-A,S-B Acids f Not applicable.
• Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· ADR · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
 IMDG Limited quantities (LQ) Excepted quantities (EQ) UN "Model Regulation": 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, II
15 Pequilatory information	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara · Section 355 (extremely hazardous substances): 7697-37-2 Nitric Acid · Section 313 (Specific toxic chemical listings): 7664-38-2 Phosphoric acid 7697-37-2 Nitric Acid • TSCA (Toxic Substances Control Act): All ingredients are listed. · California Proposition 65 · Chemicals known to cause cancer: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed. · Chemicals known to cause developmental toxicity: None of the ingredients are listed. · Carcinogenic categories · EPA (Environmental Protection Agency) None of the ingredients are listed.

Reviewed on 10/20/2022

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2022

Trade name: SUPERthrive pH-Down

None of the ingredient	s are listed.		
NIOSH-Ca (National	Institute for Occupational Saf	ety and Health)	
None of the ingredient	s are listed.		
GHS label elements The product is classifi Hazard pictograms	ed and labeled according to the	Globally Harmonized System (GHS)	
GHS05			
· Signal word Danger			
Hazard-determining	components of labeling:		
Phosphoric acid			
Nitric Acid			
Hazard statements			
	urns and eye damage.		
 Precautionary states Do not breathe dusts 			
Wear eye protection /			
Wash thoroughly after			
		Il contaminated clothing. Rinse skin v	with water/shower.
		utes. Remove contact lenses, if pres	
Continue rinsing.	-		-
Immediately call a poi			
		ctions on this Safety Data Sheet).	41-1
		rest in a position comfortable for brea	itning.
Wash contaminated c	outh. Do NOT induce vomiting.		
Store locked up.			
	ontainer in accordance with loca	al/regional/national/international regul	lations.
National regulations			
•		ith the latest version of the regulati	ons on hazardous
• State Right to Know			
CAS: 7732-18-5	Water, distilled water, deionized	d water	40-60%
CAS: 7664-38-2	Phosphoric acid		25-50%
RTECS: TB 6300000	Met. Corr.1, H290; Skin Cor	r. 1B, H314	
CAS: 7697-37-2	Nitric Acid	,	15-35%
	🚸 Ox. Liq. 3, H272; 🚸 Skin Co	orr. 1A, H314	
		,	
All ingredients are liste	ed.		
•		ssessment has not been carried out.	

Reviewed on 10/20/2022

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2022

Trade name: SUPERthrive pH-Down

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 10/20/2022 / -

Abbreviations and acronyms: ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Liq. 3: Oxidising Liquids, Hazard Category 3 Met. Corr.1: Corrosive to metals, Hazard Category 1 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106