



# AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

NABL ACCREDITED LABORATORY

(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail : agsslabs@gmail.com, support@agsslabs.com Web. : www.agsslabs.com



## TEST REPORT

<b>Issued to:</b> <b>M/s Gopali Dairy and Farms Pvt. Ltd.</b> <b>91, Kasna Ecotech-1, Ext- 1, Greater Noida- 201308</b>	<b>LAB REFERENCE NO</b>	AGSS/GN/20210822-04899
	<b>Sample Issue Date</b>	22/08/2021
	<b>Your Ref.</b>	N/A
	<b>Report Issue Date</b>	28/08/2021


### Sample Particulars: Khandsari


Sample Registration Date	22/08/2021	Analysis Completion Date : 28/08/2021
Analysis Starting Date	22/08/2021	
Name of The Product	Khandsari	
Quantity Received	500gm	
Batch No.	008	
Date of Manufacture	-	
Date of Mfg	-	
Sampling Done By	Mr. Ashok (AGSS Representative)	

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirement as per FSSR-	Method of Testing
<b>Adulteration:</b>					
1	Lead (as Pb)	mg/kg	BLQ(0.05)	2.5 Max	AGSS/CHEM/SOP-ICPMS/06
2	Copper (as Cu)	mg/kg	4.14	30.0 Max	AGSS/CHEM/SOP-ICPMS/06
3	Arsenic (as As)	mg/kg	BLQ(0.05)	0.1 Max	AGSS/CHEM/SOP-ICPMS/06
4	Tin (as Sn)	mg/kg	BLQ(0.05)	250.0 Max	AGSS/CHEM/SOP-ICPMS/06
5	Cadmium (as Cd)	mg/kg	BLQ(0.05)	1.5 Max	AGSS/CHEM/SOP-ICPMS/06
6	Mercury (as Hg)	mg/kg	BLQ(0.05)	1.0 Max	AGSS/CHEM/SOP-ICPMS/06

Note: 1) BLQ= Below Limit Of Quantification.

2) Figure in bracket indicate limit of quantification.

  
 Checked By  
 Neeraj Kumar

  
 Dr. Shival Singh  
 Director Technical  
 (Authorized Signatory)

Page No.1/3

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





# AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

A Government Approved Testing Laboratory

(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-110035

Ph.: 011-45022985, 9311654060

E-mail : agsslabs@gmail.com, support@agsslabs.com Web. : www.agsslabs.com

## TEST REPORT

Lab Reference No.: AGSS/GN/20210822-04899

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirement as per FSSR-2011	Method of Testing
<b>Pesticide Residues:</b>					
1	2,4-D	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
2	Acephate	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
3	Acetamiprid	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
4	Azoxystrobin	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
5	Benomyl	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
6	Bifenthrin	mg/kg	BLQ (0.01)	0.2 Max	AGSS/CHEM/SOP/PEST/05
7	Bitertanol	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
8	Buprofezin	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
9	Carbaryl	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
10	Carbendazim	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
11	Cabofuran	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
12	Chlorantraniliprole	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
13	Chlorothalonil	mg/kg	BLQ (0.01)	0.07 Max	AGSS/CHEM/SOP/PEST/05
14	Chlorpyrifos	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
15	Chlothianidin	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
16	Cypermethrin	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
17	Deltamethrin	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
18	Dichlorvos	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
19	Difenoconazole	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
20	Dimethoate	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
21	Mancozeb	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
22	Metiram	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
22	Metiram	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
23	Dinotefuran	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
24	Emamectin Benzoate	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
25	Ethion	mg/kg	BLQ (0.01)	0.5 Max	AGSS/CHEM/SOP/PEST/05
26	Ethofenprox	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05

Note: 1) BLQ= Below Limit Of Quantification.

2) Figure in bracket indicate limit of quantification.

Checked By  
Devendra Soni

Dr. Shivlal Singh  
Director Technical  
(Authorized Signatory)

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





# AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

A Government Approved Testing Laboratory

(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-110035

Ph.: 011-45022985, 9311654060

E-mail : agsslabs@gmail.com, support@agsslab.com Web. : www.agsslab.com

## TEST REPORT

LAB REFERENCE NO.: AGSS/GN/20210822-04899

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirement as per FSSR-2011	Method of Testing
27	Fenpropathrin	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
28	Fenvalerate	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
29	Fipronil	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
30	Flubendiamide	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
31	Flusilazole	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
32	Glofosinate Ammonium	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
33	Imidacloprid	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
34	Indoxacarb	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
35	Kresoxim Methyl	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
36	Methomyl	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
37	MCPA	mg/kg	BLQ (0.01)	0.04 Max	AGSS/CHEM/SOP/PEST/05
38	Metolachlor	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
39	Monocrotophos	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
40	Oxydemeton methyl	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
41	Paraquat Dichloride	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
42	Penconazole	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
43	Phenthoate	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
44	Phorate	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
45	Pirimiphos Methyl	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
46	Propiconazole	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
47	Pyraclostrobin	mg/kg	BLQ (0.01)	0.03 Max	AGSS/CHEM/SOP/PEST/05
48	Tebuconazole	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
49	Thiacloprid	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
50	Thiamethoxam	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
51	Thiophanate Methyl	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
52	Trichlorfon	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
53	Triaccontanol	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
54	Triadimefon	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
55	Edifenphos	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05

Note: 1) BLQ= Below Limit Of Quantification.

2) Figure in bracket indicate limit of quantification.

Checked-By  
Devendra Soni

Dr. Shival Singh  
Director Technical  
(Authorized Signatory)  
Page No.3/8

\*\*\*\*\*End of Test Report\*\*\*\*\*

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

