



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

NABL ACCREDITED LABORATORY

(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail : agsslabs@gmail.com, support@agsslabs.com Web. : www.agsslabs.com



TEST REPORT

Issued to: M/s Gopali Dairy and Farms Pvt. Ltd. 91, Kasna Ecotech-1, Ext- 1, Greater Noida- 201308	LAB REFERENCE NO	AGSS/GN/20210822-04906
	Sample Issue Date	22/08/2021
	Your Ref.	N/A
	Report Issue Date	28/08/2021

Sample Particulars: Nectar Honey

Sample Registration Date	22/08/2021	Analysis Completion Date : 28/08/2021
Analysis Starting Date	22/08/2021	
Name of The Product	Nectar Honey	
Quantity Received	700ml	
Batch No.	007	
Date of Manufacture	-	
Date of Mfg	-	
Sampling Done By	Mr. Ashok (AGSS Representative)	

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirement as per FSSR-	Method of Testing
Adulteration:					
1	Lead (as Pb)	mg/kg	BLQ(0.05)	2.5 Max	AGSS/CHEM/SOP-ICPMS/06
2	Copper (as Cu)	mg/kg	5.10	30.0 Max	AGSS/CHEM/SOP-ICPMS/06
3	Arsenic (as As)	mg/kg	BLQ(0.05)	0.1 Max	AGSS/CHEM/SOP-ICPMS/06
4	Tin (as Sn)	mg/kg	BLQ(0.05)	250.0 Max	AGSS/CHEM/SOP-ICPMS/06
5	Cadmium (as Cd)	mg/kg	BLQ(0.05)	1.5 Max	AGSS/CHEM/SOP-ICPMS/06
6	Mercury (as Hg)	mg/kg	BLQ(0.05)	1.0 Max	AGSS/CHEM/SOP-ICPMS/06

Note: 1) BLQ= Below Limit Of Quantification.

2) Figure in bracket indicate limit of quantification.


 Checked By
 Neeraj Kumar


 Dr. Shival Singh
 Director Technical
 (Authorized Signatory)

Page No.1/3

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

A Government Approved Testing Laboratory
(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-110035

Ph.: 011-45022985, 9311654060

E-mail : agsslabs@gmail.com, support@agsslabs.com Web. : www.agsslabs.com

TEST REPORT

Lab Reference No.: AGSS/GN/20210822-04906

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirement as per FSSR-2011	Method of Testing
Pesticide Residues:					
1	2,4-D	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
2	Acephate	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
3	Acetamiprid	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
4	Azoxystrobin	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
5	Benomyl	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
6	Bifenthrin	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
7	Bitertanol	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
8	Buprofezin	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
9	Carbaryl	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
10	Carbendazim	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
11	Cabofuran	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
12	Chlorantraniliprole	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
13	Chlorothalonil	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
14	Chlorpyrifos	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
15	Chlothianidin	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
16	Cypermethrin	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
17	Deltamethrin	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
18	Dichlorvos	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
19	Difenoconazole	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
20	Dimethoate	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
21	Mancozeb	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
22	Metiram	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
22	Metiram	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
23	Dinotefuran	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
24	Emamectin Benzoate	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
25	Ethion	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
26	Ethofenprox	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05

Note: 1) BLQ= Below Limit Of Quantification.

2) Figure in bracket indicate limit of quantification.

Checked By
Devendra Soni

Dr. Shival Singh
Director Technical
(Authorized Signatory)

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



ISSAI



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

A Government Approved Testing Laboratory

(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-110035

Ph.: 011-45022985, 9311654060

E-mail : agsslabs@gmail.com, support@agsslab.com Web. : www.agsslab.com

TEST REPORT

LAB REFERENCE NO.: AGSS/GN/20210822-04906

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirement as per FSSR-2011	Method of Testing
27	Fenpropathrin	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
28	Fenvalerate	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
29	Fipronil	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
30	Flubendiamide	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
31	Flusilazole	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
32	Glofosinate Ammonium	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
33	Imidacloprid	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
34	Indoxacarb	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
35	Kresoxim Methyl	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
36	Methomyl	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
37	MCPA	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
38	Metolachlor	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
39	Monocrotophos	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
40	Oxydemeton methyl	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
41	Paraquat Dichloride	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
42	Penconazole	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
43	Phenthoate	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
44	Phorate	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
45	Pirimiphos Methyl	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
46	Propiconazole	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
47	Pyraclostrobin	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
48	Tebuconazole	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
49	Thiacloprid	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
50	Thiamethoxam	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
51	Thiophanate Methyl	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
52	Trichlorfon	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
53	Triaccontanol	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
54	Triadimefon	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05
55	Edifenphos	mg/kg	BLQ (0.01)	-	AGSS/CHEM/SOP/PEST/05

Note: 1) BLQ= Below Limit Of Quantification.

2) Figure in bracket indicate limit of quantification.

Checked By
Devendra Soni

Dr. Shival Singh
Director Technical
(Authorized Signatory)

*****End of Test Report*****

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



fssai