



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

A Government Approved Testing Laboratory

(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-110035

Ph.: 011-45022985, 9311654060

E-mail : agsslabs@gmail.com, support@agsslabs.com Web. : www.agsslabs.com


TEST REPORT


Issued to: M/s Gopali Dairy and Farms Pvt. Ltd. 91, Kasna Ecotech-1, Ext- 1, Greater Noida- 201308	Lab Reference No.	AGSS/GN/20210903-0594
	Sample Issue Date	03/09/2021
	Report Issue Date	10/09/2021

Sample Particulars: Raw Milk (Mix)

Sample Registration Date	03/09/2021	Analysis Completion Date : 10/09/2021
Analysis Starting Date	03/09/2021	
Name of The Product	Raw Milk (Mix)	
Quantity Received	1Ltr	
Batch No.	NS	
Use by Date	-	
Sample Received By	Mr. Ashok (AGSS Representative)	

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirement as per FSSR-2011	Method of Testing
Heavy Metal:					
1	Lead (as Pb)	mg/kg	BLQ(0.02)	0.02 Max	AGSS/CHEM/SOP-ICPMS/06
2	Copper (as Cu)	mg/kg	2.18	30.0 Max	AGSS/CHEM/SOP-ICPMS/06
3	Arsenic (as As)	mg/kg	BLQ(0.05)	1.1 Max	AGSS/CHEM/SOP-ICPMS/06
4	Tin (as Sn)	mg/kg	BLQ(0.05)	250.0 Max	AGSS/CHEM/SOP-ICPMS/06
5	Cadmium (as Cd)	mg/kg	BLQ(0.05)	1.5 Max	AGSS/CHEM/SOP-ICPMS/06
6	Mercury (as Hg)	mg/kg	BLQ(0.05)	1.0 Max	AGSS/CHEM/SOP-ICPMS/06
7	Zinc (as Zn)	mg/kg	4.12	-	AGSS/CHEM/SOP-ICPMS/06


Checked By
Neeraj Kumar


Dr. Shival Singh
Director Technical
(Authorized Signatory)
Page No.1/8

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

A Government Approved Testing Laboratory

(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-110035

Ph.: 011-45022985, 9311654060

E-mail : agsslabs@gmail.com, support@agsslabs.com Web. : www.agsslabs.com

TEST REPORT

Lab Reference No.: AGSS/GN/20210903-0594

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirement as per FSSR-2011	Method of Testing
Other Contaminants:					
1	Melamine	mg/kg	BLQ(0.5)	2.5 Max	AGSS/CHEM/SOP-HPLC/07
Pesticide Residues:					
1	2,4-D	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
2	Acephate	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
3	Acetamiprid	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
4	Azoxystrobin	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
5	Benomyl	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
6	Bifenthrin	mg/kg	BLQ (0.01)	0.2 Max	AGSS/CHEM/SOP/PEST/05
7	Bitertanol	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
8	Buprofezin	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
9	Carbaryl	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
10	Carbendazim	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
11	Cabofuran	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
12	Chlorantraniliprole	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
13	Chlorothalonil	mg/kg	BLQ (0.01)	0.07 Max	AGSS/CHEM/SOP/PEST/05
14	Chlorpyrifos	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
15	Chlothianidin	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
16	Cypermethrin	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
17	Deltamethrin	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
18	Dichlorvos	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
19	Difenoconazole	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
20	Dimethoate	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
21	Mancozeb	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
22	Metiram	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
22	Metiram	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
23	Dinotefuran	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
24	Emamectin Benzoate	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
25	Ethion	mg/kg	BLQ (0.01)	0.5 Max	AGSS/CHEM/SOP/PEST/05

Note: 1) BLQ= Below Limit Of Quantification.

2) Figure in bracket indicate limit of quantification.

Checked By
Devendra Soni

Dr. Shival Singh
Director Technical
(Authorized Signatory)
Page No. 2/8

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

A Government Approved Testing Laboratory

(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-110035

Ph.: 011-45022985, 9311654060

E-mail : agsslabs@gmail.com, support@agsslabs.com Web. : www.agsslabs.com


TEST REPORT


LAB REFERENCE NO.: AGSS/GN/20210903-0594

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirement as per FSSR-2011	Method of Testing
26	Ethofenprox	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
27	Fenpropathrin	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
28	Fenvalerate	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
29	Fipronil	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
30	Flubendiamide	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
31	Flusilazole	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
32	Glofosinate Ammonium	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
33	Imidacloprid	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
34	Indoxacarb	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/05
35	Kresoxim Methyl	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
36	Methomyl	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
37	MCPA	mg/kg	BLQ (0.01)	0.04 Max	AGSS/CHEM/SOP/PEST/05
38	Metolachlor	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
39	Monocrotophos	mg/kg	BLQ (0.01)	0.02 Max	AGSS/CHEM/SOP/PEST/05
40	Oxydemeton methyl	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
41	Paraquat Dichloride	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
42	Penconazole	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
43	Phenthoate	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
44	Phorate	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
45	Pirimiphos Methyl	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
46	Propiconazole	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
47	Pyraclostrobin	mg/kg	BLQ (0.01)	0.03 Max	AGSS/CHEM/SOP/PEST/05
48	Tebuconazole	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
49	Thiacloprid	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
50	Thiamethoxam	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
51	Thiophanate Methyl	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
52	Trichlorfon	mg/kg	BLQ (0.01)	0.05 Max	AGSS/CHEM/SOP/PEST/05
53	Triacntanol	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
54	Triadimefon	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05
55	Edifenphos	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/05

Note: 1) BLQ= Below Limit Of Quantification.

2) Figure in bracket indicate limit of quantification.


Checked By
Devendra Soni


Dr. Shival Singh
Director Technical
(Authorized Signatory)
Page No.3/8

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

A Government Approved Testing Laboratory

(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-110035

Ph.: 011-45022985, 9311654060

E-mail : agsslabs@gmail.com, support@agsslabs.com Web. : www.agsslabs.com

TEST REPORT

LAB REFERENCE NO.: AGSS/GN/20210903-0594

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirement as per FSSR-2011	Method of Testing
Crop Contaminants:					
1	Aflatoxin M1	µg/kg	BLQ(0.1)	0.5 Max	AGSS/CHEM/SOP-AFL/30
Antibiotics Residues :					
1.	Ampicillin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
2.	Cloxacillin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
3.	Salinomycin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
4.	Sulphadiazine	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
5.	Sulphadiazole Sodium	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
6.	Trimethoprim	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
7.	Sulfadiazine	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
8.	Sulfanilamide	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
9.	Sulfoguanidine	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
10.	Zinc Bacitracin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
11.	Amprolium	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
12.	Apramycin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
13.	Cephapirine	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
14.	Clopidol	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
15.	Enrofloxacin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
16.	Ethopabate	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
17.	Flavophospholipol	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
18.	Sulphaquinoxaline	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
19.	Sulfadimidine	mg/kg	BLQ(0.005)	0.025 Max	FSSAI Lab Manual-12
20.	Tyvalosin Tartrate	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
21.	Virginiamycin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
22.	acepromazine	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
23.	Albendazole	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
24.	Amitraz	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12

Note: 1) BLQ= Below Limit Of Quantification.

2) Figure in bracket indicate limit of quantification.

Checked By
Devendra Soni

Dr. Shival Singh
Director Technical
(Authorized Signatory)
Page No.4/8

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

A Government Approved Testing Laboratory

(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-110035

Ph.: 011-45022985, 9311654060

E-mail : agsslabs@gmail.com, support@agsslab.com Web. : www.agsslab.com

TEST REPORT

LAB REFERENCE NO- AGSS/GN/20210903-0594

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirements as per FSSR-2011	Method of Testing
25.	Aspirin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
26.	Buqarvaquone	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
27.	Buserelin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
28.	Butafosfane	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
29.	Butaphosphan	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
30.	Calcium borogluconate	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
31.	Calcium magnesium borogluconate	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
32.	Carboprost tromethamine	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
33.	Cefquinone sulphate	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
34.	Chloral hydrate	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
35.	Clospostenol sodium	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
36.	Diethylcarbamazine	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
37.	Dinitolmide	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
38.	Dexcloprostenolum	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
39.	Flunixin meglumine	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
40.	Halofuginone	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
41.	Haloxon	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
42.	Kaolin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
43.	Ketamine hydrochloride	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
44.	Lithium Antimony Thiomalate	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
45.	Luprostiol	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
46.	Madramicin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
47.	Magnesium hypophosphite	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
48.	Meloxicam	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
49.	Mepyramine	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
50.	Methyl hydroxybenzoate	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
51.	Nandrolone laurate	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
52.	Niclosamide	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12

Note: 1) BLQ= Below Limit Of Quantification.

2) Figure in bracket indicate limit of quantification.

Checked By
Devendra Soni

Dr. Shival Singh
Director Technical
(Authorized Signatory)
Page No. 5/8

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



fssai



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

A Government Approved Testing Laboratory

(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-110035

Ph.: 011-45022985, 9311654060

E-mail : agsslabs@gmail.com, support@agsslabs.com Web. : www.agsslabs.com

TEST REPORT

LAB REFERENCE NO- AGSS/GN/20210903-0594

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirements as per FSSR-2011	Method of Testing
53.	Nimesulide	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
54.	Nitroscanate	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
55.	Nitroxynil	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
56.	Oxybendazole	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
57.	Oxyclozanide	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
58.	Parbendazole	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
59.	Pentobarbitone	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
60.	Praziquantel	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
61.	Pregnant Mare serum Gonadotrophin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
62.	Proligestone	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
63.	Promazine Hydrochloride	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
64.	Propofol	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
65.	Prosolin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
66.	Rafoxanide	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
67.	Semduramycin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
68.	Sulpha chloropyrazine sodium	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
69.	Suramin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
70.	Tiamulin Hydrogen Fumarate	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
71.	Totrazuril	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
72.	Xylazine	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
73.	Clorsulon	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
74.	Hydrocortisone	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
75.	Phenazone	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
76.	Quinapyramine	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
77.	Cefphactril	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
78.	Chlorpyridazine	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
79.	Tiaprost trometamol	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
80.	Colistin	mg/kg	BLQ(0.005)	0.05 Max	FSSAI Lab Manual-12

Note: 1) BLQ= Below Limit Of Quantification.

2) Figure in bracket indicate limit of quantification.

Checked By
Devendra Soni

Dr. Shivlal Singh
Director Technical
(Authorized Signatory)
Page No.6/8

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

A Government Approved Testing Laboratory

(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-110035

Ph.: 011-45022985, 9311654060

E-mail : agsslabs@gmail.com, support@agsslab.com Web. : www.agsslab.com


TEST REPORT

LAB REFERENCE NO- AGSS/GN/20210903-0594

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirements as per FSSR-2011	Method of Testing
81.	Ceftiofur	mg/kg	BLQ(0.005)	0.1 Max	FSSAI Lab Manual-12
82.	Dihydrostreptomycin Streptomycin	mg/kg	BLQ(0.005)	0.02 Max	FSSAI Lab Manual-12
83.	Chlortetracycline/ Oxytetracycline/ Tetracycline Cattle	mg/kg	BLQ(0.005)	0.1 Max	FSSAI Lab Manual-12
84.	Lincomycin	mg/kg	BLQ(0.005)	0.15 Max	FSSAI Lab Manual-12
85.	Neomycin	mg/kg	BLQ(0.005)	1.5 Max	FSSAI Lab Manual-12
86.	Monensin	mg/kg	BLQ(0.005)	0.002 Max	FSSAI Lab Manual-12
87.	Clenbutrol (Broncopulmin powder)	mg/kg	BLQ(0.00005)	0.00005 Max	FSSAI Lab Manual-12
88.	Doramectin	mg/kg	BLQ(0.005)	0.015 Max	FSSAI Lab Manual-12
89.	Ivermectin	mg/kg	BLQ(0.005)	0.01 Max	FSSAI Lab Manual-12
90.	Febantel/Fenbendazole/ Oxyfendazole	mg/kg	BLQ(0.005)	0.1 Max	FSSAI Lab Manual-12
91.	Thiabendazole	mg/l	BLQ(0.005)	0.1 Max	FSSAI Lab Manual-12
92.	Diminazene	mg/l	BLQ(0.005)	0.15 Max	FSSAI Lab Manual-12
93.	Spectinomycin	mg/kg	BLQ(0.005)	0.2 Max	FSSAI Lab Manual-12

Note- 1) BLQ-Below Limit of quantification.


2) Figure in bracket indicate limit of quantification.


Checked By
Devendra Soni


Dr. Shivlal Singh
Director Technical
(Authorized Signatory)

Page No.7/8

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

A Government Approved Testing Laboratory

(An ISO-9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2 (Back Side) Lawrence Road, Industrial Area, Delhi-110035

Ph.: 011-45022985, 9311654060


E-mail : agsslabs@gmail.com, support@agsslab.com Web. : www.agsslab.com


TEST REPORT

LAB REFERENCE NO.: AGSS/GN/20210903-0594

Sr. No.	Test Parameter	Unit of Measurement	Results	Requirement as per FSSR-2011	Method of Testing
Microbiological Parameter:					
1	Total Plate Count	cfu/ml	14560	-	IS:5402:2012
2	Coliform Count	cfu/ml	<1	-	IS:5401(P-1):2012
3	Salmonella	/25ml	Absent	-	IS:5887(P-3)Sec-1:2020
4	Listeria monocytogenes	/25ml	Absent	-	IS:14988(P-1):2020

Remarks: - The Tested Sample Conform as per FSSR-2011, with respect to above test only.


Checked By
Preeti Sudan


Subhash Chand Pal
Microbiologist
(Authorized Signatory)

*****End of Test Report*****

Page No.8/8

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

