



Smart Hospitality Display

HAU8000 Series

43 50 55 65 75

HIGHLIGHTS


- Enhance content with 4K UHD Crystal Display for perfect picture quality
- Slim design that complements any interior while saving space
- Centralized management of hotel displays worldwide
- Optimize promotions and offers using personalized guest insights
- Customize content and empower system integrators to build web applications

Key features




Lifelike color, in its purest state with fine crystal

Elevate your hotel's entertainment experiences with Dynamic Crystal Color. With a billion shades of color, every subtlety can be seen from the comfort of the hotel room.



Feel the reality of 4K UHD Resolution

Offer guests the vivid picture quality of home entertainment systems, using upscaling technology to display content in UHD resolution (3,840 X2,160), four times the pixels of standard FHD.



Sleek and slim, more than ever

Increase flexibility with ultra-slim design, enabling hotel operators to create optimized room layouts that increase guest comfort.



The richer sounds of synergy between TV and soundbar

By seamlessly synchronizing the Samsung TV and soundbar, this powerful combination delivers sound simultaneously from both devices without any complicated setup.

HAU8000 Hospitality Solution


LYNK Cloud



Streamlined property management


With online access that supports multiple users, Samsung LYNK Cloud is ideal for global hospitality operations with centralized management, giving users control of their hotel displays worldwide.

* LYNK Cloud does not support management of properties within China.



Integrated device management


Quickly update in-room TVs from a centralized source with Samsung LYNK Cloud. Managers can modify channel maps and program guides and control basic functions, making it easier than ever to provide support and maintenance.



Content creation and custom interactions

Curate your hotel's in-room experience with LYNK Cloud. Create and remotely deploy web-based content to each in-room TV for a tailored feel to your property. With interactive requests support, you can provide the easiest way for guests to make room service orders and book spa appointments.

* Some features may not be compatible with hotel's current platforms.



Data-driven promotional planning

Samsung LYNK Cloud enables optimized promotional content delivery based on integrated guest data available through the hotel PMS, helping managers to uncover business insights.

H.Browser



Simple, compatible web app development

Create greater content development flexibility. H.Browser provides superior in-room entertainment and enables system integrators to develop smarter hospitality solutions. Apps stored in TIZEN OS are supported by Web Simulator and Remote Web Inspector tools to refine performance and security.

Home App



Easier, Faster control with Home App and Eden UI

Incorporate welcome messages, add logos/branding and provide other useful information such as phone extensions to various guest services. Display on the Eden user interface is a sleek, fast and simple solution.



* Available apps may vary by region.

Specifications



Model		43"	50"	55"	65"	75"
Display	Product	LED	LED	LED	LED	LED
	Resolution	3,840 x 2,160	3,840 x 2,160	3,840 x 2,160	3,840 x 2,160	3,840 x 2,160
Video	Picture Engine	Crystal Processor 4K	Crystal Processor 4K	Crystal Processor 4K	Crystal Processor 4K	Quantum Processor Lite
	Micro Dimming	UHD Dimming	UHD Dimming	UHD Dimming	UHD Dimming	UHD Dimming
	Auto Motion Plus	Yes	Yes	Yes	Yes	Yes
	LED Clear Motion	Clear Motion	Clear Motion	Clear Motion	Clear Motion	Clear Motion
	Film Mode	Yes	Yes	Yes	Yes	Yes
	PQI (Picture Quality Index)	2200	2200	2200	2200	2200
	HDR(High Dynamic Range)	HDR	HDR	HDR	HDR	HDR
	HDR10+	Support	Support	Support	Support	Support
	HLG (Hybrid Log Gamma)	Yes	Yes	Yes	Yes	Yes
	Contrast	Mega Contrast	Mega Contrast	Mega Contrast	Mega Contrast	Mega Contrast
Audio	Color	Dynamic Crystal Color	Dynamic Crystal Color	Dynamic Crystal Color	Dynamic Crystal Color	Dynamic Crystal Color
	Viewing Angle (H/V)	178/178	178/178	178/178	178/178	178/178
	Contrast Enhancer	Yes	Yes	Yes	Yes	Yes
	Dolby Digital Plus	Yes	Yes	Yes	Yes	Yes
	Sound Output (RMS)	20W	20W	20W	20W	20W
	Speaker Type	2CH	2CH	2CH	2CH	2CH
	Bluetooth Audio	Yes	Yes	Yes	Yes	Yes
	Samsung SMART TV	Smart	Smart	Smart	Smart	Smart
	TV Plus	Yes (GB, FR, DE, IT, ES, CH, AT)	Yes (GB, FR, DE, IT, ES, CH, AT)	Yes (GB, FR, DE, IT, ES, CH, AT)	Yes (GB, FR, DE, IT, ES, CH, AT)	Yes (GB, FR, DE, IT, ES, CH, AT)
	Web Browser	Yes	Yes	Yes	Yes	Yes
VESA	VESA Mount	200 x 200 mm	200 x 200 mm	200 x 200 mm	400 x 300 mm	400 x 400 mm
	VESA Screw Size	M8	M8	M8	M8	M8
	VESA Screw Depth	11-13	11-13	11-13	11-13	11-13
	Mobile to TV - Mirroring, DLNA	Yes	Yes	Yes	Yes	Yes
General Feature	WiFi Direct	Yes	Yes	Yes	Yes	Yes
	Sound Mirroring	Yes	Yes	Yes	Yes	Yes
	Accessibility	UK English, German, French, Spanish, Italian, Dutch, Polish, Danish, Swedish, Finnish, Norwegian, Portuguese, Russian(only when connecting to				
	Auto Channel Search	Yes	Yes	Yes	Yes	Yes
	Auto Power Off	Yes	Yes	Yes	Yes	Yes
	Caption (Subtitle)	Yes	Yes	Yes	Yes	Yes
	Connect Share™ (HDD)	Yes	Yes	Yes	Yes	Yes
	ConnectShare™ (USB 2.0)	Yes	Yes	Yes	Yes	Yes
	EPG	Yes	Yes	Yes	Yes	Yes
	OSD Language	27 European Languages + Russian(only when connecting to Network in EE, LV, LT)				
System	BT/HID Built-in	Yes	Yes	Yes	Yes	Yes
	USB HID Support	Yes	Yes	Yes	Yes	Yes
	Teletext (TTX)	Yes	Yes	Yes	Yes	Yes
	Ambient Mode	Ambient Mode	Ambient Mode	Ambient Mode	Ambient Mode	Ambient Mode
	MBR Support	Yes	Yes	Yes	Yes	Yes
	IPv6 Support	Yes	Yes	Yes	Yes	Yes
	Digital Broadcasting	DVB-T2CS2	DVB-T2CS2	DVB-T2CS2	DVB-T2CS2	DVB-T2CS2
	Analog Tuner	Yes	Yes	Yes	Yes	Yes
	CI (Common Interface)	CI(1.4) / CI(1.4 ECP)_IT only	CI(1.4) / CI(1.4 ECP)_IT only	CI(1.4) / CI(1.4 ECP)_IT only	CI(1.4) / CI(1.4 ECP)_IT only	CI(1.4) / CI(1.4 ECP)_IT only
	Data Broadcasting	HbbTV 2.0.2 (IT,GB,DE,CZ,SK,ES,PL,AT,FR,FI,EE,GR,SJ,HR,BE,NL,LU,LT,HU,CH,PT,DK,ME)/MHEG 5(IE)				
Hospitality Feature	H.Browser Compatibility	Yes	Yes	Yes	Yes	Yes
	Samsung LYNK™ Cloud	Yes	Yes	Yes	Yes	Yes
	Hospitality Home Menu 2.0	Yes	Yes	Yes	Yes	Yes
	Hospitality Plug&Play (Easy Set-up)	Yes	Yes	Yes	Yes	Yes
	Power On Mode	Yes	Yes	Yes	Yes	Yes
	Hotel Channel List	Yes	Yes	Yes	Yes	Yes
	Channel Menu Display	Yes	Yes	Yes	Yes	Yes
	Mixed Channel List (ATSC, DVB-T2/C/S2, Analog)	Yes	Yes	Yes	Yes	Yes
	My Channel	Yes	Yes	Yes	Yes	Yes
	Energy Saving Mode (BLU Control)	Yes	Yes	Yes	Yes	Yes
Input & Output	RJ12/IR Pass Through	Yes	Yes	Yes	Yes	Yes
	Clock Back Up Supply	Yes	Yes	Yes	Yes	Yes
	USB Cloning	Yes	Yes	Yes	Yes	Yes
	Wake-up Timer (Alarm)	Yes	Yes	Yes	Yes	Yes
	Samsung LYNK™ DRM	Yes	Yes	Yes	Yes	Yes
	Security Mode	Yes	Yes	Yes	Yes	Yes
	USB	2	2	2	2	2
	Ethernet (LAN)	Yes	Yes	Yes	Yes	Yes
	Digital Audio Out (Optical)	1	1	1	1	1
	RF In (Terrestrial / Cable input / Satellite Input)	1/1(Common Use for Terrestrial)/1	1/1(Common Use for Terrestrial)/1	1/1(Common Use for Terrestrial)/1	1/1(Common Use for Terrestrial)/1	1/1(Common Use for Terrestrial)/1
Design	CI Slot	1	1	1	1	1
	HDMI A / Return Ch. Support	Yes	Yes	Yes	Yes	Yes
	WiFi	Yes (WiFi5)	Yes (WiFi5)	Yes (WiFi5)	Yes (WiFi5)	Yes (WiFi5)
	Anynet+ (HDMI-CEC)	Yes	Yes	Yes	Yes	Yes
	Variable Audio Out	Yes	Yes	Yes	Yes	Yes
	Variable Audio Out Volume Control	Yes	Yes	Yes	Yes	Yes
	RJ12	Yes	Yes	Yes	Yes	Yes
	Ethernet Bridge (LAN-Out)	Yes	Yes	Yes	Yes	Yes
	Front Color	BLACK	BLACK	BLACK	BLACK	BLACK
	Stand Type	FLAT LIFT	FLAT LIFT	FLAT LIFT	FLAT LIFT	FLAT LIFT
Eco	Bezel Type	3 Bezel-less	3 Bezel-less	3 Bezel-less	3 Bezel-less	3 Bezel-less
	Energy Efficiency Class	G	G	G	G	G
Power	Eco Sensor	Yes	Yes	Yes	Yes	Yes
	Power Supply (V)	AC220-240V 50/60Hz	AC220-240V 50/60Hz	AC220-240V 50/60Hz	AC220-240V 50/60Hz	AC220-240V 50/60Hz
	Power Consumption (Max)	130 W	140 W	160 W	205 W	255 W
	Power Consumption (Stand-by)	0.50 W	0.50 W	0.50 W	0.50 W	0.50 W
Dimension	Power Consumption (Typical)	72.0 W	87.0 W	90.0 W	136 W	172 W
	Set Dimension without Stand (WxHxD)	965.5 x 559.9 x 25.7 mm	1118.3 x 644.6 x 25.7 mm	1232.1 x 708.8 x 25.7 mm	1450.9 x 831.9 x 25.7 mm	1676.7 x 960.3 x 26.6 mm
	Set Dimension with Stand (WxHxD)	965.5 x 600.1 x 195.1 mm	1118.3 x 684.6 x 226.3 mm	1232.1 x 748.8 x 226.3 mm	1450.9 x 874.3 x 279.4 mm	1676.7 x 1003.4 x 331.9 mm
	Package Dimension (WxHxD)	1093 x 677 x 129 mm	1246 x 771 x 137 mm	1399 x 846 x 148 mm	1612 x 950 x 164 mm	1834 x 1110 x 190 mm
Weight	Set Weight without Stand	8.4 kg	11.5 kg	15.5 kg	20.9 kg	31.4 kg
	Set Weight with Stand	8.7 kg	11.8 kg	15.8 kg	21.4 kg	32 kg
	Package Weight	11.9 kg	16 kg	22 kg	28.4 kg	42.3 kg
Accessory	Remote Controller Model	TM1640A	TM1640A	TM1640A	TM1640A	TM1640A
	Batteries (for Remote Control)	Yes	Yes	Yes	Yes	Yes
	Mini Wall Mount Supported	Yes	Yes	Yes	Yes	N/A
	VESA Wall Mount Supported	Yes	Yes	Yes	Yes	Yes
	Power Cable	Yes	Yes	Yes	Yes	Yes
	Quick Install Guide	Yes	Yes	Yes	Yes	Yes
	Data Cable	Yes	Yes	Yes	Yes	Yes
	Optional Stand Support (Studio)	N/A	N/A	Yes	Yes	N/A

Technical drawings



43"





50"



55"







65"




Technical drawings

75"



* There are two options for the 75" stand.
Customer can choose one of the two according to the situation.

Connectors



- | | | |
|-------------------------|---------------------------|---------------------------|
| 1 VARIABLE | 6 HDMI IN 2 (eARC) | 11 ANT IN |
| 2 VOL-CTRL | 7 HDMI IN 1 | 12 HDMI IN 3 |
| 3 USB (5V 0.5A) | 8 SERVICE | 13 OPTICAL (SPDIF) |
| 4 USB (HDD 5V1A) | 9 DATA | |
| 5 LAN IN | 10 LAN OUT | |

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at news.samsung.com.

Hospitality Display

For more information about Samsung Hospitality Displays, visit www.samsung.com/business or www.samsung.com/displaysolutions

Copyright © 2021 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.


Samsung Electronics Co., Ltd.
416, Maetan 3-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-772, Korea

Samsung HG43AU800AJ 43" 4K Ultra HD Smart Hotel TV

	Model Code	HG43AU800AJXZK
Display	Product	LED
	Screen Size	43
	Resolution	3,840 x 2,160
Video	Picture Engine	Crystal Processor 4K
	Micro Dimming	UHD Dimming
	Auto Motion Plus	Yes
	LED Clear Motion	Clear Motion
	Film Mode	Yes
	PQI (Picture Quality Index)	2200
	HDR(High Dynamic Range)	HDR
	HDR10+	Support
	HLG (Hybrid Log Gamma)	Yes
	Contrast	Mega Contrast
	Color	Dynamic Crystal Color
	Viewing Angle (H/V)	178/178
	Contrast Enhancer	Yes
Audio	Dolby Digital Plus	Yes
	Sound Output (RMS)	20W
	Speaker Type	2CH
	Bluetooth Audio	Yes
Smart TV	Samsung SMART TV	Smart
	Web Browser	Yes
VESA	VESA Mount	200 x 200 mm
	VESA Screw Size	M8
	VESA Screw Depth	11-13 mm
Convergence	Mobile to TV - Mirroring, DLNA	Yes
	WiFi Direct	Yes
	Sound Mirroring	Yes
General Feature	Accessibility	UK English, Mandarin Chinese
	Auto Channel Search	Yes
	Auto Power Off	Yes
	Caption (Subtitle)	Yes
	Connect Share™ (HDD)	Yes
	ConnectShare™ (USB 2.0)	Yes
	EPG	Yes
	OSD Language	Local Languages
	BT HID Built-in	Yes
	USB HID Support	Yes
	Ambient Mode	Ambient Mode
	MBR Support	Yes
	IPv6 Support	Yes
System	Digital Broadcasting	DTMB
	Analog Tuner	Yes
	Data Broadcasting	MHEG 5
Hospitality Feature	H.Browser Compatibility	Yes
	Samsung LYNK™ Cloud	Yes
	Hospitality Home Menu 2.0	Yes
	Hospitality Plug&Play (Easy Set-up)	Yes
	Power On Mode	Yes
	Hotel Channel List	Yes
	Channel Menu Display	Yes
	Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	Yes
	My Channel	Yes
	Energy Saving Mode (BLU Control)	Yes
RJ12/IR Pass Through	Yes	

Samsung HG43AU800AJ 43" 4K Ultra HD Smart Hotel TV

Model Code		HG43AU800AJXZK
Hospitality Feature	Clock Back Up Supply	Yes
	USB Cloning	Yes
	Wake-up Timer (Alarm)	Yes
	Samsung LYNK™ DRM	Yes
	Security Mode	Yes
Input & Output	USB	2
	Ethernet (LAN)	Yes
	Digital Audio Out (Optical)	1
	RF In (Terrestrial / Cable input / Satellite Input)	1/1(Common Use for Terrestrial)/0
	HDMI A / Return Ch. Support	Yes
	WiFi	Yes (WiFi5)
	Anynet+ (HDMI-CEC)	Yes
	Variable Audio Out	Yes
	Variable Audio Out Volume Control	Yes
	RJ12	Yes
	Ethernet Bridge (LAN-Out)	Yes
Design	Front Color	BLACK
	Stand Type	FLAT LIFT
	Bezel Type	3 Bezel-less
Eco	Energy Efficiency Class	3
	Eco Sensor	Yes
Power	Power Supply (V)	AC220-240V 50/60Hz
	Power Consumption (Max)	130 W
	Power Consumption (Typical)	52.713 W
Dimension	Set Dimension without Stand (WxHxD)	965.5 x 559.9 x 25.7 mm
	Set Dimension with Stand (WxHxD)	965.5 x 600.1 x 195.1 mm
	Package Dimension (WxHxD)	1093 x 677 x 129 mm
Weight	Set Weight without Stand	8.4 kg
	Set Weight with Stand	8.7 kg
	Package Weight	11.9 kg
Accessory	Remote Controller Model	TM1640A
	Mini Wall Mount Supported	Yes
	VESA Wall Mount Supported	Yes
	Power Cable	Yes
	Data Cable	Yes



Samsung HG50AU800AJ 50" 4K Ultra HD Smart Hotel TV

Model Code		HG50AU800AJXZK
Display	Product	LED
	Screen Size	50
	Resolution	3,840 x 2,160
Video	Picture Engine	Crystal Processor 4K
	Micro Dimming	UHD Dimming
	Auto Motion Plus	Yes
	LED Clear Motion	Clear Motion
	Film Mode	Yes
	PQI (Picture Quality Index)	2200
	HDR(High Dynamic Range)	HDR
	HDR10+	Support
	HLG (Hybrid Log Gamma)	Yes
	Contrast	Mega Contrast
	Color	Dynamic Crystal Color
	Viewing Angle (H/V)	178/178
	Contrast Enhancer	Yes
Audio	Dolby Digital Plus	Yes
	Sound Output (RMS)	20W
	Speaker Type	2CH
	Bluetooth Audio	Yes
Smart TV	Samsung SMART TV	Smart
	Web Browser	Yes
VESA	VESA Mount	200 x 200 mm
	VESA Screw Size	M8
	VESA Screw Depth	11-13 mm
Convergence	Mobile to TV - Mirroring, DLNA	Yes
	WiFi Direct	Yes
	Sound Mirroring	Yes
General Feature	Accessibility	UK English, Mandarin Chinese
	Auto Channel Search	Yes
	Auto Power Off	Yes
	Caption (Subtitle)	Yes
	Connect Share™ (HDD)	Yes
	ConnectShare™ (USB 2.0)	Yes
	EPG	Yes
	OSD Language	Local Languages
	BT HID Built-in	Yes
	USB HID Support	Yes
	Ambient Mode	Ambient Mode
	MBR Support	Yes
	IPv6 Support	Yes
System	Digital Broadcasting	DTMB
	Analog Tuner	Yes
	Data Broadcasting	MHEG 5
Hospitality Feature	H.Browser Compatibility	Yes
	Samsung LYNK™ Cloud	Yes
	Hospitality Home Menu 2.0	Yes
	Hospitality Plug&Play (Easy Set-up)	Yes
	Power On Mode	Yes
	Hotel Channel List	Yes
	Channel Menu Display	Yes
	Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	Yes
	My Channel	Yes
	Energy Saving Mode (BLU Control)	Yes
RJ12/IR Pass Through	Yes	

Samsung HG50AU800AJ 50" 4K Ultra HD Smart Hotel TV

Model Code		HG50AU800AJXZK
Hospitality Feature	Clock Back Up Supply	Yes
	USB Cloning	Yes
	Wake-up Timer (Alarm)	Yes
	Samsung LYNK™ DRM	Yes
	Security Mode	Yes
Input & Output	USB	2
	Ethernet (LAN)	Yes
	Digital Audio Out (Optical)	1
	RF In (Terrestrial / Cable input / Satellite Input)	1/1(Common Use for Terrestrial)/0
	HDMI A / Return Ch. Support	Yes
	WiFi	Yes (WiFi5)
	Anynet+ (HDMI-CEC)	Yes
	Variable Audio Out	Yes
	Variable Audio Out Volume Control	Yes
	RJ12	Yes
Design	Ethernet Bridge (LAN-Out)	Yes
	Front Color	BLACK
	Stand Type	FLAT LIFT
Eco	Bezel Type	3 Bezel-less
	Energy Efficiency Class	2
Power	Eco Sensor	Yes
	Power Supply (V)	AC220-240V 50/60Hz
	Power Consumption (Max)	140 W
Dimension	Power Consumption (Typical)	58.019 W
	Set Dimension without Stand (WxHxD)	1118.3 x 644.6 x 25.7 mm
	Set Dimension with Stand (WxHxD)	1118.3 x 684.6 x 226.3 mm
Weight	Package Dimension (WxHxD)	1246 x 771 x 137 mm
	Set Weight without Stand	11.5 kg
	Set Weight with Stand	11.8 kg
Accessory	Package Weight	16 kg
	Remote Controller Model	TM1640A
	Mini Wall Mount Supported	Yes
	VESA Wall Mount Supported	Yes
	Power Cable	Yes
	Data Cable	Yes



Samsung HG55AU800AJ 55" 4K Ultra HD Smart Hotel TV

Model Code		HG55AU800AJXZK
Display	Product	LED
	Screen Size	55
	Resolution	3,840 x 2,160
Video	Picture Engine	Crystal Processor 4K
	Micro Dimming	UHD Dimming
	Auto Motion Plus	Yes
	LED Clear Motion	Clear Motion
	Film Mode	Yes
	PQI (Picture Quality Index)	2200
	HDR(High Dynamic Range)	HDR
	HDR10+	Support
	HLG (Hybrid Log Gamma)	Yes
	Contrast	Mega Contrast
	Color	Dynamic Crystal Color
	Viewing Angle (H/V)	178/178
	Contrast Enhancer	Yes
Audio	Dolby Digital Plus	Yes
	Sound Output (RMS)	20W
	Speaker Type	2CH
	Bluetooth Audio	Yes
Smart TV	Samsung SMART TV	Smart
	Web Browser	Yes
VESA	VESA Mount	200 x 200 mm
	VESA Screw Size	M8
	VESA Screw Depth	11-13 mm
Convergence	Mobile to TV - Mirroring, DLNA	Yes
	WiFi Direct	Yes
	Sound Mirroring	Yes
General Feature	Accessibility	UK English, Mandarin Chinese
	Auto Channel Search	Yes
	Auto Power Off	Yes
	Caption (Subtitle)	Yes
	Connect Share™ (HDD)	Yes
	ConnectShare™ (USB 2.0)	Yes
	EPG	Yes
	OSD Language	Local Languages
	BT HID Built-in	Yes
	USB HID Support	Yes
	Ambient Mode	Ambient Mode
	MBR Support	Yes
	IPv6 Support	Yes
System	Digital Broadcasting	DTMB
	Analog Tuner	Yes
	Data Broadcasting	MHEG 5
Hospitality Feature	H.Browser Compatibility	Yes
	Samsung LYNK™ Cloud	Yes
	Hospitality Home Menu 2.0	Yes
	Hospitality Plug&Play (Easy Set-up)	Yes
	Power On Mode	Yes
	Hotel Channel List	Yes
	Channel Menu Display	Yes
	Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	Yes
	My Channel	Yes
	Energy Saving Mode (BLU Control)	Yes
RJ12/IR Pass Through	Yes	

Samsung HG55AU800AJ 55" 4K Ultra HD Smart Hotel TV

Model Code		HG55AU800AJXZK
Hospitality Feature	Clock Back Up Supply	Yes
	USB Cloning	Yes
	Wake-up Timer (Alarm)	Yes
	Samsung LYNK™ DRM	Yes
	Security Mode	Yes
Input & Output	USB	2
	Ethernet (LAN)	Yes
	Digital Audio Out (Optical)	1
	RF In (Terrestrial / Cable input / Satellite Input)	1/1(Common Use for Terrestrial)/0
	HDMI A / Return Ch. Support	Yes
	WiFi	Yes (WiFi5)
	Anynet+ (HDMI-CEC)	Yes
	Variable Audio Out	Yes
	Variable Audio Out Volume Control	Yes
	RJ12	Yes
Ethernet Bridge (LAN-Out)	Yes	
Design	Front Color	BLACK
	Stand Type	FLAT LIFT
	Bezel Type	3 Bezel-less
Eco	Energy Efficiency Class	2
	Eco Sensor	Yes
Power	Power Supply (V)	AC220-240V 50/60Hz
	Power Consumption (Max)	160 W
	Power Consumption (Typical)	62.505 W
Dimension	Set Dimension without Stand (WxHxD)	1232.1 x 708.8 x 25.7 mm
	Set Dimension with Stand (WxHxD)	1232.1 x 748.8 x 226.3 mm
	Package Dimension (WxHxD)	1399 x 846 x 148 mm
Weight	Set Weight without Stand	15.5 kg
	Set Weight with Stand	15.8 kg
	Package Weight	22 kg
Accessory	Remote Controller Model	TM1640A
	Mini Wall Mount Supported	Yes
	VESA Wall Mount Supported	Yes
	Power Cable	Yes
	Data Cable	Yes



Samsung HG65AU800AJ 65" 4K Ultra HD Smart Hotel TV

	Model Code	HG65AU800AJXZK
Display	Product	LED
	Screen Size	65
	Resolution	3,840 x 2,160
Video	Picture Engine	Crystal Processor 4K
	Micro Dimming	UHD Dimming
	Auto Motion Plus	Yes
	LED Clear Motion	Clear Motion
	Film Mode	Yes
	PQI (Picture Quality Index)	2200
	HDR(High Dynamic Range)	HDR
	HDR10+	Support
	HLG (Hybrid Log Gamma)	Yes
	Contrast	Mega Contrast
	Color	Dynamic Crystal Color
	Viewing Angle (H/V)	178/178
	Contrast Enhancer	Yes
Audio	Dolby Digital Plus	Yes
	Sound Output (RMS)	20W
	Speaker Type	2CH
	Bluetooth Audio	Yes
Smart TV	Samsung SMART TV	Smart
	Web Browser	Yes
VESA	VESA Mount	400 x 300 mm
	VESA Screw Size	M8
	VESA Screw Depth	11-13 mm
Convergence	Mobile to TV - Mirroring, DLNA	Yes
	WiFi Direct	Yes
	Sound Mirroring	Yes
General Feature	Accessibility	UK English, Mandarin Chinese
	Auto Channel Search	Yes
	Auto Power Off	Yes
	Caption (Subtitle)	Yes
	Connect Share™ (HDD)	Yes
	ConnectShare™ (USB 2.0)	Yes
	EPG	Yes
	OSD Language	Local Languages
	BT HID Built-in	Yes
	USB HID Support	Yes
	Ambient Mode	Ambient Mode
	MBR Support	Yes
	IPv6 Support	Yes
System	Digital Broadcasting	DTMB
	Analog Tuner	Yes
	Data Broadcasting	MHEG 5
Hospitality Feature	H.Browser Compatibility	Yes
	Samsung LYNK™ Cloud	Yes
	Hospitality Home Menu 2.0	Yes
	Hospitality Plug&Play (Easy Set-up)	Yes
	Power On Mode	Yes
	Hotel Channel List	Yes
	Channel Menu Display	Yes
	Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	Yes
	My Channel	Yes
	Energy Saving Mode (BLU Control)	Yes
RJ12/IR Pass Through	Yes	

Samsung HG65AU800AJ 65" 4K Ultra HD Smart Hotel TV

Model Code		HG65AU800AJXZK
Hospitality Feature	Clock Back Up Supply	Yes
	USB Cloning	Yes
	Wake-up Timer (Alarm)	Yes
	Samsung LYNK™ DRM	Yes
	Security Mode	Yes
Input & Output	USB	2
	Ethernet (LAN)	Yes
	Digital Audio Out (Optical)	1
	RF In (Terrestrial / Cable input / Satellite Input)	1/1(Common Use for Terrestrial)/0
	HDMI A / Return Ch. Support	Yes
	WiFi	Yes (WiFi5)
	Anynet+ (HDMI-CEC)	Yes
	Variable Audio Out	Yes
	Variable Audio Out Volume Control	Yes
	RJ12	Yes
	Ethernet Bridge (LAN-Out)	Yes
Design	Front Color	BLACK
	Stand Type	FLAT LIFT
	Bezel Type	3 Bezel-less
Eco	Energy Efficiency Class	2
	Eco Sensor	Yes
Power	Power Supply (V)	AC220-240V 50/60Hz
	Power Consumption (Max)	205 W
	Power Consumption (Typical)	86.964 W
Dimension	Set Dimension without Stand (WxHxD)	1450.9 x 831.9 x 25.7 mm
	Set Dimension with Stand (WxHxD)	1450.9 x 874.3 x 279.4 mm
	Package Dimension (WxHxD)	1612 x 950 x 164 mm
Weight	Set Weight without Stand	20.9 kg
	Set Weight with Stand	21.4 kg
	Package Weight	28.4 kg
Accessory	Remote Controller Model	TM1640A
	Mini Wall Mount Supported	Yes
	VESA Wall Mount Supported	Yes
	Power Cable	Yes
	Data Cable	Yes

