

Allsports US, Inc.
(888) 230-0494
allsports-us.com

PORTABLE BATTING CAGE WITH FRAME INSTRUCTIONS

WARNINGS

This is not a toy. Make sure people, especially children, do not climb on or stand around or behind the batting cage at any time. When in use, the batting cage must be located in an area where its use cannot cause damage to persons and/or property. Make sure there is no person or property in the batting cage during its use other than the batter and, if using a protective screen, a pitcher.

Batting helmets must be worn at all times when using the cage. When pitching to a batter inside the cage, always use a protective L-screen or safety screen to prevent injury to the pitcher.

Any failure by the consumer to follow the installation instructions and the warnings set forth above will make the batting cage unsafe and harmful to persons or property. Any use of the batting cage is at the consumer's own risk.

Limitation of liability for damages: The manufacturer and its distributors shall not be liable to any user of the batting cage for any breach or warranty, for negligence or strict liability in tort or for any incidental, special or consequential damages arising from or out of the use of the batting cage, including, but not limited to no liability for loss of profits, wages or revenue.

Wind Support: Rope or ground fasteners should be used to anchor the cage frame to the ground. This cage weighs over 300 pounds but wind will flip it over and cause damage to the frame if not secured.

Carefully read all instructions and cautions before using the Allsports Portable Batting Cage

Ver. 2.1 4/2013

CAUTIONS

Do not climb on the Portable Batting Cage at any time. When in use, the Portable Batting Cage must be located in an appropriate area where its use cannot cause damage to persons and/or property. Make sure the Batting Cage is empty during its use unless each person is fully protected. Neither persons nor property should be located near the Portable Batting Cage while the Portable Batting Cage is in use. Standing in or near the Portable Batting Cage while it is in use may result in serious injury, including death. It is not a toy.

Any failure by the consumer to follow the installation instructions and the warnings set forth herein will make the Portable Batting Cage unsafe and potentially harmful to persons and property. Any use of the Personal Batting Cage is at the consumer's own risk. The manufacturer makes no representation or warranty as to suitability of this product for uses not intended by the manufacturer.

In high wind areas, rope or wire supports may be needed to attach the cage, including but not limited to the top of the cage, to the ground, otherwise the cage may flip and become damaged or cause injury.

Limitation of liability for damages: The manufacturer and its distributors shall not be liable to any user of the Portable Batting Cage for any breach of warranty, for negligence or strict liability in tort, or for any incidental, special, or consequential damages arising from or out of the use of the Portable Batting Cage, including, but not limited to liability for loss of profits, wages or revenue.

Warning: The net is a consumable item. Life expectancy is dependent on usage. Inspect all nets, ropes, cables, frames, and connections before each use. Do not use if any component is damaged, worn, frayed, or otherwise compromised. Use of damaged, worn, frayed, or compromised equipment may result in serious injury, including death.

PORTABLE BATTING CAGE WITH SNAP PIN FRAME DESIGN

60' LONG x 10' HIGH x 10' WIDE AT TOP & 12' WIDE AT BOTTOM

PARTS LIST:

- (1) 60'Long x 10'High x 10'Wide at top and 12'Wide at bottom Batting Cage Net
- (1) Heavy Duty Impact Net
- (33) pcs Frame Pipe "A" with snap pin
- (33) pcs Frame Pipe "B" with hole for snap pin at one end
- (10) 4-way steel corners with tightening screws
- (4) 3-way steel fittings for top of frame
- (66) pcs bungee balls
- (14) pcs end cap floor protectors to fit on bottom of frame pole legs "A"

SPECIAL NOTE:

When tightening fittings, **do not** use tools. Fittings should be hand tightened only or screws may break.

When using the Batting Cage, install the impact net to the cage so that it hangs loose like a curtain so that the netting can absorb the impact of the ball.

WARNINGS

Note: The impact net is a consumable item. Life expectancy is dependent on usage. For questions regarding assembly or for replacement items, contact Allsports US, Inc. (888) 230-0494.

We are not responsible for any damage due to weather conditions such as wind, snow build up, etc. Take cage (including frame) down when not in use for long periods of time. In the event of high winds the net and frame should be taken down to prevent damage and/or injury.




Allsports US, Inc.
(888) 230-0494
Allsports-us.com


4/2013

ASSEMBLY INSTRUCTIONS FOR PORTABLE BATTING CAGE WITH SNAP PIN FRAME DESIGN


STEP # 1 LAYOUT ALL FRAME PIPES ON GROUND (SEE DIAGRAM # 1). YOU CAN ALSO FOLD DIAGRAM # 1 ON THE DOTTED LINES TO MAKE A THREE-DIMENSIONAL MODEL.




STEP # 2 ATTACH ALL FRAME PIPES AND FITTINGS TOGETHER TO COMPLETE THE TOP OF FRAME (SEE DIAGRAM # 1 & # 2)




STEP # 3 LIFT THE LEFT SIDE OF THE FRAME. CONNECT B-PIPES TO ALL FITTINGS ALONG THE LENGTH OF THE FRAME 7 PCS (SEE DIAGRAM #1)




STEP # 4 LIFT THE RIGHT SIDE OF THE FRAME. CONNECT B-PIPES TO ALL FITTINGS ALONG THE LENGTH OF THE FRAME 7 PCS



STEP # 5 ATTACH BATTING CAGE AND IMPACT NET TO THE FRAME. IMPACT NET IS PLACED INSIDE CAGE. ATTACH CAGE AND IMPACT NET TOGETHER USING SAME BUNGEE BALLS AND CORNER ROPES (SEE DIAGRAM # 3 AND ILLUSTRATION # 1).



STEP # 6 LIFT THE LEFT SIDE OF THE FRAME. CONNECT ALL B-PIPES TO ALL A-PIPES ON LEFT SIDE (SEE DIAGRAM # 2).



STEP # 7 LIFT RIGHT SIDE OF FRAME. CONNECT A-PIPES TO B-PIPES




ILLUSTRATION # 1

SHOWS IMPACT NET INSTALLED INSIDE BACK OF CAGE (SEE STEP #5)

WARNING

MAKE SURE PEOPLE STAY AT LEAST 3' AWAY FROM THE BATTING CAGE WHEN IN USE.




DIAGRAM #1

CORNER 3-WAY FITTINGS 4 TOTAL

TOP AND SIDES 4-WAY FITTINGS 10 TOTAL

LEFT SIDE OF FRAME LEGS

RIGHT SIDE OF FRAME LEGS

FOLD ON DOTTED LINES TO MAKE MODEL

RIGHT SIDE
OF FRAME
LEGS

FOLD ON DOTTED LINES
TO MAKE MODEL

DIAGRAM 2

SLIDE PIPES TOGETHER UNTIL PIN SNAPS INTO HOLE TO MAKE 10' PIPE SECTION






DIAGRAM 4



Portable Batting Cage Kit

