






EkotechLAB Marek Klein S.K.A. TaxID: PL 9571141572 Fiszera 14, 80-231 Gdańsk, Poland E-mail: biuro@ekotechlab.pl tel. +48 58 380 01 50 www.cannalabs.pl





AB 1755

CERTIFICATE OF ANALYSIS No. S/CL/96e/2024

	Hempo Ltd					
Customer	Kensington High Street, 219-Office 4, London, W8 6BD, Great Britain, Company Code: 14645811					
Basis for analysis	Subject of analysis	Condition of samples				
order number, contract number	sample matrix	correct / incorrect - according to I-01/PO-03 instruction				
Z/CL/96/2024	Vegetable/animal oil - product with the addition of hemp	Correct				
Place of sampling according to the Customer's information	Date of sampling according to the Customer's information	Date of samples' delivery to the laboratory	Analysis completion date			
No data	No data 01.02.2024		06.02.2024			
	Additional information					
Ekotech	None					

Samples identification:

No.	Sample labeling by Customer	Sample labeling by Laboratory	
1.	20% CBD oil (broad spectrum)	234/24	

Results:

No.	Sample code	Subject of determination	Method*	Result **	Unit
1.	234/24	CBD	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	20.07	% (m/m)
2.		CBDA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	% (m/m)
3.		Δ9-THC	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	% (m/m)
4.		Δ9-THCA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	% (m/m)
5.		CBC	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	% (m/m)
6.		CBGA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	% (m/m)
7.		CBG	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	% (m/m)
8.		CBDV	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	0.05	% (m/m)
9.		CBN	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	% (m/m)
10.		Sum of CBD and CBDA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	20.07	% (m/m)
11.		Sum of Δ9-THC and Δ9-THCA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	% (m/m)
12.		Sum of cannabinoids	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	20.12	% (m/m)

The method No. assigned according to the formula: No. of test procedure / issue / date issued / analytical technique / A - accredited, NA - not accredited, P - performed by the subcontractor

mgr inż. Joanna Klein Kierownik ds. Jokości ekotechLAS

Prepared by: Anna Duraczyńska-Wal

Authorized by: MSc. Eng. Joanna Klein

Junior Instrumental Analysis Specialist

Quality Manager

^{**} The measurement uncertainty is expressed at the customer's request, or when it is relevant for the interpretation of the results - as the expanded uncertainty at the probability level of 95% and the coverage factor k = 2, the given uncertainty does not include the sampling stage. The laboratory is not responsible for the sampling and transport stage. Without the written consent of the Laboratory, the test report may not be reproduced except in full. The results relate to the delivered samples only. The period for submitting a complaint is 14 days from the date of receipt of the report.