

CERTIFICATE OF ANALYSIS No. S/CL/1411d/22

Customer	MB "Hempo" T. Kosciuskos 34-1, 09225 Vilnius. Lietuva		
Basis for analysis order number, contract number	Subject of analysis sample matrix	Condition of samples correct / incorrect - according to I-01/PO-03 instruction	
Z/CL/1411/22	MCT coconut oil - product with the addition of hemp	Correct	
Place of sampling according to the Customer's information	Date of sampling according to the Customer's information	Date of samples' delivery to the laboratory	Analysis completion date
No data	No data	26.10.2022	02.11.2022
Analyses conducted by:		Additional information	
EkotechLAB R&D Laboratory Fiszera 14, 80-231		None	

Samples identification:

No.	Sample labeling by Customer	Sample labeling by Laboratory
1.	Hempo full Spectrum CBD Capsules 600 mg	3006/22

Results:

No.	Sample code	Subject of determination	Method*	Result ** [% m/m]	Result [mg/capsule]
1.	3006/22	CBD	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	1.25	8.0
2.		CBDA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ NA	<0.01	<0.1
3.		Δ9-THC	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	<0.1
4.		Δ9-THCA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	<0.1
5.		CBC	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	0.8	0.8
6.		CBGA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	<0.1
7.		CBG	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ NA	<0.01	0.2
8.		CBDV	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	<0.1
9.		CBN	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	0.5	0.5
10.		Sum of CBD and CBDA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ NA	1.25	8.0
11.		Sum of Δ9-THC and Δ9-THCA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	<0.1
12.		Sum of cannabinoids	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ NA	1.50	9.5

* The method No. assigned according to the formula: No. of test procedure / issue / date issued / analytical technique / A - accredited, NA - not accredited, P - performed by the subcontractor


 mgr inż. Joanna Klein
 Kierownik ds. Jakości
 ekotechLAB

 Prepared by: Karolina Grajewska
 Junior Instrumental Analysis Specialist

 Authorized by: MSc. Eng. Joanna Klein
 Quality Manager

** The measurement uncertainty is expressed at the customer's request, or when it is relevant for the interpretation of the results - as the expanded uncertainty at the probability level of 95% and the coverage factor $k = 2$, the given uncertainty does not include the sampling stage. The laboratory is not responsible for the sampling and transport stage. Without the written consent of the Laboratory, the test report may not be reproduced except in full. The results relate to the delivered samples only. The period for submitting a complaint is 14 days from the date of receipt of the report.

THE END OF REPORT