

# SYDNEY GAS LOG FIRE CLEARANCE CENTRE



## MILLENIUM SERIES



## MILLENIUM 32

You can now enjoy the atmosphere of a crackling log fire at the push of a button. The Millennium collection is one of the worlds most advanced gas log fires, featuring our unique Pyroglow logs, which are free of ceramic and asbestos fibre, providing the most realistic flame and log appearance on the market today. The Millennium 32 can heat up to 10 squares utilising a 3 speed twin barrel fan. One of its major advantages is that it is ideal for any application and can be built into a plaster or MDF surround.

The large panoramic bay window provides an unparalled viewing area, whilst its high efficiency design leads to considerably lower running costs. The extra heavy duty 3mm thick firebox guarantees longer life while the simple and easy to use controls provide for many years of trouble free operation.

**FACTORY DIRECT** **PRICE**

### AVAILABLE FINISHES



# INSTALLATION

The Ultimate Millenium range of gas log fires have been designed for easy installation by a qualified gasfitter only in accordance with Australian standards AS5601 - 2002, AG601 - 2002. All models can be installed without the expense of a permanent hearth. AGA APPROVAL NO: 6286


## WARRANTY

All Ultimate Esprit Gas Log Fires come with a 10 year firebox warranty. For full details, refer to the warranty section of the owners manual.

## SPECIFICATIONS

MODEL	UGL32NG	UGL39NG	UGL32LP	UGL39LP
GAS TYPE	NAT	NAT	LP	LP
GAS CONSUMPTION	32	40	29	37
MANIFOLD PRESSURE KPA	0.95	0.85	1.4	2.25
INJECTOR SIZE	3.0	3.8	1.8	1.8
MAX OUTPUT KW/H	7.11	8.38	6.3	7.91
AVERAGE EFFICIENCY %	76.9	75.9	78.6	77.8

## DIMENSIONS



### ULTIMATE MILLENIUM 32

MILLENIUM 32 A 697mm B 288mm C 155mm D 1020mm E 760mm F 642mm


A slight reduction in performance may result through high ceilings, large glass areas, lack of insulation or drafts. Ultimate distribution reserves the right to alter specifications without notice. Photos are for illustrative purposes only. Colours may vary due to the printing process.

### HEATER DIMENSIONS

	HEIGHT	DEPTH	WIDTH	WEIGHT	FRONT FASCIA TO CENTRE FLUE
REAR CASING	642mm	288mm	697mm	120kg	220mm
FASCIA	760mm		1020mm		

# TYPICAL INSTALLATION

## EXAMPLE EXTERNAL INSTALLATION



## EXAMPLE INTERNAL INSTALLATION

