

# SYDNEY GAS LOG FIRE CLEARANCE CENTRE



## MILLENNIUM SERIES



## MILLENNIUM 39

The Millennium 39 is the big brother of our inbuilt gas log fire range. It not only looks good with its huge panoramic glass viewing window, but it also delivers one of the highest heat outputs of any inbuilt gas log fire on the market today. The Millennium can be built into any application for great effect, utilising a plaster or MDF surround. Its high efficiency heat exchanger combined with our exclusive Ultimate 3 speed fan, distributes warmth throughout your home and will comfortably heat 10 to 14 squares.

**FACTORY DIRECT** **PRICE**

### AVAILABLE FINISHES

- |   |           |   |              |
|---|-----------|---|--------------|
|  | CHAMPAGNE |  | MARCASITE    |
|  | MOCHA     |  | SILVER STONE |

# INSTALLATION

The Ultimate Millenium range of gas log fires have been designed for easy installation by a qualified gasfitter only in accordance with Australian standards AS5601 - 2002, AG601 - 2002. All models can be installed without the expense of a permanent hearth. AGA APPROVAL NO: 6286


# WARRANTY

All Ultimate Esprit Gas Log Fires come with a 10 year firebox warranty. For full details, refer to the warranty section of the owners manual.

# SPECIFICATIONS

MODEL	EGL63NG	EGL70NG	EGL63LP	EGL70LP	MODEL	UGL62NG	UGL69NG	UGL62LP	UGL69LP
GAS TYPE	NAT	NAT	LP	LP	GAS TYPE	NAT	NAT	LP	LP
GAS CONSUMPTION	33	40	28	37	GAS CONSUMPTION	32	40	29	37
MANIFOLD PRESSURE KPA	.83	.73	1.25	2.25	MANIFOLD PRESSURE KPA	0.95	0.85	1.4	2.25
INJECTOR SIZE	3.0	3.8	1.8	1.8	INJECTOR SIZE	3.0	3.8	1.8	1.8
MAX OUTPUT KW/H	7.19	8.6	5.74	7.58	MAX OUTPUT KW/H	7.11	8.38	6.3	7.91
AVERAGE EFFICIENCY %	76.1	77.9	72	72	AVERAGE EFFICIENCY %	76.9	75.9	78.6	77.8

# DIMENSIONS



## ULTIMATE MILLENIUM 39

MILLENIUM 39 A 797mm B 300mm C 221mm D 1120mm E 810mm F 692mm


A slight reduction in performance may result through high ceilings, large glass areas, lack of insulation or drafts. Ultimate distribution reserves the right to alter specifications without notice. Photos are for illustrative purposes only. Colours may vary due to the printing process.

## HEATER DIMENSIONS

	HEIGHT	DEPTH	WIDTH	WEIGHT	CENTRE OF FLUE TO REAR OF UNIT
REAR CASING	642mm	300mm	697mm	100kg	82mm
FASCIA	760mm		1016mm		

# TYPICAL INSTALLATION

## EXAMPLE EXTERNAL INSTALLATION



## EXAMPLE INTERNAL INSTALLATION

