

Coast Exotics THCA 1g Cross Faded

Sample ID: HR20230690141
Strain: Cross Faded
Matrix: Plant
Type: Preroll
Sample Size: ; Batch:

Produced:
Collected:
Received: 06/09/2023
Completed: 06/15/2023
Batch#:

Client
Agrowth Inc
Lic. #
1271 Washington Ave #823
San Leandro, CA 94577




Summary

| Test | Date Tested | Result |
|--------------|-------------|----------|
| Batch | | Pass |
| Cannabinoids | 06/12/2023 | Complete |
| Moisture | 06/13/2023 | 10.79% |
| Microbials | 06/14/2023 | Pass |
| Pesticides | 06/13/2023 | Pass |

Cannabinoids

Complete



| Analyte | LOD mg/g | LOQ mg/g | Mass % | Mass mg/g | Mass mg/unit | Mass mg/serving |
|------------------|-------------|-------------|--------------|---------------|-----------------|--------------------|
| THCa | 0.20000 | 0.61000 | 25.11 | 251.09 | | |
| Δ9-THC | 0.15000 | 0.45000 | 0.29 | 2.90 | | |
| Δ8-THC | 0.14000 | 0.42000 | ND | ND | | |
| THCV | 0.15000 | 0.44000 | ND | ND | | |
| CBDa | 0.10000 | 0.31000 | 10.73 | 107.29 | | |
| CBD | 0.15000 | 0.45000 | 1.64 | 16.41 | | |
| CBDV | 0.13000 | 0.40000 | ND | ND | | |
| CBN | 0.16000 | 0.50000 | ND | ND | | |
| CBGa | 0.29000 | 0.88000 | 4.80 | 47.99 | | |
| CBG | 0.13000 | 0.39000 | 0.60 | 5.96 | | |
| CBC | 0.14000 | 0.42000 | ND | ND | | |
| CBL | 0.17000 | 0.53000 | ND | ND | | |
| Total THC | | | 22.31 | 223.11 | 0.00 | 0.00 |
| Total CBD | | | 11.05 | 110.50 | | |
| Total | | | 38.17 | 381.66 | 0.00 | 0.00 |

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



Ming Li

Ming Li - General Manager
06/15/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Coast Exotics THCA 1g Cross Faded

Sample ID: HR20230690141
Strain: Cross Faded
Matrix: Plant
Type: Preroll
Sample Size: ; Batch:

Produced:
Collected:
Received: 06/09/2023
Completed: 06/15/2023
Batch#:

Client
Agrowth Inc
Lic. #
1271 Washington Ave #823
San Leandro, CA 94577

Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Results | Status | Analyte | LOD | LOQ | Limit | Results | Status |
|---------------------|------|------|-------|---------|--------|-------------------------|------|------|-------|---------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.02 | 0.07 | 0.1 | ND | Pass | Fludioxonil | 0.02 | 0.07 | 0.1 | ND | Pass |
| Acephate | 0.02 | 0.07 | 0.1 | ND | Pass | Hexythiazox | 0.03 | 0.09 | 0.1 | ND | Pass |
| Acequinocyl | 0.03 | 0.08 | 0.1 | ND | Pass | Imazalil | 0.03 | 0.09 | 0.03 | ND | Pass |
| Acetamiprid | 0.02 | 0.07 | 0.1 | ND | Pass | Imidacloprid | 0.03 | 0.1 | 5 | ND | Pass |
| Aldicarb | 0.03 | 0.08 | 0.03 | ND | Pass | Kresoxim Methyl | 0.02 | 0.05 | 0.1 | ND | Pass |
| Azoxystrobin | 0.02 | 0.06 | 0.1 | ND | Pass | Malathion | 0.02 | 0.05 | 0.5 | ND | Pass |
| Bifenazate | 0.02 | 0.07 | 0.1 | ND | Pass | Metalaxyl | 0.03 | 0.1 | 2 | ND | Pass |
| Bifenthrin | 0.04 | 0.11 | 3 | ND | Pass | Methiocarb | 0.02 | 0.06 | 0.03 | ND | Pass |
| Boscalid | 0.02 | 0.07 | 0.1 | ND | Pass | Methomyl | 0.02 | 0.07 | 1 | ND | Pass |
| Captan | 0.06 | 0.19 | 0.7 | ND | Pass | Mevinphos | 0.03 | 0.08 | 0.03 | ND | Pass |
| Carbaryl | 0.03 | 0.08 | 0.5 | ND | Pass | Myclobutanil | 0.02 | 0.06 | 0.1 | ND | Pass |
| Carbofuran | 0.03 | 0.09 | 0.03 | ND | Pass | Naled | 0.01 | 0.03 | 0.1 | ND | Pass |
| Chlorantraniliprole | 0.02 | 0.06 | 10 | ND | Pass | Oxamyl | 0.03 | 0.09 | 0.5 | ND | Pass |
| Chlordane | 0.03 | 0.08 | 0.03 | ND | Pass | Pacllobutrazol | 0.03 | 0.09 | 0.03 | ND | Pass |
| Chlorfenapyr | 0.02 | 0.07 | 0.03 | ND | Pass | Parathion Methyl | 0.02 | 0.07 | 0.03 | ND | Pass |
| Chlorpyrifos | 0.01 | 0.04 | 0.03 | ND | Pass | Pentachloronitrobenzene | 0.02 | 0.05 | 0.1 | ND | Pass |
| Clofentezine | 0.03 | 0.09 | 0.1 | ND | Pass | Permethrin | 0.02 | 0.07 | 0.5 | ND | Pass |
| Coumaphos | 0.02 | 0.07 | 0.03 | ND | Pass | Phosmet | 0.03 | 0.09 | 0.1 | ND | Pass |
| Cyfluthrin | 0.02 | 0.07 | 2 | ND | Pass | Piperonyl Butoxide | 0.03 | 0.08 | 3 | 0.16 | Pass |
| Cypermethrin | 0.02 | 0.06 | 1 | ND | Pass | Prallethrin | 0.03 | 0.08 | 0.1 | ND | Pass |
| Daminozide | 0.02 | 0.07 | 0.03 | ND | Pass | Propiconazole | 0.03 | 0.09 | 0.1 | ND | Pass |
| Diazinon | 0.01 | 0.03 | 0.1 | ND | Pass | Propoxur | 0.03 | 0.08 | 0.03 | ND | Pass |
| Dichlorvos | 0.03 | 0.08 | 0.03 | ND | Pass | Pyrethrins | 0.01 | 0.04 | 0.5 | ND | Pass |
| Dimethoate | 0.02 | 0.05 | 0.03 | ND | Pass | Pyridaben | 0.03 | 0.09 | 0.1 | ND | Pass |
| Dimethomorph | 0.03 | 0.08 | 2 | ND | Pass | Spinetoram | 0.02 | 0.07 | 0.1 | ND | Pass |
| Ethoprophos | 0.03 | 0.08 | 0.03 | ND | Pass | Spinosad | 0.03 | 0.08 | 0.1 | ND | Pass |
| Etofenprox | 0.02 | 0.06 | 0.03 | ND | Pass | Spiromesifen | 0.03 | 0.09 | 0.1 | ND | Pass |
| Etoazole | 0.02 | 0.07 | 0.1 | ND | Pass | Spirotetramat | 0.02 | 0.07 | 0.1 | ND | Pass |
| Fenhexamid | 0.03 | 0.09 | 0.1 | ND | Pass | Spiroxamine | 0.03 | 0.08 | 0.03 | ND | Pass |
| Fenoxycarb | 0.02 | 0.07 | 0.03 | ND | Pass | Tebuconazole | 0.03 | 0.08 | 0.1 | ND | Pass |
| Fenpyroximate | 0.03 | 0.08 | 0.1 | ND | Pass | Thiacloprid | 0.02 | 0.06 | 0.03 | ND | Pass |
| Fipronil | 0.03 | 0.08 | 0.03 | ND | Pass | Thiamethoxam | 0.03 | 0.08 | 5 | ND | Pass |
| Fonicamid | 0.02 | 0.07 | 0.1 | ND | Pass | Trifloxystrobin | 0.03 | 0.1 | 0.1 | ND | Pass |

Date Tested: 06/13/2023

We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2. Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15719.



Ming Li

Ming Li - General Manager
06/15/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Coast Exotics THCA 1g Cross Faded

| | | |
|---------------------------------|------------------------------|--------------------------|
| Sample ID: HR20230690141 | Produced: | Client |
| Strain: Cross Faded | Collected: | Agrowth Inc |
| Matrix: Plant | Received: 06/09/2023 | Lic. # |
| Type: Preroll | Completed: 06/15/2023 | 1271 Washington Ave #823 |
| Sample Size: ; Batch: | Batch#: | San Leandro, CA 94577 |

Microbials

| Analyte | Units | Status |
|-------------------------------|--------------------|--------|
| Aerobic Plate Count | CFU/g | |
| Aspergillus flavus | NR | NT |
| Aspergillus fumigatus | Not Detected in 1g | Pass |
| Aspergillus niger | Not Detected in 1g | Pass |
| Aspergillus terreus | Not Detected in 1g | Pass |
| Shiga Toxin-producing E. coli | Not Detected in 1g | Pass |
| Salmonella SPP | Not Detected in 1g | Pass |
| Yeast & Mold | NR | NT |



Date Tested: 06/14/2023

NR = Not Reported; Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC. SOP HL 316. Aspergillus sp., SOP HL311.2 (modified) & SOP HL 317. Microbial Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15720 and §15722.



Ming Li

Ming Li - General Manager
06/15/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.