

Flow Gardens
 3561 Maynardville Hwy
 Maynardville, TN 37807
 erich@flowgardens.com
 865-919-6487

Sample: 01-25-2024-44975
 Sample Received: 01/25/2024;
 Report Created: 01/26/2024; Expires: 01/26/2025

Donnie Berger
 Plant, Flower - Cured



18.873%

Total THC

0.214%

Δ-9 THC

22.160%

Total Cannabinoids

<LOQ%

Total CBD

Cannabinoids

(Testing Method: HPLC, CON-P-3000)
 Date Tested: 01/25/2024

Complete

Analyte	LOD	LOQ	Mass	Mass	
	%	%	%	mg/g	
Δ-8-Tetrahydrocannabinol (Δ-8-THC)	0.0459	0.0688	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9-THC)	0.0459	0.0688	0.214	2.138	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0459	0.0688	21.276	212.761	
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.0459	0.0688	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0459	0.0688	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0459	0.0688	ND	ND	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0459	0.0688	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0459	0.0688	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.0459	0.0688	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.0459	0.0688	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.0459	0.0688	ND	ND	
Cannabidivarin (CBDV)	0.0459	0.0688	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.0459	0.0688	ND	ND	
Cannabidiol (CBD)	0.0459	0.0688	ND	ND	
Cannabidiolic Acid (CBDA)	0.0202	0.0688	<LOQ	<LOQ	
Cannabigerol (CBG)	0.0202	0.0688	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.0459	0.0688	0.426	4.257	
Cannabinol (CBN)	0.0459	0.0688	ND	ND	
Cannabinolic Acid (CBNA)	0.0459	0.0688	ND	ND	
Cannabichromene (CBC)	0.0459	0.0688	ND	ND	
Cannabichromenic Acid (CBCA)	0.0459	0.0688	0.244	2.440	
Total			22.160	221.596	

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%
 Total CBD Measurement of Uncertainty: ± 2.000%
 THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers



New Bloom Labs
 6121 Heritage Park Drive, A500
 Chattanooga, TN 37416
 (844) 837-8223
 TN DEA#: RN0563975
 ANAB Testing Laboratory (AT-2868): ISO/IEC
 17025:2017

Natalie Siracusa
 Natalie Siracusa
 Laboratory Director

Powered by
 reLIMS
 info@relims.com