

Order # CAN210114-060015  
 Order Date: 2021-01-14  
 Sample # AAAX308

Sampling Date: 2021-01-20  
 Lab Batch Date: 2021-01-20  
 Completion Date: 2021-01-25

Initial Gross Weight: 7.362 g  
 Net Weight: 5.264 g

Number of Units: 1  
 Net Weight per Unit: 5264.000 mg



Product Image

Potency Tested



### Delta 8 Potency 11

Specimen Weight: 1516.300 mg

**Tested**  
(LCUV)



### Potency Summary

Pieces For Panel: 2

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	0.000026	0.001	2.103	0.210
CBN	0.000014	0.001	0.020	0.002
CBD	0.000054	0.001	0.019	0.002
THCV	0.000007	0.001	0.012	0.001
CBC	0.000018	0.001	<LOQ	<LOQ
Delta-9 THC	0.000013	0.001	<LOQ	<LOQ
CBGA	0.00008	0.001	<LOQ	<LOQ
CBG	0.000248	0.001	<LOQ	<LOQ
CBDV	0.000065	0.001	<LOQ	<LOQ
CBDA	0.00001	0.001	<LOQ	<LOQ
THCA-A	0.000032	0.001	<LOQ	<LOQ

<b>Total CBD</b> 0.002%	0.102mg	<b>Total THC</b> None Detected
<b>Total CBG</b> None Detected		<b>Total CBN</b> 0.002%
		0.103mg
<b>Other Cannabinoids</b> 0.212%	11.136mg	<b>Total Cannabinoids</b> 0.215%
		11.341mg

Xueli Gao  
 Lab Toxicologist  
 Ph.D., DABT

Aixia Sun  
 Lab Director/Principal Scientist  
 D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: \*Total CBD = CBD + (CBD-A \* 0.877), \*Total THC = THCA-A \* 0.877 + Delta 9 THC, \*CBG Total = (CBGA \* 0.877) + CBG, \*CBN Total = (CBNA \* 0.877) + CBN, \*Other Cannabinoids Total = CBC + CBDV + THCV + THCV-A, \*Total Detected Cannabinoids = CBD Total + CBG Total + CBN Total + THC Total + CBC + CBDV + THCV + THCV-A, \*Analyte Details above show the Dry Weight Concentrations unless specified as 12% moisture concentration. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = aw (area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram, \*Measurement of Uncertainty = +/- 5%



This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.