

Safety data sheet according to 29 CFR 1910.1200

33514 - PRIMELESS RESIST 3 IN 1 FLAT W-P GL

Date of compilation: 11/20/2019 Version: 1

SECTION 1: IDENTIFICATION

1.1 GHS Product identifier: 33514 - PRIMELESS RESIST 3 IN 1 FLAT W-P GL

1.2 Recommended use of the chemical and restrictions on use:

Relevant uses: Acrylic paint

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:

Enco & Weco Manufacturing Corp. Baldorioty #43 00739 Cidra - Puerto Rico - Estados Unidos Phone.: +1-787-739-3751 - Fax: +1-787-739-2242 info@encomfg.com http://www.encopr.com

1.4 Emergency phone number: 1-800-424-9300

SECTION 2: HAZARD(S) IDENTIFICATION

Classification of the substance or mixture: 2.1 29 CFR 1910.1200: Classification of this product has been carried out in accordance with paragraph (d) of § 1910.1200. Carc. 1A: Carcinogenicity, Category 1A, H350 2.2 Label elements: 29 CFR 1910.1200: Danger Hazard statements: Carc. 1A: H350 - May cause cancer **Precautionary statements:** P101: If medical advice is needed, have product container or label at hand P102: Keep out of reach of children P201: Obtain special instructions before use P202: Do not handle until all safety precautions have been read and understood P308+P313: IF exposed or concerned: Get medical advice/attention P405: Store locked up P501: Dispose of contents and / or their container according to the separated collection system used in your municipality Substances that contribute to the classification Titanium dioxide; Quartz (RCS > 10%) Other hazards which do not result in classification: 2.3 Non-applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Non-applicable

3.2 Mixtures:

Chemical description: Acrylic copolymer in aqueous solution

Components:

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. Therefore, in accordance with Appendix D to § 1910.1200, the product contains:





Date of compilation: 11/20/2019 Version: 1

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification	Chemical name/Classification	Concentratio
CAS: 7732-18-5	Water	25 - <50 %
CAS: 9065-11-6	Acrylic polymer	10 - <25 %
CAC: 12462.67.7	Titanium dioxide	▲ 10 - <25 %
CAS: 13463-67-7	Carc. 2: H351 - Warning	10 - <25 %
CAS: 1317-65-3	Limestone	10 - <25 9
CAS: 57-55-6	Propane-1,2-diol (Vp > 0.01 kPa 20 °C)	1 - <2.5 %
010 1 1000 CO 7	Quartz (RCS > 10%)	.1.0/
CAS: 14808-60-7	Carc. 1A: H350; STOT RE 1: H372 - Danger	<1 %
CAS: 1314-23-4	Zirconium dioxide	<1 %

SECTION 4: FIRST-AID MEASURES

4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation, however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of modifications on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety data Sheet **By eve contact:**

This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes.

By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS of this product.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Non-applicable

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable (and unsuitable) extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) **Additional provisions:**





Date of compilation: 11/20/2019 Version: 1

SECTION 5: FIRE-FIGHTING MEASURES (continued)

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current standards 29 CFR 1910 Occupational Safety and Health Standards. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

- C.- Technical recommendations to prevent ergonomic and toxicological risks
 - Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
- D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

 Technical measures for sto	orage
Minimum Temp.:	41 ºF
Maximum Temp.:	86 ºF
Maximum time:	6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Α

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace





Date of compilation: 11/20/2019 Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification	Environmental limits		
Titanium dioxide	8-hour TWA PEL		15 mg/m ³
	Ceiling Values - TWA PEL		
Limestone	8-hour TWA PEL		5 mg/m ³
	Ceiling Values - TWA PEL		

8.2 Appropriate engineering controls:

A Individual protection measures, such as personal protective equipment	A Individual	protection measures	, such as	personal	protective equipment
---	--------------	---------------------	-----------	----------	----------------------

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Specific protection	on for the	hands			
Pictogram		PPE		Ι	Remarks
Mandatory hand protection		ective gloves against minor risks	to th prote	damage. For prolonged periods of exposur istrial users, we recommend using chemica ordance with manufacturer's use limitation dard 1910.138 (29CFR)	
					n not be calculated in advance with
		has therefore to be checked p	rior to	the application	
Ocular and facia	protectic		14	1	and the second sec
Pictogram		PPE			Remarks
Mandatory face protection		ic glasses against splash/projections.		there is a risk of splashing. Use	according to the manufacturer's instruction this PPE in accordance with manufacturer A standard 1910.133 (29CFR)
Bodily protection					
Pictogram		PPE	Remarks		Remarks
		Work clothing		Replace before any	evidence of deterioration.
		Anti-slip work shoes		Replace before any	v evidence of deterioration.
Additional emerg	jency mea	asures			
Emergency me		Standards		Emergency measure	Standards
Emergency shower		ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:20	011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
vironmental ex	posure c	ontrols:			•
ccordance with age of both the	• :he comm product a		inform	ation see subsection 7.1.D	
V.O.C. (Supply):		• 1.23 % weight			•
		-			



Safety data sheet according to 29 CFR 1910.1200

33514 - PRIMELESS RESIST 3 IN 1 FLAT W-P GL



Date of compilation: 11/20/2019 Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

V.O.C. density at 68 °F:

125 kg/m³ (125 g/L)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical	properties:
	For complete information see the product datashe	eet.
	Appearance:	
	Physical state at 68 °F:	Liquid
	Appearance:	Viscous
	Color:	White
	Odor:	Mild
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	215 °F
1	Vapour pressure at 68 °F:	2333 Pa
	Vapour pressure at 122 °F:	12291.8 Pa (12.29 kPa)
	Evaporation rate at 68 °F:	Non-applicable *
	Product description:	
	Density at 68 °F:	1375.3 kg/m ³
	Relative density at 68 °F:	1.375
	Dynamic viscosity at 68 °F:	Non-applicable *
	Kinematic viscosity at 68 °F:	Non-applicable *
	Kinematic viscosity at 104 °F:	>20.5 cSt
	Concentration:	Non-applicable *
	pH:	>9
	Vapour density at 68 °F:	Non-applicable *
	Partition coefficient n-octanol/water 68 °F:	Non-applicable *
1	Solubility in water at 68 °F:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>199.4 °F)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	790 °F
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Explosive:	
	Lower explosive limit:	Non-applicable *
	Upper explosive limit:	Non-applicable *
9.2	Other information:	
	Surface tension at 68 °F:	Non-applicable *
	*Not relevant due to the nature of the product, not providing	information property of its hazards.





Date of compilation: 11/20/2019 Version: 1

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Refraction index:

Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
10000	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
10.5 Incompatible materials:					
	Acids	Water	Oxidising materials	Combustible materials	Others
	Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):





Г

Date of o	compilatio	on: 11/20/2019	Version: 1				
SECT	ION 11	: TOXICOLOGICAL	. INFORMATION (continued)			
	- (sect IA - N dan - F clas E- Sen - F dan - (dan F- Spe Bas	Carcinogenicity: Exposition 2. ARC: Titanium dioxide Mutagenicity: Based of gerous for this effect. Reproductive toxicity: sified as dangerous for sitizing effects: Respiratory: Based on gerous with sensitisin Cutaneous: Based on a gerous for this effect. cific target organ toxic	ure to this product can cause ca (2B); Silicon dioxide (RCS < 1% n available data, the classification For more information see section Based on available data, the class or this effect. For more information available data, the classification g effects. For more information available data, the classification For more information see section city (STOT) - single exposure: the classification criteria are not	o) (3); Quartz n criteria are n 3. ssification crite on see section criteria are no see section 3. criteria are no n 3.	(RCS < 1 %) (1); not met, as it doe eria are not met, a n 3. ot met, as it does nt met, as it does n	Quartz (RCS > 10%) (s not contain substance as it does not contain su not contain substances not contain substances o	1) s classified as bstances classified as classified as
(- S how - S dan H- Asp Bas this Other	Specific target organ to vever, it contains subs Skin: Based on availab gerous for this effect. iration hazard:	city (STOT)-repeated exposure: oxicity (STOT)-repeated exposure tances classified as dangerous for le data, the classification criteria For more information see section the classification criteria are not mation see section 3.	or inhalation. a are not met, on 3.	For more informat as it does not cor	ion see section 3. ntain substances classifi	ed as
	Specifi	ic toxicology inform	ation on the substances:				
			Identification		Act	ute toxicity	Genus
	Titanium	n dioxide			LD50 oral	10000 mg/kg	Rat
	CAS: 13	463-67-7	Concession of the second se		LD50 dermal	10000 mg/kg	Rabbit
					LC50 inhalation	Non-applicable	
199	Limestor	ne			LD50 oral	5100 mg/kg	Rat
-	CAS: 13	17-65-3			LD50 dermal	Non-applicable	1
					LC50 inhalation	Non-applicable	
	Zirconiu	m dioxide			LD50 oral	8800 mg/kg	Mouse

CAS: 1314-23-4

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Ecotoxicity (aquatic and terrestrial, where available):

Not available

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Identification	Absorpt	Absorption/desorption		Volatility	
Propane-1,2-diol (Vp > 0.01 kPa 20 °C)	Кос	Non-applicable	Henry	Non-applicable	
CAS: 57-55-6	Conclusion	Non-applicable	Dry soil	Non-applicable	
	Surface tension	3.547E-2 N/m (77 °F)	Moist soil	Non-applicable	

LD50 dermal

LC50 inhalation

Non-applicable

Non-applicable





Date of compilation: 11/20/2019 Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See epigraph 6.2.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Part 261- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

SARA Title III - Toxic Chemical Release Inventory Reporting (Section 313): Non-applicable California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986): Titanium dioxide The Toxic Substances Control Act (TSCA) : Water ; Titanium dioxide ; Limestone ; Propane-1,2-diol (Vp > 0.01 kPa 20 °C) ; Quartz (RCS > 10%) ; Zirconium dioxide Massachusetts RTK - Substance List: Non-applicable New Jersey Worker and Community Right-to-Know Act: Titanium dioxide ; Limestone ; Propane-1,2-diol (Vp > 0.01 kPa 20 °C) ; Quartz (RCS > 10%) New York RTK - Substance list: Titanium dioxide Pennsylvania Worker and Community Right-to-Know Law: Titanium dioxide ; Limestone ; Propane-1,2-diol (Vp > 0.01 kPa 20 °C) ; Quartz (RCS > 10%) CANADA-Domestic Substances List (DSL): Water ; Titanium dioxide ; Propane-1,2-diol (Vp > 0.01 kPa 20 °C) ; Quartz (RCS > 10%) ; Zirconium dioxide CANADA-Non-Domestic Substances List (NDSL): Limestone NTP (National Toxicology Program): Non-applicable

Minnesota - Hazardous substances ERTK: Titanium dioxide ; Limestone ; Quartz (RCS > 10%)

Rhode Island - Hazardous substances RTK: Titanium dioxide ; Limestone ; Propane-1,2-diol (Vp > 0.01 kPa 20 °C) ; Quartz (RCS > 10%)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Quartz (RCS > 10%)

Hazardous substances release notification under CERCLA sections 102-103 (40 CFR Part 302): Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:

The Toxic Substances Control Act (TSCA) Occupational Safety and Health Standards (1910 Subpart Z - Toxic and Hazardous Substances)

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:



Safety data sheet according to 29 CFR 1910.1200

33514 - PRIMELESS RESIST 3 IN 1 FLAT W-P GL



Date of compilation: 11/20/2019 Version: 1

SECT	TON 16: OTHER INFORMATION (continued)
	This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets Texts of the legislative phrases mentioned in section 2:
	H350: May cause cancer
	Texts of the legislative phrases mentioned in section 3:
	The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3
	29 CFR 1910.1200:
	Carc. 1A: H350 - May cause cancer
	Carc. 2: H351 - Suspected of causing cancer STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure (Inhalation)
1	Advice related to training:
	Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension
	and interpretation of this safety data sheet, as well as the label on the product.
	Principal bibliographical sources:
	Occupational Safety & Health Administration (OSHA).
	Abbreviations and acronyms:
100	IMDG: International maritime dangerous goods code
1	IATA: International Air Transport Association ICAO: International Civil Aviation Organisation
10	COD: Chemical Oxygen Demand
	BOD5: 5-day biochemical oxygen demand
	BCF: Bioconcentration factor
	LD50: Lethal Dose 50
	CL50: Lethal Concentration 50 EC50: Effective concentration 50
	Log-POW: Octanol-water partition coefficient
-	Koc: Partition coefficient of organic carbon
180	
1	

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).