

9 June 2021

ShotStop Ballistics, LLC 1000 Campus Drive Stow, OH 44224

Attention: Mr. Vall Iliev

Subject: ShotStop Ballistics, LLC, Armor Protection Ballistic Resistance Test: Job No. 2631-074, Tested 7 June 2021, Purchase Order No. Vall Iliev

Dear Mr. Iliev:

Please find enclosed a report documenting the subject test series conducted by NTS-Chesapeake Testing on 7 June 2021.

If you have any questions related to this test, please call Mr. Kyle North at 410-297-8154 or contact him via e-mail at kyle.north@nts.com.

Sincerely,

Chris Schueler General Manager, NTS-Chesapeake Testing

bw

Enc. a/s

This report shall not be used to claim product certification, approval or endorsement. The results of the testing relate only to the samples submitted for testing. This test report shall not be interpreted as an endorsement by NTS-Chesapeake Testing as to the continued quality or performance of any items of the same or similar design.

The information contained in this report may be subject to the provisions of the Export Administration Act (50 USC 2401 et seq.), the Export Administration Regulations (15 CFR 768-799), or the U.S. Arms Export Control Act (22USC 2778 et seq.) and the International Traffic in Arms Regulations (22 CFR 120-130). These statutes and regulations impose restrictions on import, export and transfer to foreign entities and persons, whether within the U.S. or abroad, of certain data and articles without approved licenses from the U.S. Department of State and/or the U.S. Department of Commerce.

NTS-Chesapeake Testing is an independent testing facility and has no affiliation with ShotStop Ballistics, LLC.

1 of 5

#### SHOTSTOP BALLISTICS, LLC, PROPRIETARY INFORMATION



# ShotStop Ballistics, LLC, Armor Protection Ballistic Resistance Test

Prepared by:

Kyle North Beth A. Workman

# NTS- Chesapeake Testing

4603B Compass Point Road Belcamp, MD 21017

9 June 2021

Further dissemination only as directed by ShotStop Ballistics, LLC, June 2021.

This report shall not be used to claim product certification, approval or endorsement. The results of the testing relate only to the samples submitted for testing. This test report shall not be interpreted as an endorsement by NTS-Chesapeake Testing as to the continued quality or performance of any items of the same or similar design.

The information contained in this report may be subject to the provisions of the Export Administration Act (50 USC 2401 et seq.), the Export Administration Regulations (15 CFR 768-799), or the U.S. Arms Export Control Act (22USC 2778 et seq.) and the International Traffic in Arms Regulations (22 CFR 120-130). These statutes and regulations impose restrictions on import, export and transfer to foreign entities and persons, whether within the U.S. or abroad, of certain data and articles without approved licenses from the U.S. Department of State and/or the U.S. Department of Commerce.

NTS-Chesapeake Testing is an independent testing facility and has no affiliation with ShotStop Ballistics, LLC. 2 of 5

#### SHOTSTOP BALLISTICS, LLC, PROPRIETARY INFORMATION

BALLISTIC RESISTANCE TEST												
NTS-Chesapeake Testing 4603B Compass Point Road Belcamp, MD 21017										Clier	Job No	r Body Armor .: 2631-074-1 ate: 6/7/2021
Test Panel Description: Torso Plate Tested Stand Alone. Model: HARF3MC; Lot: 44763.												
Manu	facturer	: ShotSt	op Ballistic	s, LLC			Sample No.: 1610					
		Size: g. Thick: iickness:				Weight: 4.34 lbs Plies/Laminates: NA			Date Received: 6/4/2021 Via: UPS Returned: UPS			
Setup												
Ba	Witness Icking Ma	Panel: ( aterial: ! dition: I	NIJ-STD-0101.06 Level IV Clay 5.5-in clay/plywood Dropped and submerged per NIJ-STD-0101.06			Primary Vel. Screens (ft): 37.00 46.66 Primary Vel. Location (ft): 42.00 Range to Target (ft): 50.20 Target to Witness (in): 0.000			37.333, 47.000	Barre		.0 inHg .0%
Ammunition												
Projectile						Lot No.			Powder			
(1) .30-06-cal., 166-grain APM2						Military AYR28			Norma 202			
Арр	olicab	le Stan	dards o	r Proce	dures	5						
(1) N	IIJ-STD-C		e: 10:30 Al evel IV (Mo		o. 11; Te	emp: 95.8°F;	Drop Depths	s: 20.4mm,	19.5mm, 1	19.1mm,18	8.7mm,18. <sup>-</sup>	lmm
Shot No.	Ammo	Weight (gr)	Time 1 (µs)	Vel. 1 (ft/s)	Time 2 (µs)	2 Vel. 2 (ft/s)	Avg. Vel. (ft/s)	Penetrat		ormation (mm)	Obliq. (°)	Footnotes
1	1	162.0	3456	2894	3221	2898	2896	None		38.8	0.0	
Remarks: Starting Velocity: 2850 - 2910 ft/s.												
<u>Foot</u> ı	notes:											



### ATTACHMENT A CALIBRATION DATA

Job Number:	2631-074													
Customer:	ShotStop Date: 6/8/2021													
Range:	3 Range Lead: Ramon Chavez													
	pment	Serial Number	NTS I.D. #	Cal. Date	Due Date	Range Lead Initials								
Chrono	ograph 1	107	WC067006	9/9/2020	9/9/2021	RC								
Chrono	ograph 2	110	WC067020	9/92020	9/9/2021	RC								
Powd	er Scale	A12119288	WC060321	12/8/2020	6/8/2021	RC								
Floo	r Scale	26059104	WC060600	12/9/2020	12/9/2021	RC								
100 ft. Ta	ape Measure	WC067365	WC067365	6/29/2020	6/29/2021	RC								
25 ft. Tape Measure Thermometer BFD Tool BFD Bridge		WC067250	WC067250	8/2/2019	8/2/2021	RC								
		200741206	WC075092	11/20/2020	11/20/2022	RC								
		18/330052	WC067320	4/19/2021	4/19/2022	RC								
		20/150036	WC075099	12/15/2020	12/15/2021	RC								
Angle Block		844	WC064273	12/16/2020	12/16/2021	RC								



POC: Mr. Vall Iliev Purchase Order No.: Vall Iliev Test Date: 7 June 2021 Job No.: 2631-074

### **END OF REPORT**

5 of 5