

# AD LASER SAFETY GOGGLES 55

## PRODUCT INFORMATION

PHILLIPS-SAFETY.COM

COPYRIGHT ©2025. ALL RIGHTS RESERVED




**PHILLIPS SAFETY**  
PRODUCTS INC.

**PRODUCT INFORMATION**  
AD LASER SAFETY GOGGLES 55



The AD laser safety glasses have a polycarbonate pink lens filter that provides laser protection. These laser glasses have visible light transmission of 32.6%. In addition, the AD laser safety glasses have ANSI Z87+ plus ANSI Z136.1 safety standards. These laser safety goggles 55 is a durable and lightweight fitover goggles frame. Made of high-quality plastic, the 55 laser safety goggles feature strap. These Phillips Safety laser safety goggles are available in silver.

**FRAME SPECIFICATION**



# LASER PROTECTIVE EYEWEAR

## LENS FILTER SPECIFICATIONS



**PROTECTION OPTION** Alexandrite Diode

**LENS BLANK PART NUMBER** LS-AD-LB

## LENS SPECIFICATION

### PROTECTION SPECIFICATIONS

OD 5+ @730-855nm  
OD 7+ @755-830nm

**LENS TYPE** AD


**MATERIAL** Polycarbonate

**SAFETY RATING** ANSI Z87+, ANSI Z36.1

**VISIBLE LIGHT TRANSMISSION** 32.6%

**COLOR** Pink

## WAVELENGTH CHART



This is to certify that our product listed above meets all Safety Requirements as specified by ANSI Z87.1 and is manufactured to the tolerances required by law. This filter has been tested and conforms to ANSI Z136.1 standards for Laser protection. They are manufactured by Phillips Sadert Products, Inc. in the City of Middlesex, County of Middlesex, and State of New Jersey in the United States of America. All components and final assemblies are included and originate from our location at 123 Lincoln Boulevard, Middlesex, NJ 08846.

Any questions from interested parties can be directed to the undersigned below.

Ryan Phillips | Vice President | Phillips Safety Products, Inc.

# CONTACT

Should you need any further information,  
please do not hesitate to contact us.

123 Lincoln Blvd, Middlesex, NJ 08845, USA



+1 (866) 757 1307



service@phillips-safety.com



www.phillips-safety.com

