



**Certificate of Analysis**  
Compliance Test

Client Information:

**Honest PP&D**  
1038 Arlington St  
Orlando, Florida 32805

Batch # LC0001  
Batch Date: 2023-01-25  
Extracted From: Hemp

Test Reg State: Florida

Order # HON240125-050001  
Order Date: 2024-01-25  
Sample # AAFG064

Sampling Date: 2024-01-27  
Lab Batch Date: 2024-01-27  
Completion Date: 2024-02-04

Initial Gross Weight: 54.923 g

Number of Units: 1  
Net Weight per Unit: 7000.000 mg



Product Image

Potency  
Tested

**Delta 8/Delta 10 Potency 13 -  
(LCUV) + Potency 25 (LCUV)**

Specimen Weight: 502.120 mg

SOP13.052,SOP13.001 (LCUV)

**Tested**

**Potency Summary**

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	50.000	2.60E-5	0.015	759.5800	75.9580
Delta6a10a-THC	50.000	8.47E-5	0.015	71.040	7.104
Delta9-THCP *	500.000	1.17E-5	0.012	48.0200	4.8020
Delta-8 THCV	500.000	4.00E-5	0.015	30.7900	3.0790
CBNA	50.000	9.50E-5	0.015	5.5390	0.5539
CBN	50.000	1.40E-5	0.015	5.2900	0.5290
Delta-10 THC	50.000	3.00E-6	0.015	5.090	0.509
CBT	50.000	2.00E-4	0.015	2.7620	0.2762
THCA-A	50.000	3.20E-5	0.015	2.0800	0.2080
CBDV	50.000	6.50E-5	0.015	1.3100	0.1310
CBD	50.000	5.40E-5	0.015	0.9600	0.0960
Delta8-THCP *	50.000	3.75E-4	0.015	0.7997	0.0800
CBGA	50.000	8.00E-5	0.015	0.6800	0.0680
CBC	50.000	1.80E-5	0.015	<LOQ	<LOQ
CBDA	50.000	1.00E-5	0.015	<LOQ	<LOQ
CBG	50.000	2.48E-4	0.015	<LOQ	<LOQ
Delta-9 THC	50.000	1.30E-5	0.015	<LOQ	<LOQ
THCV	50.000	7.00E-6	0.015	<LOQ	<LOQ
CBCA	50.000	1.07E-4	0.015	<LOQ	<LOQ
CBDVA	50.000	1.40E-5	0.015	<LOQ	<LOQ
CBL	50.000	3.50E-5	0.015	<LOQ	<LOQ
Delta-8 THC-O Acetate	50.000	2.70E-5	0.025	<LOQ	<LOQ
Delta-9 THC-O Acetate	50.000	7.70E-5	0.025	<LOQ	<LOQ
Exo-THC	50.000	2.30E-4	0.015	<LOQ	<LOQ
THCB *	50.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	50.000	3.50E-4	0.0163	<LOQ	<LOQ
THCVA	50.000	4.70E-5	0.015	<LOQ	<LOQ
Total Active CBD	50.000			0.960	0.096
Total Active THC	50.000			1.824	0.182

<b>Total Delta 8</b> 75.958% 5317.06 mg	<b>Total Delta 10</b> 0.509% 35.63 mg
<b>Total Active THC</b> 0.182% 12.74 mg	<b>Total Active CBD</b> 0.096% 6.72 mg
<b>Total CBG</b> 0.060% 4.2 mg	<b>Total CBN</b> 1.015% 71.05 mg
<b>Other Cannabinoids</b> 15.472% 1083.042 mg	<b>Total Cannabinoids</b> 93.292% 6530.442 mg

Summary Results determined from two distinct Potency Tests - Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 25 (LCUV)

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THC = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.