PSI Labs California EVALUATE: PSI LABS 181 W. Huntington Dr. Monrovia, CA 91016 Monrovia, CA 91016

Supreme Gasoline 2g Badder Lab ID: 231025-692-SUG-8

METRC Batch: : METRC Sample: Sample ID: 2310PHS1305.3814 Strain: Supreme Gasoline 2g Badder Matrix: Concentrates & Extracts Type: Distillate Sample Size: ; Batch:

Produced: Collected: Received: Completed: 10/25/2023 Batch#: 59962 73063



Sugar Lic.# 130 McCormick Ave #105 Costa Mesa, CA 92626

Summary

Test

Batch

(855) 734-6640

/www.psilabs.org/

Lic# C8-0000022-LIC

Producer

Date Tested Cannabinoids 10/25/2023

Cannabinoids

82.634% Total THC		ND Total CBD		82.894% Total Cannabinoids
	mg/g	mg/g	%	mg/g
THCa	0.01	0.01	94.224	942.24
∆9-THC	0.01	0.01	ND	ND
∆8-THC	0.01	0.01	ND	ND
THCVa	0.01	0.10	0.296	2.96
THCV	0.01	0.10	ND	ND
CBDa	0.01	0.01	ND	ND
CBD	0.01	0.01	ND	ND
CBDVa	0.01	0.10	ND	ND
CBDV	0.01	0.10	ND	ND
CBN	0.01	0.10	ND	ND
CBGa	0.01	0.10	ND	ND
CBG	0.01	0.10	ND	ND
CBC	0.01	0.10	ND	ND
(6aR,9S)-d10-THC	0.01	0.01	ND	ND
(6aR,9R)-d10-THC	0.01	0.01	ND	ND
Total THC	0.01	5.01	82.634	826.340
Total CBD			82.034 ND	ND
Total			94.520	945.20

Notes:

Total THC = (THCa * 0.877) + Δ9-THC; Total CBD = (CBDa * 0.877) + CBD LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717

Rkeled support@confidentcannabis.com



Raquel Keledjian Lab Director 10/25/2023

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

Result

Pass

Pass

Pass