

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.06.2023

Page 1 of 11

Metallic Color Pigment - Midnight

SECTION 1: Identification

Product Identifier

Product Name: Metallic Color Pigment - Midnight

Product code: EPMT10-MDNT

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Not determined or not applicable.

Uses Advised Against: Not determined or not applicable.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer:

Canada

EcoPoxy Inc

Box 220

Morris, Manitoba R0G1K0

855-326-7699

info@ecopoxy.com

http://www.ecopoxy.com

Supplier:

United States

EcoPoxy USA, Inc

7003 114th Ave. N.

Largo, Florida 33773

1-855-326-7699

info@ecopoxy.com

http://www.ecopoxy.com

Emergency Telephone Number:

ChemTel

ChemTel Inc

+1 813 248 0585 (24)

United States

ChemTel Inc (US)

+1 800 255 3924 (24)

SECTION 2: Hazard(s) Identification

GHS Classification: Not a hazardous substance or mixture

Label elements

Hazard Pictograms: None

Signal Word: None

Hazard statements: None

Precautionary Statements: None

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 12003-38-2	Fluorophlogopite	61-66
CAS Number: 13463-67-7	Titanium Dioxide	32-38

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.06.2023

Page 2 of 11

Metallic Color Pigment - Midnight

CAS Number: 57455-37-5	Ultramarine blue pigment	1-2
CAS Number: 18282-10-5	Tin Oxide	<1

Additional Information: None

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. If respiratory symptoms develop or persist, seek medical advice/attention.

After Skin Contact:

Wash affected area with plenty of soap and water. Remove contaminated clothing and launder before reuse. If skin irritation develops or persists, seek medical advice/attention.

After Eye Contact:

Immediately rinse eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If eye irritation develops or persists, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Not determined or not applicable.

Delayed Symptoms and Effects:

Not determined or not applicable.

Immediate Medical Attention and Special Treatment

Specific Treatment:

Not determined or not applicable.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.06.2023

Page 3 of 11

Metallic Color Pigment - Midnight

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA).

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Titanium Dioxide	13463-67-7	TLV-TWA: 2.5 mg/m ³ (8 hr [finescale particles, respirable fraction])
	Titanium Dioxide	13463-67-7	TLV-TWA: 0.2 mg/m ³ (8 hr [nanoscale particles, respirable fraction])
	Tin Oxide	18282-10-5	8-Hour TWA: 2 mg/m ³ (Tin, inorganic compounds, as Sn, inhalable fraction)

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.06.2023

Page 4 of 11

Metallic Color Pigment - Midnight

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Fluorphlogopite	12003-38-2	8-Hour TWA: 1 mg/m ³ (Aluminum metal and insoluble compounds, respirable fraction)
	Fluorphlogopite	12003-38-2	8-Hour TWA: 2.5 mg/m ³ (Fluorides, as F)
OSHA	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 15 mg/m ³ (total dust)
	Fluorphlogopite	12003-38-2	8-Hour TWA: 2.5 mg/m ³ (Fluorides, as F (dust))
NIOSH	Titanium Dioxide	13463-67-7	Level Limit Value: 0.2 mg/m ³ (LOQ - lowest feasible concentration)
	Titanium Dioxide	13463-67-7	IDLH: 5000 mg/m ³
	Tin Oxide	18282-10-5	REL-TWA: 2 mg/m ³ (as Sn [up to 10 hr])
	Tin Oxide	18282-10-5	IDLH: 100 mg/m ³ (as Sn)
	Fluorphlogopite	12003-38-2	IDLH: 250 mg/m ³ (Fluorides, as F)
	Fluorphlogopite	12003-38-2	REL: 2.5 mg/m ³ (for up to a 10-hour workday during a 40-hour workweek, as F)
United States(California)	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 10 mg/m ³ (particles not otherwise regulated, total dust)
	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 5 mg/m ³ (particles not otherwise regulated, respirable fraction)
	Fluorphlogopite	12003-38-2	8-Hour TWA: 2.5 mg/m ³ (Fluorides, as F)

Biological Limit Values:

Country (Legal Basis)	Substance	Identifier	Determination	Specimen	Sampling time	Permissible limits
ACGIH	Fluorphlogopite	12003-38-2	Fluoride	Urine	Prior to shift	2 mg/l
	Fluorphlogopite	12003-38-2	Fluoride	Urine	End of shift	3 mg/l

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.06.2023

Page 5 of 11

Metallic Color Pigment - Midnight

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Powder
Odor	Odourless
Odor threshold	Not determined or not available.
pH	6.0-11.0
Melting point/freezing point	Decomposes
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Insoluble
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other Information

Particle size	30-150 µm
---------------	-----------

SECTION 10: Stability and Reactivity

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.06.2023

Page 6 of 11

Metallic Color Pigment - Midnight

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Route	Result
Titanium Dioxide	oral	LD50 Rat: > 2000 mg/kg
	inhalation	LC50 Rat: 5.09 mg/L (4 hr [aerosol])
Tin Oxide	oral	LD50 Rat: >2000 mg/kg
	inhalation	LC50 Rat: >2.04 mg/L (4 hr - Aerosol)
Ultramarine blue pigment	oral	LD50 Rat: > 2000 mg/kg
	dermal	LD50 Rat: > 2000 mg/kg
	inhalation	LC50 Rat: > 50 mg/L (4 hr)
Fluorophlogopite	oral	LD50 Rat: >9000 mg/kg
	inhalation	LC50 Rat: > 5 mg/L (4 h [dusts/mists])

Skin Corrosion/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Serious Eye Damage/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.06.2023

Page 7 of 11

Metallic Color Pigment - Midnight

Substance Data:

Name	Species	Result
Titanium Dioxide	Not applicable.	Airborne, unbound particles of respirable size are known to cause cancer.

International Agency for Research on Cancer (IARC):

Name	Classification
Titanium Dioxide	Group 2B
Tin Oxide	Not Applicable
Ultramarine blue pigment	Not Applicable
Fluorophlogopite	Not Applicable

National Toxicology Program (NTP):

Name	Classification
Titanium Dioxide	Not Applicable
Tin Oxide	Not Applicable
Ultramarine blue pigment	Not Applicable
Fluorophlogopite	Not Applicable

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
Tin Oxide	May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
Tin Oxide	Repeated and/or prolonged exposure may cause Stannosis (benign pneumoconiosis): dyspnea (breathing difficulty), decreased pulmonary function

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.06.2023

Page 8 of 11

Metallic Color Pigment - Midnight

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Titanium Dioxide	Aquatic Invertebrates EC50 Daphnia magna: > 100 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Raphidocelis subcapitata: > 100 mg/L (72 hr [growth rate])
Tin Oxide	Aquatic Plants EC50 Algae: >100 mg/L (72 hr [growth rate])
	Fish LC50 Oncorhynchus mykiss: >100 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: >100 mg/L (48 hr [mobility])
Ultramarine blue pigment	Fish LC50 Himedaka (Latipes): >= 90 mg/L (96 hr [mortality; Read-across])
	Aquatic Invertebrates EC50 Daphnia magna: > 21 mg/L (48 hr [mobility; Read-across])
	Aquatic Plants EC50 Raphidocelis subcapitata: > 99 mg/L (72 hr [growth rate; Read-across])

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Titanium Dioxide	Aquatic Plants NOEC Raphidocelis subcapitata: >= 100 mg/L (72 hr [growth rate])
Ultramarine blue pigment	Aquatic Invertebrates NOEC Daphnia magna: >= 26 mg/L (21 d [reproduction])
	Aquatic Plants NOEC Raphidocelis subcapitata: > 99 mg/L (72 hr [growth rate; Read-across])

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Titanium Dioxide	Persistence assessment based on biodegradability is not relevant for metals and its inorganic compounds such as this substance.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.06.2023

Page 9 of 11

Metallic Color Pigment - Midnight

Name	Result
Ultramarine blue pigment	Persistence assessment based on biodegradability is not applicable for inorganic substances such as this one.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
Titanium Dioxide	Bioaccumulation assessment using a classic BCF assessment is not considered relevant for essential elements/metals such as this substance.

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
Titanium Dioxide	Mobility in soil assessment based on KOC/Kd values are not relevant for metals and its inorganic compounds such as this substance.

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Titanium Dioxide	PBT assessment not applicable to inorganic substances such as this one.
Tin Oxide	The substance is not PBT.
Ultramarine blue pigment	PBT assessment not applicable to inorganic substances such as this one.

vPvB assessment:

Titanium Dioxide	vPvB assessment not applicable to inorganic substances such as this one.
Tin Oxide	The substance is not vPvB.
Ultramarine blue pigment	vPvB assessment not applicable to inorganic substances such as this one.

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.06.2023

Page 10 of 11

Metallic Color Pigment - Midnight

Environmental Hazards	None
Special Precautions for User	None

International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

13463-67-7	Titanium Dioxide	Listed
18282-10-5	Tin Oxide	Listed

New Jersey Right to Know:

13463-67-7	Titanium Dioxide	Listed
18282-10-5	Tin Oxide	Listed
12003-38-2	Fluorophlogopite	Listed

New York Right to Know:

13463-67-7	Titanium Dioxide	Listed
12003-38-2	Fluorophlogopite	Listed

Pennsylvania Right to Know:

13463-67-7	Titanium Dioxide	Listed
12003-38-2	Fluorophlogopite	Listed

California Proposition 65:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.06.2023

Page 11 of 11

Metallic Color Pigment - Midnight

⚠️WARNING: This product can expose you to Titanium Dioxide; which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-0-0

HMIS: 0-0-0

Initial Preparation Date: 04.06.2023

Revision date:

End of Safety Data Sheet