According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 02.24.2022

SnowWhite Part A

SECTION 1: Identification

Product identifier

Product name: SnowWhite Part A Product code: EPSWR20

Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable. Uses advised against: Not determined or not applicable. Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

Canada EcoPoxy Inc Box 220 Morris, Manitoba R0G1K0 855-326-7699 info@ecopoxy.com http:www.ecopoxy.com

Emergency telephone number:

ChemTel ChemTel Inc +1 813 248 0585 (24)

SECTION 2: Hazard identification

GHS classification:

Skin irritation, category 2 Eye irritation, category 2A Skin sensitization, category 1

Label elements

Hazard pictograms:



Signal Word: Warning

Hazard statements:

H315 Causes skin irritation

H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

Precautionary statements:

P264 Wash ... thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P272 Contaminated work clothing should not be allowed out of the workplace

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 02.24.2022

SnowWhite Part A

P302+P352 IF ON SKIN: Wash with plenty of soap and water P321 Specific treatment (No specific treatment) P332+P313 If skin irritation occurs: Get medical advice/attention P362+P364 Take off contaminated clothing and wash it before reuse P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 If eye irritation persists: Get medical advice/attention P333+P313 If skin irritation or rash occurs: Get medical advice/attention P363 Wash contaminated clothing before reuse P501 Dispose of contents/container in accordance with local/regional/national/international regulation

Hazards not otherwise classified:

None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 25068-38-6	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	20-60
CAS number: 9003-36-5	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	20-50
CAS number: 25038-04-4	2-(chloromethyl)oxirane; propane-1,2,3-triol	4.95-29.7
CAS number: 1317-65-3	Calcium Carbonate	10-20
CAS number: 13463-67-7	Titanium Dioxide	10-20
CAS number: 57834-33-0	Ethyl 4-[[(methylphenylamino)methylene]amino]benzoate	0.495-2
CAS number: 70969-70-9	2-ethylhexyl 3,5,5-trimethylhexanoate	<0.9

Additional Information: None

SECTION 4: First-aid measures

Description of first-aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 02.24.2022

SnowWhite Part A

After eye contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing. Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Immediate medical attention and special treatment

Specific treatment:

Not determined or not available.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 02.24.2022

SnowWhite Part A

personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Alberta	Calcium Carbonate	1317-65-3	8-Hour TWA: 10 mg/m ³ (total)
	Calcium Carbonate	1317-65-3	8-Hour TWA: 3 mg/m ³ (respirable)
	Titanium Dioxide	13463-67-7	8-Hour TWA: 10 mg/m ³
British Columbia	Calcium Carbonate	1317-65-3	8-Hour TWA: 10 mg/m ³ (total dust)
	Calcium Carbonate	1317-65-3	15-Minute STEL: 20 mg/m ³
	Calcium Carbonate	1317-65-3	8-Hour TWA: 3 mg/m ³ (respirable fraction)
	Titanium Dioxide	13463-67-7	8-Hour TWA: 10 mg/m ³ (total dust)
	Titanium Dioxide	13463-67-7	8-Hour TWA: 3 mg/m ³ (respirable fraction)
Canada	Calcium Carbonate	1317-65-3	8-Hour TWA: 3 mg/m ³ (Respirable fraction)
Quebec	Calcium Carbonate	1317-65-3	8-Hour TWA: 10 mg/m ³ (total dust)
	Titanium Dioxide	13463-67-7	8-Hour TWA: 10 mg/m ³ (total dust)
Saskatchewan	Calcium Carbonate	1317-65-3	8-Hour TWA: 10 mg/m ³
	Calcium Carbonate	1317-65-3	15-Minute STEL: 20 mg/m ³
	Titanium Dioxide	13463-67-7	8-Hour TWA: 10 mg/m ³

Occupational Exposure limit values:

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 02.24.2022

SnowWhite Part A

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Titanium Dioxide	13463-67-7	15-Minute STEL: 20 mg/m ³
Manitoba	Calcium Carbonate	1317-65-3	8-Hour TWA: 10 mg/m ³ (inhalable particles)
	Calcium Carbonate	1317-65-3	8-Hour TWA: 3 mg/m ³ (respirable particles)
	Titanium Dioxide	13463-67-7	8-Hour TWA: 10 mg/m ³
Ontario	Calcium Carbonate	1317-65-3	8-Hour TWA: 10 mg/m ³ (inhalable particles)
	Calcium Carbonate	1317-65-3	8-Hour TWA: 3 mg/m ³ (respirable particles)
	Titanium Dioxide	13463-67-7	8-Hour TWA: 10 mg/m ³

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance (physical state, color):	White, viscous liquid
-------------------------------------	-----------------------

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 02.24.2022

SnowWhite Part A

Odor:	Not determined or not available.
Odor threshold:	Not determined or not available.
pH-value:	6-8
Melting/Freezing point:	Not determined or not available.
Boiling point/range:	Not determined or not available.
Flash point:	Not determined or not available.
Evaporation rate:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.
Explosion limit upper:	Not determined or not available.
Explosion limit lower:	Not determined or not available.
Vapor pressure:	Not determined or not available.
Vapor density:	Not determined or not available.
Density:	Not determined or not available.
Relative density:	1.51
Solubilities:	Not determined or not available.
Partition coefficient (n-octanol/water):	Not determined or not available.
Auto/Self-ignition temperature:	Not determined or not available.
Decomposition temperature:	Not determined or not available.
Dynamic viscosity:	Not determined or not available.
Kinematic viscosity:	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible materials:

None known.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met. Product data: No data available. Substance data:

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 02.24.2022

SnowWhite Part A

Name	Route	Result
4,4'-lsopropylidenediphenol, oligomeric reaction products	oral	LD50 Rat: >2000 mg/kg
with 1-chloro-2,3- epoxypropane	dermal	LD50 Rat: >2000 mg/kg
Formaldehyde, oligomeric reaction products with 1-	oral	LD50 Rat: > 2000 mg/kg
chloro-2,3-epoxypropane and phenol	dermal	LD50 Rat: > 400 mg/kg
Titanium Dioxide	oral	LD50 Mouse: > 5000 mg/kg
	inhalation	LC50 Rat: 5.09 mg/L (4 hr)
Ethyl 4- [[(methylphenylamino)methyle	oral	LD50 Rat: > 2000 mg/kg
ne]amino]benzoate	dermal	LD50 Rat: > 2000 mg/kg
2-ethylhexyl 3,5,5- trimethylhexanoate	oral	LD50 Rat: >5000 mg/kg

Skin corrosion/irritation

Assessment:

Causes skin irritation.

Product data:

No data available.

Substance data:

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	Causes skin irritation.
Formaldehyde, oligomeric reaction products with 1- chloro-2,3-epoxypropane and phenol	Causes skin irritation.
2-(chloromethyl)oxirane; propane-1,2,3-triol	Causes skin irritation.

Serious eye damage/irritation

Assessment:

Causes serious eye irritation.

Product data:

No data available.

Substance data:

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	Causes serious eye irritation.
Formaldehyde, oligomeric reaction products with 1- chloro-2,3-epoxypropane and phenol	Causes eye irritation.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 02.24.2022

SnowWhite Part A

Name	Result
2-(chloromethyl)oxirane; propane-1,2,3-triol	Causes serious eye irritation.

Respiratory or skin sensitization

Assessment:

May cause an allergic skin reaction.

Product data:

No data available.

Substance data:

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	May cause an allergic skin reaction.
Formaldehyde, oligomeric reaction products with 1- chloro-2,3-epoxypropane and phenol	May cause an allergic skin reaction.
2-(chloromethyl)oxirane; propane-1,2,3-triol	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Species	Result
Titanium Dioxide	Not applicable.	Airborne, unbound particles of respirable size are known to
		cause cancer.

International Agency for Research on Cancer (IARC):

Name	Classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	Not Applicable
Formaldehyde, oligomeric reaction products with 1- chloro-2,3-epoxypropane and phenol	Not Applicable
Calcium Carbonate	Not Applicable
Titanium Dioxide	Group 2B
Ethyl 4- [[(methylphenylamino)methyle ne]amino]benzoate	Not Applicable
2-ethylhexyl 3,5,5- trimethylhexanoate	Not Applicable

National Toxicology Program (NTP):

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 02.24.2022

SnowWhite Part A

Name	Classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	Not Applicable
Formaldehyde, oligomeric reaction products with 1- chloro-2,3-epoxypropane and phenol	Not Applicable
Calcium Carbonate	Not Applicable
Titanium Dioxide	Not Applicable
Ethyl 4- [[(methylphenylamino)methyle ne]amino]benzoate	Not Applicable
2-ethylhexyl 3,5,5- trimethylhexanoate	Not Applicable

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
2-(chloromethyl)oxirane; propane-1,2,3-triol	May cause respiratory irritation.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Ethyl 4- [[(methylphenylamino)methyle ne]amino]benzoate	May cause damage to the spleen through prolonged or repeated oral exposure.
2-ethylhexyl 3,5,5- trimethylhexanoate	May cause damage to organs (adrenal glands) through prolonged or repeated exposure (oral).

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 02.24.2022

SnowWhite Part A

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
	Aquatic Invertebrates LC50 Daphnia magna: 2.7 mg/L (48 hours)
oligomeric reaction products with 1-chloro-2,3-	Fish LC50 Oncorhynchus mykiss: 1.2 mg/L (96 hr)
	Aquatic Plants EC50 S. capricornutum: >11 mg/L (72 hr [growth rate])

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
[[(methylphenylamino)methyle	Fish LC50 Oncorhynchus mykiss: 1.4 mg/L (96 h)
	Aquatic Invertebrates EC50 Daphnia magna: 2.7 mg/L (48 h)
	Aquatic Plants EC50 Pseudokirchneriella subcapitata: 2.53 mg/L (72 h)

Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	Not readily biodegradable. 6 - 12% degradation, measured by CO2 evolution, after 28 days.
Titanium Dioxide	Degradation/biodegradation testing is not relevant for metals and metal compounds that are not (bio)degradable, including titanium dioxide.
Ethyl 4- [[(methylphenylamino)methyle ne]amino]benzoate	Not readily biodegradable in water (40% degradation after 28 days).
2-ethylhexyl 3,5,5- trimethylhexanoate	The substance is inherently biodegradable (58% degradation in 28 days).

Bioaccumulative potential

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 02.24.2022

SnowWhite Part A

Product data: No data available.

Substance data:

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	Low potential for bioaccumulation. BCF: 31 dimensionless (QSAR)

Mobility in soil

Product data: No data available.

Substance data:	
Name	Result
Ethyl 4- [[(methylphenylamino)methyle ne]amino]benzoate	Highly Mobile (Koc: 1.6 dimensionless)

Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Titanium Dioxide	Titanium dioxide is an inorganic substance, thus a PBT assessment is not required.	
Ethyl 4- [[(methylphenylamino)methyl ene]amino]benzoate	This substance is not PBT.	
2-ethylhexyl 3,5,5- trimethylhexanoate	The substance is not PBT.	
/PvB assessment:		
Titanium Dioxide	Titanium dioxide is an inorganic substance, thus a vPvB assessment is not required.	
Ethyl 4- [[(methylphenylamino)methyl ene]amino]benzoate	This substance is not vPvB.	
2-ethylhexyl 3,5,5- trimethylhexanoate	The substance is not vPvB.	

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport information

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 02.24.2022

SnowWhite Part A

International Maritime Dangerous Goods (IMDG)

UN number	3082
UN proper shipping name	Environmentally hazardous substances, liquid, n.o.s. (Diglycidyl ether of bisphenol A)
UN transport hazard class(es)	9
Packing group	111
Environmental hazards	Marine Pollutant
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	3082
UN proper shipping name	Environmentally hazardous substances, liquid, n.o.s. (Diglycidyl ether of bisphenol A)
UN transport hazard class(es)	9
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Bulk Name	None
Ship type	None
Pollution category	None

SECTION 15: Regulatory information

Canada regulations

Domestic substances list (DSL):

25068-38-6	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1- chloro-2,3-epoxypropane	Listed
9003-36-5	Formaldehyde, oligomeric reaction products with 1-chloro-2,3- epoxypropane and phenol	Listed
25038-04-4	2-(chloromethyl)oxirane; propane-1,2,3-triol	Listed
1317-65-3	Calcium Carbonate	Not Listed
13463-67-7	Titanium Dioxide	Listed
57834-33-0	Ethyl 4-[[(methylphenylamino)methylene]amino]benzoate	Not Listed
70969-70-9	2-ethylhexyl 3,5,5-trimethylhexanoate	Not Listed

Non-domestic substances list (NDSL):

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 02.24.2022

SnowWhite Part A

25068-38-6	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1- chloro-2,3-epoxypropane	Not Listed
9003-36-5	Formaldehyde, oligomeric reaction products with 1-chloro-2,3- epoxypropane and phenol	Not Listed
25038-04-4	2-(chloromethyl)oxirane; propane-1,2,3-triol	Not Listed
1317-65-3	Calcium Carbonate	Listed
13463-67-7	Titanium Dioxide	Not Listed
57834-33-0	Ethyl 4-[[(methylphenylamino)methylene]amino]benzoate	Listed
70969-70-9	2-ethylhexyl 3,5,5-trimethylhexanoate	Listed

Additional information: Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 02.24.2022

End of Safety Data Sheet