

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.24.2022

Page 1 of 13

## SnowWhite Part A

### SECTION 1: Identification

#### Product Identifier

**Product Name:** SnowWhite Part A

**Product code:** EPSWR20

#### Recommended Use of the Product and Restriction on Use

**Relevant Identified Uses:** Not determined or not applicable.

**Uses Advised Against:** Not determined or not applicable.

**Reasons Why Uses Advised Against:** Not determined or not applicable.

#### Manufacturer or Supplier Details

##### Manufacturer:

##### Canada

EcoPoxy Inc

Box 220

Morris, Manitoba R0G1K0Largo, Florida 33773

855-326-7699

info@ecopoxy.com

http://www.ecopoxy.com

##### Supplier:

##### United States

EcoPoxy USA, Inc

7003 114th Ave. N.

Largo, Florida 33773

1-855-326-7699

info@ecopoxy.com

http://www.ecopoxy.com

#### Emergency Telephone Number:

##### ChemTel

ChemTel Inc

+1 813 248 0585 (24)

##### United States

ChemTel Inc (US)

+1 800 255 3924 (24)

### SECTION 2: Hazard(s) Identification

#### GHS Classification:

Skin irritation, category 2

Eye irritation, category 2A

Skin sensitization, category 1

#### Label elements

##### Hazard Pictograms:



**Signal Word:** Warning

#### Hazard statements:

H315 Causes skin irritation

H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

#### Precautionary Statements:

P264 Wash skin thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.24.2022

Page 2 of 13

## SnowWhite Part A

P272 Contaminated work clothing must not be allowed out of the workplace  
P302+P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.  
P321 Specific treatment (No specific treatment)  
P332+P313 If skin irritation occurs: Get medical advice/attention  
P362 Take off contaminated clothing and wash it before reuse  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337+P313 If eye irritation persists: Get medical advice/attention  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention  
P363 Wash contaminated clothing before reuse  
P501 Dispose of contents/container in accordance with local/regional/national/international regulation

**Hazards Not Otherwise Classified:** None

## SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 25068-38-6	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	20-60
CAS Number: 9003-36-5	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	20-50
CAS Number: 25038-04-4	2-(chloromethyl)oxirane; propane-1,2,3-triol	4.95-29.7
CAS Number: 1317-65-3	Calcium Carbonate	10-20
CAS Number: 13463-67-7	Titanium Dioxide	10-20
CAS Number: 57834-33-0	Ethyl 4-[[[(methylphenylamino)methylene]amino]benzoate	0.495-2
CAS Number: 70969-70-9	2-ethylhexyl 3,5,5-trimethylhexanoate	<0.9

**Additional Information:** None

## SECTION 4: First Aid Measures

### Description of First Aid Measures

#### General Notes:

Show this Safety Data Sheet to the doctor in attendance.

#### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

#### After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

#### After Eye Contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.24.2022

Page 3 of 13

## SnowWhite Part A

Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

### After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

### Most Important Symptoms and Effects, Both Acute and Delayed

#### Acute Symptoms and Effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

#### Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

### Immediate Medical Attention and Special Treatment

#### Specific Treatment:

Not determined or not applicable.

#### Notes for the Doctor:

Treat symptomatically.

## SECTION 5: Firefighting Measures

### Extinguishing Media

#### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

#### Unsuitable Extinguishing Media:

Do not use water jet.

### Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

### Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.

Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.

Avoid unnecessary run-off of extinguishing media which may cause pollution.

## SECTION 6: Accidental Release Measures

### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.24.2022

Page 4 of 13

## SnowWhite Part A

Discharge into the environment must be avoided.

### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

### Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

## SECTION 7: Handling and Storage

### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

## SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

### Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
OSHA	Calcium Carbonate	1317-65-3	8-Hour TWA-PEL: 15 mg/m <sup>3</sup> (total dust)
	Calcium Carbonate	1317-65-3	8-Hour TWA-PEL: 5 mg/m <sup>3</sup> (respirable fraction)
	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 15 mg/m <sup>3</sup> (total dust)
NIOSH	Calcium Carbonate	1317-65-3	REL-TWA: 10 mg/m <sup>3</sup> (total dust - up to 10 hrs.)
	Calcium Carbonate	1317-65-3	REL-TWA: 5 mg/m <sup>3</sup> (respirable fraction - up to 10 hrs.)
	Titanium Dioxide	13463-67-7	Level Limit Value: 0.2 mg/m <sup>3</sup> (LOQ - lowest feasible concentration)
	Titanium Dioxide	13463-67-7	REL-TWA: 0.3 mg/m <sup>3</sup> (for ultra fine TiO <sub>2</sub> - up to 10 hrs.)
	Titanium Dioxide	13463-67-7	IDLH: 5000 mg/m <sup>3</sup>
ACGIH	Calcium Carbonate	1317-65-3	8-Hour TWA: 10 mg/m <sup>3</sup> (inhalable particulate matter containing no asbestos and < 1% crystalline silica)
	Calcium Carbonate	1317-65-3	8-Hour TWA: 3 mg/m <sup>3</sup> (respirable particles)
	Titanium Dioxide	13463-67-7	8-Hour TWA: 10 mg/m <sup>3</sup>
United States(California)	Calcium Carbonate	1317-65-3	8-Hour TWA-PEL: 10 mg/m <sup>3</sup> (total dust)
	Calcium Carbonate	1317-65-3	8-Hour TWA-PEL: 5 mg/m <sup>3</sup> (respirable fraction)

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.24.2022

Page 5 of 13

## SnowWhite Part A

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 10 mg/m <sup>3</sup> (total dust)
	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 5 mg/m <sup>3</sup> (respirable fraction)

### Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

### Information on Monitoring Procedures:

Not determined or not applicable.

### Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

### Personal Protection Equipment

#### Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

## SECTION 9: Physical and Chemical Properties

### Information on Basic Physical and Chemical Properties

Appearance	White, viscous liquid
Odor	Not determined or not available.
Odor threshold	Not determined or not available.
pH	6-8
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.24.2022

Page 6 of 13

## SnowWhite Part A

<b>Lower flammability/explosive limit</b>	Not determined or not available.
<b>Vapor pressure</b>	Not determined or not available.
<b>Vapor density</b>	Not determined or not available.
<b>Density</b>	Not determined or not available.
<b>Relative density</b>	1.51
<b>Solubilities</b>	Not determined or not available.
<b>Partition coefficient (n-octanol/water)</b>	Not determined or not available.
<b>Auto/Self-ignition temperature</b>	Not determined or not available.
<b>Decomposition temperature</b>	Not determined or not available.
<b>Dynamic viscosity</b>	Not determined or not available.
<b>Kinematic viscosity</b>	Not determined or not available.
<b>Explosive properties</b>	Not determined or not available.
<b>Oxidizing properties</b>	Not determined or not available.

## SECTION 10: Stability and Reactivity

### Reactivity:

Not reactive under recommended handling and storage conditions.

### Chemical Stability:

Stable under recommended handling and storage conditions.

### Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

### Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

### Incompatible Materials:

None known.

### Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological Information

### Acute Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

### Substance Data:

Name	Route	Result
Titanium Dioxide	oral	LD50 Mouse: > 5000 mg/kg
	inhalation	LC50 Rat: 5.09 mg/L (4 hr)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	oral	LD50 Rat: >2000 mg/kg
	dermal	LD50 Rat: >2000 mg/kg
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	oral	LD50 Rat: > 2000 mg/kg
	dermal	LD50 Rat: > 400 mg/kg

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.24.2022

Page 7 of 13

## SnowWhite Part A

Name	Route	Result
Ethyl 4- [[[(methylphenylamino)methyl- ene]amino]benzoate	oral	LD50 Rat: > 2000 mg/kg
	dermal	LD50 Rat: > 2000 mg/kg
2-ethylhexyl 3,5,5- trimethylhexanoate	oral	LD50 Rat: >5000 mg/kg

### Skin Corrosion/Irritation

**Assessment:**

Causes skin irritation.

**Product Data:**

No data available.

**Substance Data:**

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	Causes skin irritation.
Formaldehyde, oligomeric reaction products with 1- chloro-2,3-epoxypropane and phenol	Causes skin irritation.
2-(chloromethyl)oxirane; propane-1,2,3-triol	Causes skin irritation.

### Serious Eye Damage/Irritation

**Assessment:**

Causes serious eye irritation.

**Product Data:**

No data available.

**Substance Data:**

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane	Causes serious eye irritation.
Formaldehyde, oligomeric reaction products with 1- chloro-2,3-epoxypropane and phenol	Causes serious eye irritation.
2-(chloromethyl)oxirane; propane-1,2,3-triol	Causes serious eye irritation.

### Respiratory or Skin Sensitization

**Assessment:**

May cause an allergic skin reaction.

**Product Data:**

No data available.

**Substance Data:**

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.24.2022

Page 8 of 13

### SnowWhite Part A

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	May cause an allergic skin reaction.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	May cause an allergic skin reaction.
2-(chloromethyl)oxirane; propane-1,2,3-triol	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

### Substance Data:

Name	Species	Result
Titanium Dioxide	Not applicable.	Airborne, unbound particles of respirable size are known to cause cancer.

### International Agency for Research on Cancer (IARC):

Name	Classification
Calcium Carbonate	Not Applicable
Titanium Dioxide	Group 2B
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Not Applicable
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Not Applicable
Ethyl 4-[[[(methylphenylamino)methylene]amino]benzoate	Not Applicable
2-ethylhexyl 3,5,5-trimethylhexanoate	Not Applicable

### National Toxicology Program (NTP):

Name	Classification
Calcium Carbonate	Not Applicable
Titanium Dioxide	Not Applicable
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Not Applicable
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Not Applicable



# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.24.2022

Page 9 of 13

## SnowWhite Part A

Name	Classification
Ethyl 4- [[[(methylphenylamino)methyl- ene]amino]benzoate	Not Applicable
2-ethylhexyl 3,5,5- trimethylhexanoate	Not Applicable

**OSHA Carcinogens:** Not applicable

### Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Specific Target Organ Toxicity (Single Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:**

Name	Result
2-(chloromethyl)oxirane; propane-1,2,3-triol	May cause respiratory irritation.

### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:**

Name	Result
Ethyl 4- [[[(methylphenylamino)methyl- ene]amino]benzoate	May cause damage to the spleen through prolonged or repeated oral exposure.
2-ethylhexyl 3,5,5- trimethylhexanoate	May cause damage to organs (adrenal glands) through prolonged or repeated exposure (oral).

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Information on Likely Routes of Exposure:

No data available.

### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

### Other Information:

No data available.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.24.2022

Page 10 of 13

## SnowWhite Part A

### SECTION 12: Ecological Information

#### Acute (Short-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

##### Substance Data:

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Aquatic Invertebrates LC50 Daphnia magna: 2.7 mg/L (48 hours)
	Fish LC50 Oncorhynchus mykiss: 1.2 mg/L (96 hr)
	Aquatic Plants EC50 S. capricornutum: >11 mg/L (72 hr [growth rate])

#### Chronic (Long-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

##### Substance Data:

Name	Result
Ethyl 4-[[[(methylphenylamino)methylene]amino]benzoate	Fish LC50 Oncorhynchus mykiss: 1.4 mg/L (96 h)
	Aquatic Invertebrates EC50 Daphnia magna: 2.7 mg/L (48 h)
	Aquatic Plants EC50 Pseudokirchneriella subcapitata: 2.53 mg/L (72 h)

#### Persistence and Degradability

**Product Data:** No data available.

##### Substance Data:

Name	Result
Titanium Dioxide	Degradation/biodegradation testing is not relevant for metals and metal compounds that are not (bio)degradable, including titanium dioxide.
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Not readily biodegradable. 6 - 12% degradation, measured by CO2 evolution, after 28 days.
Ethyl 4-[[[(methylphenylamino)methylene]amino]benzoate	Not readily biodegradable in water (40% degradation after 28 days).
2-ethylhexyl 3,5,5-trimethylhexanoate	The substance is inherently biodegradable (58% degradation in 28 days).

#### Bioaccumulative Potential

**Product Data:** No data available.

##### Substance Data:

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Low potential for bioaccumulation. BCF: 31 dimensionless (QSAR)

#### Mobility in Soil

**Product Data:** No data available.

##### Substance Data:

Name	Result
Ethyl 4-[[[(methylphenylamino)methylene]amino]benzoate	Highly Mobile (Koc: 1.6 dimensionless)

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.24.2022

Page 11 of 13

## SnowWhite Part A

### Results of PBT and vPvB assessment

#### Product Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

#### Substance Data:

##### PBT assessment:

Titanium Dioxide	Titanium dioxide is an inorganic substance, thus a PBT assessment is not required.
Ethyl 4- [[[(methylphenylamino)methyl ene]amino]benzoate	This substance is not PBT.
2-ethylhexyl 3,5,5- trimethylhexanoate	The substance is not PBT.

##### vPvB assessment:

Titanium Dioxide	Titanium dioxide is an inorganic substance, thus a vPvB assessment is not required.
Ethyl 4- [[[(methylphenylamino)methyl ene]amino]benzoate	This substance is not vPvB.
2-ethylhexyl 3,5,5- trimethylhexanoate	The substance is not vPvB.

**Other Adverse Effects:** No data available.

## SECTION 13: Disposal Considerations

#### Disposal Methods:


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

#### Contaminated packages:

Not determined or not applicable.

## SECTION 14: Transport Information

### United States Transportation of Dangerous Goods (49 CFR DOT)

<b>UN Number</b>	3082
<b>UN Proper Shipping Name</b>	Environmentally hazardous substances, liquid, n.o.s. (Diglycidyl ether of bisphenol A)
<b>UN Transport Hazard Class(es)</b>	9 
<b>Packing Group</b>	III
<b>Environmental Hazards</b>	Marine Pollutant
<b>Special Precautions for User</b>	None

### International Maritime Dangerous Goods (IMDG)

<b>UN Number</b>	3082
<b>UN Proper Shipping Name</b>	Environmentally hazardous substances, liquid, , n.o.s. (Diglycidyl ether of bisphenol A)


# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200


Initial Preparation Date: 02.24.2022

Page 12 of 13

## SnowWhite Part A

UN Transport Hazard Class(es)	9	
Packing Group	III	
Environmental Hazards	Marine Pollutant	
Special Precautions for User	None	

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	3082	
UN Proper Shipping Name	Environmentally hazardous substances, liquid, n.o.s. (Diglycidyl ether of bisphenol A)	
UN Transport Hazard Class(es)	9	
Packing Group	III	
Environmental Hazards	Marine Pollutant	
Special Precautions for User	None	

## SECTION 15: Regulatory Information

### United States Regulations

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 Extremely Hazardous Substances:** None of the ingredients are listed.

**SARA Section 313 Toxic Chemicals:** None of the ingredients are listed.

**CERCLA:** None of the ingredients are listed.

**RCRA:** None of the ingredients are listed.

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

#### Massachusetts Right to Know:

1317-65-3	Calcium Carbonate	Listed
13463-67-7	Titanium Dioxide	Listed

#### New Jersey Right to Know:

1317-65-3	Calcium Carbonate	Listed
13463-67-7	Titanium Dioxide	Listed

#### New York Right to Know:

13463-67-7	Titanium Dioxide	Listed
------------	------------------	--------

#### Pennsylvania Right to Know:

1317-65-3	Calcium Carbonate	Listed
13463-67-7	Titanium Dioxide	Listed

#### California Proposition 65:

**⚠️WARNING:** This product can expose you to Titanium Dioxide; which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**Additional information:** Not determined.

## SECTION 16: Other Information

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.24.2022

Page 13 of 13

### SnowWhite Part A

**Abbreviations and Acronyms:** None

**Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 0-0-0

**HMIS:** 0-0-0

**Initial Preparation Date:** 02.24.2022

**End of Safety Data Sheet**