

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.14.2022

Page 1 of 11

Revision date: 02.15.2023

UVPoxy Part B

SECTION 1: Identification

Product Identifier

Product Name: UVPoxy Part B

Product code: EPUVH10

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Hardener for Epoxy Resins

Uses Advised Against: Not determined or not applicable.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer:

Canada

EcoPoxy Inc

Box 220

Morris, Manitoba R0G1K0

855-326-7699

info@ecopoxy.com

http://www.ecopoxy.com

Supplier:

United States

EcoPoxy USA, Inc

7003 114th Ave. N.

Largo, Florida 33773

1-855-326-7699

info@ecopoxy.com

http://www.ecopoxy.com

Emergency Telephone Number:

United States

ChemTel Inc (US)

+1 800 255 3924 (24)

SECTION 2: Hazard(s) Identification

GHS Classification:

Skin corrosion, category 1A

Serious eye damage, category 1

Reproductive toxicity, category 2

Specific target organ toxicity - single exposure, category 3, respiratory tract irritation

Label elements

Hazard Pictograms:



Signal Word: Danger

Hazard statements:

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H361 Suspected of damaging fertility or the unborn child.

H335 May cause respiratory irritation

Precautionary Statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash skin thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.14.2022

Page 2 of 11

Revision date: 02.15.2023

UVPoxy Part B

P201 Obtain special instructions before use
P202 Do not handle until all safety precautions have been read and understood
P261 Do not breathe mist, vapors or spray.
P271 Use only outdoors or in a well-ventilated area
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P363 Wash contaminated clothing before reuse
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P310 Immediately call a POISON CENTER/doctor
P321 Specific treatment (No specific treatment)
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313 If exposed or concerned: Get medical advice/attention.
P312 Call a POISON CENTER/doctor if you feel unwell
P405 Store locked up
P403+P233 Store in a well-ventilated place. Keep container tightly closed
P501 Dispose of contents/container in accordance with local/regional/national/international regulation

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 84852-15-3	4-nonylphenol, branched	<60
CAS Number: 9046-10-0	Poly(propylene glycol) bis(2-aminopropyl ether)	<60

Additional Information: None

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.14.2022

Page 3 of 11

Revision date: 02.15.2023

UVPoxy Part B

mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. Seek immediate medical attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Inhalation may have adverse effects on the respiratory tract. Symptoms may include cough, breathing difficulties, sore throat and inflammation of the mucous membrane lining the respiratory tract.

Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems, altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.

Immediate Medical Attention and Special Treatment

Specific Treatment:

If respiratory symptoms persist, seek medical attention.

In case of eye contact, seek prompt medical attention while rinsing is continued.

In case of skin contact, seek prompt medical attention while rinsing is continued.

In case of ingestion, seek prompt medical attention.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.

Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.

Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.14.2022

Page 4 of 11

Revision date: 02.15.2023

UVPoxy Part B

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

No occupational exposure limits noted for the ingredient(s).

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.14.2022

Page 5 of 11

Revision date: 02.15.2023

UVPoxy Part B

gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Colorless Viscous Liquid
Odor	Ammonia like
Odor threshold	Not Determined or Unavailable
pH	Alkaline
Melting point/freezing point	Not Determined or Unavailable
Initial boiling point/range	>232°C (446°F)
Flash point (closed cup)	128°C (262°F) Closed cup
Evaporation rate	Not Determined or Unavailable
Flammability (solid, gas)	Not Determined or Unavailable
Upper flammability/explosive limit	Not Determined or Unavailable
Lower flammability/explosive limit	Not Determined or Unavailable
Vapor pressure	Approximately 5 mm Hg @ 154°C
Vapor density	Approximately 1 (Air=1)
Density	8 lbs per gallon
Relative density	0.98 (water = 1)
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not Determined or Unavailable
Auto/Self-ignition temperature	Not Determined or Unavailable
Decomposition temperature	Not Determined or Unavailable
Dynamic viscosity	900-1000 cP@ 25°C (77°F) Brookfield
Kinematic viscosity	Not Determined or Unavailable
Explosive properties	Not Determined or Unavailable
Oxidizing properties	Not Determined or Unavailable

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.14.2022

Page 6 of 11

Revision date: 02.15.2023

UVPoxy Part B

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Route	Result
4-nonylphenol, branched	oral	LD50 Rat: 1054 mg/kg
	dermal	LD50 Rabbit: 2037 mg/kg
Poly(propylene glycol) bis(2-aminopropyl ether)	oral	LD50 Rat: 2885.3 mg/kg
	dermal	LD50 Rabbit: 2979.7 mg/kg

Skin Corrosion/Irritation

Assessment:

Causes severe skin burns and eye damage.

Product Data:

No data available.

Substance Data:

Name	Result
4-nonylphenol, branched	Causes severe skin burns.
Poly(propylene glycol) bis(2-aminopropyl ether)	Causes severe skin burns.

Serious Eye Damage/Irritation

Assessment:

Causes serious eye damage.

Product Data:

No data available.

Substance Data:

Name	Result
4-nonylphenol, branched	Causes serious eye damage.
Poly(propylene glycol) bis(2-aminopropyl ether)	Causes serious eye damage.

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.14.2022

Page 7 of 11

Revision date: 02.15.2023

UVPoxy Part B

Product Data:

No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
4-nonylphenol, branched	Not Applicable
Poly(propylene glycol) bis(2-aminopropyl ether)	Not Applicable

National Toxicology Program (NTP):

Name	Classification
4-nonylphenol, branched	Not Applicable
Poly(propylene glycol) bis(2-aminopropyl ether)	Not Applicable

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment:

Suspected of damaging fertility or the unborn child.

Product Data:

No data available.

Substance Data:

Name	Result
4-nonylphenol, branched	Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure)

Assessment:

May cause respiratory irritation.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.14.2022

Page 8 of 11

Revision date: 02.15.2023

UVPoxy Part B

Product Data:

No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
4-nonylphenol, branched	Fish LC50 <i>Lepomis macrochirus</i> : 0.209 mg/L (96 hr)
	Aquatic Invertebrates EC50 <i>Daphnia magna</i> : 0.0844 mg/L (48 hr)
	Aquatic Plants EC50 <i>Selenastrum capricornutum</i> (green algae): 0.33 mg/L (72 hr)
Poly(propylene glycol) bis(2-aminopropyl ether)	Aquatic Plants EC50 <i>Pseudokirchneriella subcapitata</i> : 15 mg/L (72 hr [growth rate])
	Aquatic Invertebrates EC50 <i>Daphnia Magna</i> : 80 mg/L (48 hr [immobilization])
	Fish EC50 <i>Oncorhynchus mykiss</i> : >15 mg/L (96 hr [mortality])

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
4-nonylphenol, branched	Fish NOEC <i>Oncorhynchus mykiss</i> : 0.006 mg/L (91 days)
	Aquatic Invertebrates NOEC <i>Daphnia magna</i> : 0.024 mg/L (21 days)

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
4-nonylphenol, branched	Inherently biodegradable (48.2% degradation after 35 days).
Poly(propylene glycol) bis(2-aminopropyl ether)	The substance is not readily biodegradable. 0% degradation, measured by CO2 evolution, after 28 days.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
4-nonylphenol, branched	Low potential for bioaccumulation. (BCF: 576 dimensionless [whole body]).
Poly(propylene glycol) bis(2-aminopropyl ether)	The substance has low potential for bioaccumulation based on estimated [QSAR] BCF of 3.16 L/kg (freshwater fish).

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.14.2022

Page 9 of 11

Revision date: 02.15.2023

UVPoxy Part B

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
4-nonylphenol, branched	Hardly mobile (Koc: 11,060 dimensionless).
Poly(propylene glycol) bis(2-aminopropyl ether)	The substance is mobile in soil with low potential for adsorption to soil and sediment [Koc: 52.1 L/kg]

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

4-nonylphenol, branched	The substance is not PBT.
Poly(propylene glycol) bis(2-aminopropyl ether)	The substance is not PBT.

vPvB assessment:

4-nonylphenol, branched	The substance is not vPvB.
Poly(propylene glycol) bis(2-aminopropyl ether)	The substance is not vPvB.

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	2735
UN Proper Shipping Name	Amines, Liquid, Corrosive N.O.S. Polyoxypropylenediamine, Nonylphenol
UN Transport Hazard Class(es)	8 
Packing Group	III
Environmental Hazards	Marine Pollutant Nonylphenol
Special Precautions for User	None

International Maritime Dangerous Goods (IMDG)

UN Number	2735
-----------	------

Safety Data Sheet



According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.14.2022



Page 10 of 11

Revision date: 02.15.2023

UVPoxy Part B

UN Proper Shipping Name	Amines, Liquid, Corrosive N.O.S. Polyoxypropylenediamine, Nonylphenol	
UN Transport Hazard Class(es)	8	 
Packing Group	III	
Environmental Hazards	Marine Pollutant Nonylphenol	
Special Precautions for User	None	

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	2735	
UN Proper Shipping Name	Amines, Liquid, Corrosive N.O.S. Polyoxypropylenediamine, Nonylphenol	
UN Transport Hazard Class(es)	8	 
Packing Group	III	
Environmental Hazards	Marine Pollutant Nonylphenol	
Special Precautions for User	None	

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5):

84852-15-3	4-nonylphenol, branched	Listed
9046-10-0	Poly(propylene glycol) bis(2-aminopropyl ether)	Not Listed

Export Notification under TSCA Section 12(b):

84852-15-3	4-nonylphenol, branched	Listed
9046-10-0	Poly(propylene glycol) bis(2-aminopropyl ether)	Not Listed

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals:

84852-15-3	4-nonylphenol, branched	Listed
------------	-------------------------	--------

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

84852-15-3	4-nonylphenol, branched	Listed
------------	-------------------------	--------

New Jersey Right to Know:

84852-15-3	4-nonylphenol, branched	Listed
------------	-------------------------	--------

New York Right to Know:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.14.2022

Page 11 of 11

Revision date: 02.15.2023

UVPoxy Part B

84852-15-3	4-nonylphenol, branched	Listed
------------	-------------------------	--------

Pennsylvania Right to Know:

84852-15-3	4-nonylphenol, branched	Listed
------------	-------------------------	--------

California Proposition 65: None of the ingredients are listed.

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-0-0

HMIS: 0-0-0

Initial Preparation Date: 11.14.2022

Revision date: 02.15.2023

End of Safety Data Sheet