

No. 1907/2006 (REACH)
Printed 06.01.2020

revision 06.01.2020 (GB) Version 1.0

Contact VA 200 HR

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Contact VA 200 HR

Code-Nr. 127550

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

1-Component Cyanacrylat - Adhesives

1.3. Details of the supplier of the safety data sheet

**Distributor** WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

Phone: +49(0)251 / 9322 - 0, Fax: +49(0)251 / 9322 - 244

E-Mail: msds@weicon.de Internet: www.weicon.de

Advice Produktsicherheit / Product-Safety-Department

Phone : +49(0)251 / 9322 - 0 Fax : +49(0)251 / 9322 - 244 E-mail (competent person):

msds@weicon.de

1.4. Emergency telephone number

EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel:

++44 1865 407333 (English)

TRANSPORT EMERGENCY CONTACT - UK, UAE, South

Africa (24h): Tel: ++44 1865 407333 (English)

Manufacturer WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

1.4. Emergency telephone number

GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h):

Tel: ++49 69 222 25285 (Deutsch, Englisch)

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard Hazard Statements Classification procedure categories

 Skin Irrit. 2
 H315

 Eye Irrit. 2
 H319

 STOT SE 3
 H335

#### **Hazard Statements**

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.



No. 1907/2006 (REACH)
Printed 06.01.2020

revision 06.01.2020 (GB) Version 1.0

Contact VA 200 HR

#### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS07

## Signal word

Warning

#### **Hazard Statements**

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

## **Precautionary Statements**

| P102  | Keep out of reach of children.  |
|---|---|
| P261<br>P264<br>P271  | Avoid breathing vapours/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area.  |
| P302 + P352<br>P304 + P340<br>P305 + P351 +<br>P338<br>P312<br>P332 + P313<br>P337 + P313<br>P362 | IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing. |
| P403 + P233<br>P405   | Store in a well-ventilated place. Keep container tightly closed.<br>Store locked up.  |
| P501  | Dispose of contents/container to hazardous or special waste collection point.   |

## Special rules for supplemental label elements for certain mixtures

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

Contains Hydroquinone. May produce an allergic reaction.

#### 2.3. Other hazards

## Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

not applicable

### 3.2. Mixtures

#### Description

One-component adhesive based on cyanoacrylate acid alkyl ester.

## **Hazardous ingredients**



No. 1907/2006 (REACH)
Printed 06.01.2020

revision 06.01.2020 (GB) Version 1.0

#### Contact VA 200 HR

| CAS No    | EC No                         | Name   | [%<br>weight]    | Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]  |  |
|-----------|-------------------------------|--|------------------|---|--|
| 123-31-9  | 204-617-8                     | hydroquinone                                 | < 1              | Carc. 2, H351 / Muta. 2, H341 / Acute Tox. 4,<br>H302 / Eye Dam. 1, H318 / Skin Sens. 1, H317 /<br>Aquatic Acute 1, H400 M=10 |  |
| 7085-85-0 | 230-391-5                     | ethyl 2-cyanoacrylate                        | 70 < 98          | Eye Irrit. 2, H319 / STOT SE 3, H335 / Skin Irrit. 2, H315  |  |
| 119-47-1  | 204-327-1                     | 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol | 0,1 < 1          | Repr. 2, H361 / Aquatic Chronic 4, H413   |  |
| REACH     |                               |  |                  |   |  |
| CAS No    | Name                          |  |                  | REACH registration number   |  |
| 123-31-9  | hydroquinone 01-2119524016-51 |  | 01-2119524016-51 |   |  |
| 7085-85-0 | ethyl 2-cyanoacrylate         |  | 01-2119527766-29 |   |  |
| 119-47-1  | 6,6'-di-tert-bu               | ityl-2,2'-methylenedi-p-cresol               |                  | 01-2119496065-33  |  |

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Remove contaminated soaked clothing immediately.

Take affected person into fresh air.

#### In case of inhalation

Remove the casualty into fresh air and keep him immobile.

In the event of symptoms refer for medical treatment.

## In case of skin contact

In case of contact with skin wash off immediately with soap and water.

Do not take off solidified product from skin.

Refer for medical treatment.

#### In case of eye contact

After eye contact, rinse opened eye for 15 minutes under running water. Transfer to hospital for specialist examination.

## In case of ingestion

Call for a doctor immediately.

# 4.2. Most important symptoms and effects, both acute and delayed Physician's information / possible symptoms

Respiratory complaints

skin irritation

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media Suitable extinguishing media

Alcohol-resistant foam

Dry powder

Carbon dioxide

## Unsuitable extinguishing media

Full water jet



No. 1907/2006 (REACH)
Printed 06.01.2020

revision 06.01.2020 (GB) Version 1.0

Contact VA 200 HR

## 5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Carbon dioxide (CO2)

#### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

#### **Additional information**

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

Use breathing apparatus if exposed to vapours/dust/aerosol.

#### 6.2. Environmental precautions

Do not discharge into the drains or bodies of water..

## 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).

Disposal according to regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

Open and handle container with care!

#### General protective measures

Do not inhale vapours.

Avoid contact with eyes and skin

### Hygiene measures

At work do not eat, drink and smoke.

Wash soiled clothing immediately.

Work in rooms with good ventilation.

Wash hands before breaks and after work.

## Advice on protection against fire and explosion

Pay attention to general rules of internal fire prevention.



No. 1907/2006 (REACH)
Printed 06.01.2020

revision 06.01.2020 (GB) Version 1.0

Contact VA 200 HR

# 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels

Keep in closed original container.

## Advice on storage compatibility

Do not store together with animal feedstuffs.

Do not store together with food.

Keep away from water.

#### Further information on storage conditions

Store at +5 till +25 °C.

Keep container tightly closed and store at cool and aired place.

Protect from heat and direct solar radiation.

#### 7.3. Specific end use(s)

## Recommendation(s) for intended use

See section 1.2

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

| CAS No    | Name                                    | Code                  | [mg/m3]    | [ppm] |     | Remark                         |
|-----------|---|-----------------------|------------|-------|-----|--------------------------------|
| 7085-85-0 | Ethyl cyanoacrylate                     | 8 hours<br>Short-term | 1.5        | 0.3   |     | EH40/2005                      |
| 123-31-9  | Hydroquinone                            | 8 hours               | 0.5        |       |     | EH40/2005                      |
|           | Silica, amorphous: total inhalable dust | 8 hours               | 6          |       |     | EH40/2005                      |
|           | Silica, amorphous: respirable dust      | 8 hours               | 2.4        |       |     | EH40/2005                      |
|           | Silica, respirable crystalline          | 8 hours               | 0.3        |       |     | EH40/2005, Limits under review |
| 7085-85-0 | Cyanacrylsäureethylester (CH)           | MAK, 8 hours          | 9          | 2     |     | OAW & Haut                     |
| 123-31-9  | 1,4-dihydroxybenzene                    | 8 hours<br>Short-term | 2 e<br>2 e |       | MAK |                                |

#### **Additional advice**

The statutory local and national regulations have to be observed.

## 8.2. Exposure controls

## Respiratory protection

In case of insufficient ventilation or long-term effect use breathing apparatus.

Short term: filter apparatus, filter AX

### **Hand protection**

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min;60min.

## Eye protection

tightly fitting goggles

#### Other protection measures

protective clothing



No. 1907/2006 (REACH) Printed 06.01.2020

revision 06.01.2020 (GB) Version 1.0

Contact VA 200 HR

## Appropriate engineering controls

Sufficient ventilation and exhaustion.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Appearance Colour Odour

liquid colourless typical, pungent

Odour threshold not determined

Important health, safety and environmental information

|   | Value          | Temperature | at | Method | Remark                            |
|---|----------------|-------------|----|--------|-----------------------------------|
| pH value  | not determined |             |    |        |                                   |
| boiling point   | 150 °C         |             |    |        |                                   |
| melting point   | not determined |             |    |        |                                   |
| Flash point   | not determined |             |    |        |                                   |
| Vapourisation rate                                    | not determined |             |    |        |                                   |
| Flammable (solid)                                     | not determined |             |    |        |                                   |
| Flammability (gas)                                    | not applicable |             |    |        |                                   |
| Ignition temperature                                  | > 100 °C       |             |    |        | estimate                          |
| Self ignition temperature                             |                |             |    |        | The product is not self-igniting. |
| Lower explosion limit                                 | not applicable |             |    |        |                                   |
| Upper explosion limit                                 | not applicable |             |    |        |                                   |
| Vapour pressure                                       | not determined |             |    |        |                                   |
| Relative density                                      | ca. 1 g/cm3    | 20 °C       |    |        |                                   |
| Vapour density  | not determined |             |    |        |                                   |
| Solubility in water                                   |                |             |    |        | Reacts with water                 |
| Solubility/other                                      | not determined |             |    |        |                                   |
| Partition coefficient n-<br>octanol/water (log P O/W) | not determined |             |    |        |                                   |
| Decomposition temperature                             | not determined |             |    |        |                                   |
| Viscosity   | not determined |             |    |        |                                   |



No. 1907/2006 (REACH)
Printed 06.01.2020

revision 06.01.2020 (GB) Version 1.0

Contact VA 200 HR

#### **Oxidising properties**

no

## **Explosive properties**

not applicable

#### 9.2. Other information

No information available.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

Reactions with oxidising agents.

Explosive reaction with water

Reactions with alcohols, amines, aqueous acids and alkalies.

#### 10.4. Conditions to avoid

After contact with water:

Keep away from heat.

Risk of polymerisation.

## 10.5. Incompatible materials

## Substances to avoid

Alkali (lye)

Allyl alcohol

Amines

Oxidising agent, strong

Water

## 10.6. Hazardous decomposition products

Gases/vapours, toxic

Carbon monoxide and carbon dioxide.

Nitrous oxides (NOx)

## Thermal decomposition

Remark No decomposition if used as directed.

## **Additional information**

Polymerization under development of heat.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## Acute toxicity/Irritation/Sensitization

|                   | Value/Validation | Species | Method   | Remark         |
|-------------------|------------------|---------|----------|----------------|
| LD50 acute oral   | > 5000           | rat     | OECD 401 | CAS: 7085-85-0 |
| LD50 acute dermal | > 2000           | rabbit  | OECD 402 | CAS: 7085-85-0 |



No. 1907/2006 (REACH) Printed 06.01.2020

06.01.2020 (GB) Version 1.0 revision

Contact VA 200 HR

Value/Validation **Species** Method Remark

irritant Skin irritation

irritant Eye irritation

Skin sensitization non-sensitizing

**Subacute Toxicity - Carcinogenicity** 

Value Method Validation **Species** 

**Chronic Toxicity** 

No experimental information on Mutagenicity

genotoxicity in vitro available.

Reproduction-No indications of toxic effects were **Toxicity** 

observed in reproduction studies in

animals.

Carcinogenicity No indications of carcinogenic

effects are available from long-term

trials.

**Experiences made from practice** 

Persons suffering from hypersensitivity showed sensitization.

Irritates mucous membranes.

Irritates eyes and skin.

#### **Additional information**

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

The product has not been tested. The information is derived from the properties of the individual components.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

degradability

## **Ecotoxicological effects**

| J              | Value                                  | Species                            | Method        | Validation         |  |
|----------------|--|------------------------------------|---------------|--------------------|--|
| Fish           | LC50 0,638 mg/l (96 h)                 | Oncorhynchus myk                   | ciss OECD 203 | CAS: 123-31-9      |  |
| Daphnia        | EC50 0,134 mg/l (48 h)                 | Daphnia magna                      | OECD 202      | CAS: 123-31-9      |  |
| Algae          | EC50 0,335 mg/l (72 h)                 | Pseudokirchneriella<br>subcapitata | a OECD 201    | CAS: 123-31-9      |  |
| Bacteria       | EC50 > 10000 mg/l (3 h)                | Bacteria                           | OECD 209      | CAS: 119-47-1      |  |
| 12.2. Persiste | nce and degradability Elimination rate | Method of analysis                 | Method        | Validation         |  |
| Biological     | 57 %                                   |                                    | OECD 301 D    | readily degradable |  |

# 12.3. Bioaccumulative potential

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely.

CAS: 7085-85-0



No. 1907/2006 (REACH)
Printed 06.01.2020

revision 06.01.2020 (GB) Version 1.0

Contact VA 200 HR

#### 12.4. Mobility in soil

not applicable

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

#### **General regulation**

Do not allow uncontrolled leakage of product into the environment.

The ecotoxic effect of the product has not been tested. The information on this was derived from products of similar structure or composition.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste code No.

Name of waste

08 04 09\*

waste adhesives and sealants containing organic solvents or other hazardous

substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

#### Recommendations for the product

Remove in accordance with local official regulations.

#### Recommendations for packaging

Carefully polymerize content with water or alkali.

Dispose of according to the local waste regulations.

## **General information**

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.

## **SECTION 14: Transport information**

|                                  | ADR/RID | IMDG | IATA-DGR |
|----------------------------------|---------|------|----------|
| 14.1. UN number                  | -       | -    | -        |
| 14.2. UN proper shipping name    | -       | -    | -        |
| 14.3. Transport hazard class(es) | -       | -    | -        |
| 14.4. Packing group              | -       | -    | -        |
| 14.5. Environmental hazard       | s -     | -    | -        |

## 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.



No. 1907/2006 (REACH)
Printed 06.01.2020

revision 06.01.2020 (GB) Version 1.0

Contact VA 200 HR

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**VOC** standard

VOC content

ca.3 %

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

For industrial use only.

#### **Further information**

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EUdirectives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

| H30 | Harmful if swallowed.  |
|-----|--|
| H31 | Causes skin irritation.  |
| H31 | May cause an allergic skin reaction.   |
| H31 | Causes serious eye damage.   |
| H31 | Causes serious eye irritation.   |
| H33 | May cause respiratory irritation.  |
| H34 | Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).   |
| H35 | Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).  |
| H36 | Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard). |
| H40 | Very toxic to aquatic life.  |
| H41 | May cause long lasting harmful effects to aquatic life.  |
|     |  |