

WIRELESS ELECTRIC SCREWDRIVER

Disassembly and Assembly Can be Done

- ✓ Multi-usage
- ✓ Powerful
- ✓ Ergonomic
- ✓ Wide Range of USES





Industrial Grade



Pure Copper Motor



Precise Torque



Lithium battery



Ergonomics



Powerful



Precision gear



Lightweight



Long endurance



VERSATILE AND FULL-FEATURED

Replacing different bits can be used for disassembly and assembly of different screws



Factory Assembly Line



Factory Assembly Line



Decoration Construction



Repair Electrical Appliances



Assembling Computer



Handmade



• • •

EASILY HANDLE MULTIPLE MATERIALS



MULTI-SPEED ADJUSTMENT IS HANDY

Adjust the appropriate torque according to needs and materials

Counterclockwise

Reduce Torque

Clockwise

Increase Torque



GEAR

MULTIPLE GEARS

FREE TORQUE ADJUSTMENT

Applicable to a Variety of Materials

Tighten the Screws



Drill Board




Drill Tiles



Drill Wall



Punch



9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25





Industrial Grade

POSITIVE AND NEGATIVE **MODE SWITCH FREELY**

Forward and reverse switch one key
to control the braking direction



Press to Turn Forward



Middle Key is Stop



Press to reverse



STAINLESS STEEL DRILL

STRONG AND STURDY

—

The three-dimensional drill bit can match a variety of drill bits of different specifications



THE DIFFERENCE BETWEEN THE DIAMETER OF THE HEAD INTERFACE



L255(5mm interface)



L356(6mm interface)



L35S 1/4(6.35Hexagon interface)



BATCH HEAD INSTALLATION STEPS



1.Press the Locking Sleeve



2.Put Down the Bit and Align The Card Position



3.Loosen the Locking Sleeve to Complete the Installation

HIGH-POWER PURE COPPER MOTOR

Strong power, Long Life, Fast Speed



Powerful




**Pure Copper
Movement**



**Strong load
capacity**



**Higher
Efficiency**



PRODUCT MORE DETAILS

Tactile Micro Switch

Effectively improve work efficiency



Torque Adjustment Knob

High elastic spring rotation can adjust the torque





One-Key Forward and Reverse Switch

—
Tighten or remove screws by simply adjusting the positive and negative switches

Quick Replacement Electronics

—
Press the buckles on both sides to quickly install and remove the battery



Hardened Kraft Carton Packaging


—
Packed in rigid kraft carton to better protect the product



PRODUCT SPECIFICATIONS



Model	Applicable blade	Operating Voltage	Output torque	No-load revolutions	suitable for screws	Machine weight
SD-L255	∅ 5mm	DC12V	2-25(kfg.cm)	1400(rpm)	2-5mm	0.5kg
SD-L356	∅ 6mm	DC12V	5-35(kfg.cm)	1100(rpm)	3-6mm	0.5kg
SD-L35S	1/4(6.35mm)	DC12V	5-35(kfg.cm)	1100(rpm)	3-6mm	0.5kg



INTERNATIONAL SERVICE CENTER



Cairo, Egypt



New Delhi, India



Koln, Germany



Madrid, Spain



Kyeongki-Do,
South Korea



Buenos Aires
Argentina



Istanbul Turkey



Sao Paulo Brazil



Moscow, Russia



Zhejiang Huaqi Zhengbang Automation Technology Co., Ltd.

No.1, Shanha Road, Nanming Mountain Street, Liandu District, Lishui City, Zhejiang Province, China.

Service Call: 0086-577-86701181

Fax : 0086-577-85398666

Website : www.itechsmt.com