SAFETY DATA SHEET

SECTION 1: *IDENTIFICATION*

Product Name: Pine Air Freshener #815

Product Use: Automotive Detailing

Manufacturer/Supplier:

Detailer's Choice Inc. 1754 N. White Ave. Laverne, CA 91750

Telephone Number: (909) 510-2506 **E-mail:** sales@carcarechoice.com

SECTION 2: *HAZARD(S) IDENTIFICATION*

GHS Classification:

Health Environmental		<u>Physical</u>		
	Eye Effects – Category 2B (Mild Irritation)	Flammable Liquid – N/A		

Reproductive/Developmental- N/A Pyrophoric solids – N/A

Target Organ Toxicity - N/A Self-Heating substances - N/A

Toxicity - N/A Oxidizing Liquids - N/A

 $\begin{array}{lll} Aspiration \ Hazard - N/A & Oxidizing \ Solids - N/A \\ Environmental \ Hazards - N/A & Organic \ Peroxides - N/A \\ Hazardous \ to \ the \ aquatic \ environment - N/A & Corrosive \ to \ Metal - N/A \\ \end{array}$

Substances which, in contact with water emit flammable gasses -N/A

	Precautionary Statements
Pictogram: N/A	General:
	P101 If medical advice is needed, have product or label at hand.
Hazard Statements	P102 Keep out of reach of children.
	P103 Read label before use.
WARNING!	Prevention:
H303 May be harmful if swallowed. H320 Causes eye irritation.	P264 Wash thoroughly after handling.
	Response:
	P301 + P312 If Swallowed: Call a POISON CONTROL CENTER or doctor/physician. Rinse Mouth.
	P305 +P351+P338 If In eyes: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+313 If eye irritation persists get medical advice/attention.
	Storage: N/A
	<u>Disposal:</u>
	P501 Dispose of contents/container in accordance with local/regional/national/
	international regulations.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Component		CAS Number	Weight %
Water 7732-18-5	≤83		
Polyethylene Glycol Trimethylnonyl Ether		60828-78-6	≤ 5
Isopropyl Alcohol		67-63-0	< 1
Sodium Xylene Sulfonate		1300-72-7	≤ 5
Fragrance		Proprietary Mixture	≤ 5
Colorant		Proprietary Mixture	≤ 1

SECTION 4: FIRST AID MEASURES

Eye Contact: Flush immediately with large amounts of clean water for at least 15 minutes; Eyelids should be held away from the eyeball to ensure thorough rinsing. If any irritation persists, seek medical attention.

Skin Contact: Rinse area with soap and water. Seek medical attention if any redness or irritation persists

Inhalation: If breathing is difficult or irritating, move to fresh air immediately. If symptoms persist, get medical

attention.

Ingestion: Get immediate medical attention. Do not induce vomiting unless directed by medical personnel.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use dry chemical, foam, or carbon dioxide to extinguish fire. Water may be ineffective

but should be used to cool fire-exposed containers, structures and to protect personnel.

Use water to dilute spills and to flush them away from sources of ignition.

Fire Fighting Procedures: No special protective action for fire fighters are anticipated.

Unusual Fire and Explosion: N/A

Combustion Products: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

Contain large spills with dikes to prevent entry to waterways and sanitary sewers and transfer the material to appropriate containers for reclamation or disposal. Absorb/trap remaining material or small spills with inert material (dirt, sand, industrial absorbent) and then place in chemical waste containers. Flush residual spill area with large amounts of water. Dispose of all clean up materials in accordance with all applicable federal, state, and local health and environmental regulations.

SECTION 7: HANDLING AND STORAGE

Handling: Do not get in eyes, on skin or on clothing. Do not breathe vapor or mists. Keep container closed. Use only

with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use. Keep away from heat and flame. Keep operating temperatures below ignition temperatures at all times. Use non-sparking tools. Chemical resistant splash goggles and chemical resistant gloves are always recommended when using chemicals.

Storage: Keep container tightly closed in a cool, dry, well-ventilated area away from heat, source of ignition and

incompatibles.

Do not store below 32 degrees F or above 100 degrees F. Do not store in direct sunlight. Keep away from

children.

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits: Isopropyl alcohol 67-63-0

ACGIH	PEL	400 ppm
ACGIH	TWA	200 ppm
OSHA Z1	PEL	400 ppm – 980 mg/m3
OSHA Z1A	TWA	400 ppm – 980 mg/m3
OSHA Z1A	STEL	500 ppm – 1,225 mg/m3

Engineering Controls: Local exhaust ventilation may be necessary to control air contaminants to their exposure limits.

The use of local ventilation is recommended to control emissions near the source. Provide mechanical ventilation for confined spaces. Use explosion-proof ventilation equipment.

Personal Protective Equipment (PPE):

Eye Protection: Wear chemical safety goggles and face shield. Have eye-wash stations available where eye contact can occur.

Skin Protection: Avoid prolonged skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron. A safety shower should be located in the work area.

Respiratory Protection: If exposure limits are exceeded, NIOSH approved respiratory protection should be worn. A NIOSH approved respirator for organic vapors is generally acceptable.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Flashpoint: No flash point Lower Flammability Limit: No data available Upper Flammability Limit: Auto-ignition Temperature: No data available No data available Volatile Organic Compound: **Boiling Point:** >95°C .1% weight [CARB] Melting Point: Volatile Organic Compound: 1 g/l [SCAQMD 443.1 No data available Vapor Pressure: Evaporation Rate (Water=1): No data available No data available

Vapor Density (Air = 1): Viscosity: No data available No data available Solubility: $8 \pm .5$ Negligible pH: Pour Point: Not available Molecular Weight: Mixture Spec. Grav. / Density: Molecular Formula: Mixture 8.44 lbs./gal.

Odor/Appearance: Pine Scent / Green Liquid

SECTION 10: STABILITY AND REACTIVITY

Reactivity: This material may be reactive with certain agents under certain conditions.

Chemical Stability: Stable

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: Keep away from ignition sources, heat, sparks or flames.

Incompatible materials: Strong acids and oxidizers. Hazardous

Decomposition: None know.

SECTION 11: TOXICOLOGICAL INFORMATION

Signs and Systems of Exposure: Based on the test data and/or information on the components, this material may produce the following health effects:

Inhalation: Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact: Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact: Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion: Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Target Organ Effects: Allergic Skin Reaction (non-photo induced) in sensitive people. Signs/symptoms may include redness, swelling, blistering, and itching.

Toxicological Data: If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Sodium Xylene Sulfonate	Oral	Rat	LD50: 400 mg/kg
Sodium Xylene Sulfonate	Inhalation	-	No data available
Sodium Xylene Sulfonate	Dermal	-	No data available
Isopropyl alcohol	Oral	Rat	LD50 > 2000 mg/kg
Isopropyl alcohol	Inhalation	Rat	LC 50 > 5000 mg/kg
Isopropyl alcohol	Dermal	Rabbit	LD50 > 2000 mg/kg
Polyethylene Glycol Trim	Oral	Rat	LD 50 3,300 mg/kg
Polyethylene Glycol Trim	Inhalation	-	No data available
Polyethylene Glycol Trim	Dermal	Rabbit	LD 50 : 8,874 mg/kg

Skin Corrosion/Irritation

Name	Route	Species	Value
------	-------	---------	-------

Serious Eye Damage/Irritation

Name Route Species Value

Skin Sensitization

Name	Route	Species	Value
		- I	

Respiratory Sensitization

Name	Route	Species	Value
		1	

Germ Cell Mutagenicity

Name Route	Species Value
------------	---------------

Carcinogenicity

Name	Route	Species	Value

Reproductive Toxicity

Reproductive and/or Developmental Effects

1		
Name	Route Spe	ecies Value

Target Organ (s)

Specific Target Organ Toxicity – Single Exposure

Specific Target Organ Toxicity – repeated exposure

Name	Route	Species	Value	1
------	-------	---------	-------	---

Aspiration Hazard

•					
Name	Route	Species	Value		

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Toxicity

Acute and Prolonged Toxicity to Fish:

No Data

Acute Toxicity to Aquatic Invertebrates:

No Data

Environmental Fate and pathways

No Data

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

SECTION 14: TRANSPORT INFORMATION

- 14: Transport information Product is not classified as dangerous for transport.
- 14.1 UN number Not applicable.
- 14.2 UN proper shipping name Not applicable.
- 14.3 Transport hazard class(es) Not applicable.
- 14.4 Packing group Not applicable.
- 14.5 Environmental hazards Environmentally hazardous and/or Marine Pollutant: No
- 14.6 Special precautions for user Not applicable.
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Rightto-Know Act of 1986) Section 313 This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313

Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Section 103 This material does not contain any components with a CERCLA RQ

California Prop. 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

United States TSCA Inventory (TSCA) All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200

SECTION 16: OTHER INFORMATION

NFPA Hazardous Classification

Health: 1 Flammability: 0 Instability: 0 Special Hazard: None

Revision Indicator: SDS Revision #4 / Issued July 9, 2018

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.