

ASYG09KMCE






Unit Type		Wall Mounted
Remote Controller		IR Included
Nominal Cooling Capacity	(kW)	2.5
Nominal Heating Capacity	(kW)	2.8
Height	(mm)	270
Width	(mm)	834
Depth	(mm)	222
Weight	(kg)	10
Airflow Rate - Cooling - High	(m3/h)	700
Airflow Rate - Heating - High	(m3/h)	750
Sound Pressure Level - Cooling - High	(dB(A))	40
Sound Pressure Level - Cooling - Low	(dB(A))	20
Sound Pressure Level - Heating - High	(dB(A))	42
Sound Pressure Level - Heating - Low	(dB(A))	22
Sound Power Level - Cooling - High	(dB(A))	55
Sound Power Level - Heating - High	(dB(A))	57
Moisture Removal	(l/h)	1.3
Refrigerant Type (Global Warming Potential)		R32 (675)
Liquid Pipe Size		1/4"
Gas Pipe Size		3/8"
Unit Power Supply		From Outdoor Unit

Document Downloads


Airflow - Fan Curve Controls & Accessories **Dimensional Drawing Electrical Characteristics Function Settings** Inputs & Outputs **Installation Manual** Noise Curve

Product Image Spare Parts List All Pages **Specifications** Wiring Diagram





for pipe inlet Ø65



Operation Manual **Related Items**

AOYG09KMCC 2.5kW Outdoor Unit - R32 Single Phase 4.0kW 2 Way Multi Outdoor Unit - R32 1 Ph AOYG14KBTA2 AOYG18KBTA2 5.0kW 2 Way Multi Outdoor Unit - R32 1 Ph AOYG18KBTA3 5.4kW 3 Way Multi Outdoor Unit - R32 1 Ph AOYG24KBTA3 6.8kW 3 Way Multi Outdoor Unit - R32 1 Ph 8.0kW 4 Way Multi Outdoor Unit - R32 1 Ph AOYG30KBTA4 AOYG36KBTA5 10.0kW 5 Way Multi Outdoor Unit - R32 1 Ph 12.5kW 6 Way Multi Outdoor Unit - R410A 1 Ph AOYG45LBLA6 UTYTFSXF2 Wireless LAN interface LCD Wired Remote Controller **UTYRNRYZ5 UTYRSNYM** Simplified Wired Remote Controller External Connect Kit UTYXWZXZ5 UTYTWRXZ2 Communication Kit External switch controller

UTYTERX UTYVTGX Splits Network Converter (DC Powered) Splits Network Converter (AC Powered) **UTYVTGXV**

[•]Specifications and design are subject to change without notice for further improvement.

[·] Actual products' colors may be different from the colors shown in this printed material.