

FABER

FRANKE'S AIR EXPERT



PRODUCT RANGE
SMALL APPLIANCES
CATALOGUE

A VISION OF GLOBAL REACH.

A VISION OF GLOBAL REACH.

FABER has a lot in common with air ... both are present all over the world.

Air has always been our chosen material. Now the world is our home. So it's only natural we should want to improve them both. Installing a kitchen hood is an easy way to improve the air in your home, of course, but only thanks to Faber. After all, we invented the kitchen hood, and we are making them better every day to provide our customers with the ultimate performance, quality and comfort.

Aspiring to a better world through leadership. Everywhere, every day.

INVESTING IN THE WORLD

Always growing, to serve more people.

THINKING LONG TERM

All-round competence: automation, robotics, IT, total quality.

INNOVATING CONTINUOUSLY

Engineering research, advanced solutions, living benefits.

DESIGNING THE FUTURE

Ergonomics, design, functionality, comfort, style and wellbeing for the home.



HEADQUARTER

Fabriano (AN) -ITALIA

COMMERCIAL OFFICE

Hudson -U.S.A.

Chambly -FRANCIA

Istanbul -TURCHIA

Mosca -RUSSIA

Pune -INDIA

PRODUCTION PLANT

Sassoferrato -ITALIA

Manisa -TURCHIA

Villedieu-les-Poeles -FRANCIA Byske -SVEZIA

Kaluga -RUSSIA

Pune -INDIA

San Luis -ARGENTINA

San Luis Potosi -MESSICO



FRANKE FABER INDIA PRIVATE LIMITED.

India's No. 1 Large Kitchen Appliances Company.

With Swiss (FRANKE) and Italian (FABER) parentage, FRANKE FABER India Pvt. Limited is a part of the 2.5 billion USD FRANKE Artemis Group. Completing 25 years with its India headquarters in Pune, Maharashtra. It is now India's number 1 Kitchen Appliances Company. A host of Kitchen Essentials such as Hoods/Chimney, Built-in Hobs, Hob-Cooktop Hybrids, Cooktops, Built-in ovens, Built-in MWOs, Cooking Ranges, Dishwashers, Induction Cooktops, Water Purifiers, Water Geysers and other small appliances are brought to you by the group, and FRANKE FABER India Private Limited is on its way to reinvent the luxury kitchen space in the country.

C-GUARD

RO WITH VITAMIN C FILTER



**RO ki
purity.
Vitamin C ki
immunity.**



DELIVERS 4.5 mg OF VITAMIN C PER 100 ml OF WATER



C-GUARD PLUS

- RO + MAT + Vitamin C + UV
- 7 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- C-Guard Filter
- Post Carbon in C-Guard Filter
- Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator
- 2500 PPM TDS# Filtration Limit




ALTROZ

- RO + UV + UF + MAT + Mineral Filter Filtration
- 10 Litres (Gross Volume) Storage Tank
- 9 Stage of Filtration
- Sediment - 1
- Sediment - 2
- Pre Carbon
- Heavy Duty RO Membrane (Made In USA)
- Post Carbon
- Inside Post Carbon MAT* Filter
- Mineral Filter
- UF Membrane
- UV Filter
- 3000*PPM TDS# Filtration Limit
- Water Level Indicator



NEUTRON PLUS

- RO + UV + UF + CU Guard + PH Enhancer Filtration
- 10 Litres (Gross Volume) Storage Tank
- 9 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- CSM 80 GPD RO Membrane
- Post Carbon
- UF Membrane
- UV Filter
- Copper Guard
- PH Enhancer
- 2500*PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator



C-GUARD

- RO + MAT + Vitamin C
- 7 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- C-Guard Filter
- Post Carbon in C-Guard Filter
- Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator
- 2500 PPM TDS# Filtration Limit a



XUV 8000

- 7 Litres (Gross Volume) Storage Tank
- UV + UF+ Alkaline
- 7 Stage Filtration
- Sediment-1
- Pre Carbon
- Sediment-2
- Post Carbon
- Alkaline in Post Carbon
- UV Filter
- UF Membrane
- Water Level Indicator
- Tank Full Indicator
- 500 PPM TDS# Filtration Limit



UTS PT PRO (RO+UV)

- RO + UV Filtration
- 15 Litres (Gross Volume) Storage Tank
- 6 Stage No of Filtration
- Sediment - 1
- Sediment - 2
- Pre Carbon
- CSM 80 GPD RO Membrane
- Post Carbon
- 2500* PPM TDS# Filtration Limit
- >12LPH@25°C, 20 PSI, TDS 750PPM Filtration Capacity
- 1.6LPM RO Booster Pump



A HELMET OR THE SAFER GEYSER ? YOUR CHOICE.

PRESENTING FABER GEYSERS WITH 12 SAFETY FEATURES

Whether it's your bathroom or your kitchen, make the safer choice with Faber Geysers. With 12 built-in safety features, they are engineered to deliver peace of mind. Always.



*5-Star BEE Standard
*T&C Apply



ANTI  SHOCK  PRESSURE RESIST 

#Safer With Faber




SAFETY FEATURES

CYRUS



- FWG CYRUS 15, FWG CYRUS 30
- 15L, 25L Capacity
- ABS Body
- Vertical Installation
- Titanium Glass Line Coating
- Black/Cherry, White Colour
- Digital display, Heating indicator
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating
- MFV Safety valve • Thermostat • Thermal cut off



Titanium Enamel Glass Line Tank
Titanium Enamel Heating Element
Inner Container (Tank)

Also available in manual model



Manual Model
(15 L/25 L)



Digital Model
(15 L)



Remote Control*

JAZZ ELITE 35/50



- FWG JAZZ ELITE 35, FWG JAZZ ELITE 50
- 35L, 50L Capacity
- Metal Powder Coated
- Vertical Installation
- Titanium Glass Line Coating
- White Color
- Heating indicator
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 4 Star Rating Rated Star Rating
- MFV Safety valve • Thermostat • Thermal cut off



AGNES



- FWG AGNES
- Tank less
- Vertical Installation
- White Color
- Heating indicator
- High Working Pressure
- 3500W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current
- 50 Hz Rated Frequency
- Thermostat
- Thermal cut off



Express Heating



Waterproof Grade



Continuous Hot Water



Multiple Safety System



Durable Red Copper Heating Element



Suitable for High-Rise Buildings



3 Level Temperature Settings



***FREE ACCESSORIES:
HAND SHOWER & FAUCET**



SAFETY FEATURES*



Single Weld line



High Working Pressure



Thermal Cutout



**No Water Leakages
Even Coating Across Area**




5-Bolt Flange



**High Precision
Thermostat**




**MFV
(Extreme Condition)**



**Low Carbon CRCA Sheet
for better strength**




**Multi-Layer/
Titanium Coating**



Magnesium Anode



Glasslined Element



Girth Welding

LEXUS

- FWG LEXUS 10, FWG LEXUS 15, FWG LEXUS 25
- 10L, 15L, 25L Capacity
- Vertical Installation
- Red Ivory/Sandy Black Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



JAZZ ELITE TITANIUM 15/25

- FWG JAZZ 15V, FWG JAZZ 25V,
- 15L, 25L Capacity
- Vertical Installation
- Titanium Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



AVAILABLE COLOR



Sandy Black



Red Ivory

JAZZ LHS & RHS

- FWG JAZZ 15H, FWG JAZZ 25H,
- 15L, 25L Capacity
- Horizontal Installation
- White Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 4 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off




VULCAN

- FWG VULCAN 6V, FWG VULCAN 10V,
- FWG VULCAN 15V, FWG VULCAN 25V
- 6L, 10L, 15L, 25L Capacity
- Vertical Installation
- White Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



INSTA

- FWG INSTA 1L (3KW), FWG INSTA 1L (4.5KW),
- FWG INSTA3L (3KW), FWG INSTA 3L (4.5KW),
- 1L, 3L Capacity
- Vertical Installation
- White Color
- Heating indicator
- 8 Bar High Working Pressure
- Fixed Control (55 Degree C) Controls
- 3000W, 4500 W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- SS TANK (304 grade) Tank material
- PRV Safety valve • Thermostat • Thermal cut off
- 3 Pin, 3 core plug
- 8 Bar High Working Pressure



FABER PRESENTS
INDIA'S CHOICE
CANDY



Available Colours




8 IN 1 FUNCTIONS



3-IN-1 MASTERCHEF

ALL-IN-1 MIXER GRINDER, JUICER & BLENDER
WITH KIT FOR WEIGHING, CHOPPING, CUTTING AND SLICING.

Available Colours



Free Accessories

MIXER GRINDER

FMG MASTERCHEF 3J/4J

- Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS Jars & Blades
- Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nylon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS Jars & Blades with lockable Jar Lids, Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar
- Free Accessories: Chopping Board, Weighing Scale



FMG CANDY 4 J/3J

- Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS Jars & Blades
- Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nylon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS Jars & Blades with lockable Jar Lids, Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar



FMG CROWN 800 W 3J/4J

- Manual functions
- 3/4 Jar Blender Mixer Grinder
- Motor Capacity : 800 Watts (Copper)
- RPM, 20000 Approx. No Load Speeds
- 3 SS 0.4 L / 1.2 L / 1.5 L
1 PC* 1.5 L (*4J Model)
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip Lock Lids



FMG HILUX 550 W

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 550 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip Lock Lids



FMG VOGUE 600 W

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 600 Watts (Copper)
- RPM, 19000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip Lock Lids



SONNET 500 W

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 500 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 1.2 ltrs/ 0.8 ltrs/ 0.350 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug



FMG PRIMO 550 W 3J INDIGO

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 550 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug



Savor with Ease, Cook with Peace.

Presenting Faber's Microwave Range



FMW Instacook 30C



900 W
Microwave



Crispy Grill



315 mm
Turntable Glass



Child Safety
Lock



Defrost by
Weight & Time



29 L
Cavity



FMW Instacook 30C

- Microwave oven with grill and convection
- Capacity 29 L
- Black finish
- Easy clean SS cavity
- Turntable Diameter Ø315 mm
- Child safety lock
- 5 Power level
- 10 Auto Cook Menu
- Defrost by weight and time
- Product dimension (WxDxH) - 523×449×300 mm



FMW InstaCook 20_S

- Capacity 20 L
- Black finish
- Easy clean coating
- Turntable Diameter Ø255 mm
- 5 Power level
- Defrost by weight and time
- Product dimension (WxDxH) - 440×358×258 mm



FMW InstaCook 20_S Digital

- Capacity 20 L
- Black finish
- Easy clean coating
- Turntable Diameter Ø255 mm
- Digital control
- Child safety lock
- 5 Power level
- 6 Auto Cook Menu
- Defrost by weight and time
- Product dimension (WxDxH) - 440×359×259 mm



Bake, toast and grill GOODNESS!

Make everyday delightfully delicious with Faber Double Glazed OTG



FABER DOUBLE GLAZED OTG 34L



1600W MAX INPUT



60 MINUTES TIMER



INNER LIGHT



AUTO SHUT OFF & READY BELL



ROTISSERIE



CONVECTION



CRUMB TRAY



TUNGSTEN HEATING ELEMENT

ACCESSORIES*



EXTRA BAKE PLATE



SILICON HEAT GUARD GLOVE



9" PIZZA PLATE

Safety & Standards



180 Quality Tests



MS Special Coating



Cool Touch Handle




ISO 9001:2008 Certified Factory

OVEN TOASTER GRILL (OTG)

FOTG 45/60L

45/ 60 Litres Capacity
Rotisserie Function
Convection Function
2000/2200 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
6 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 34L

34 Litres Capacity
Rotisserie Function
Convection Function
1600 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
6 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 34L (DOUBLE GLAZED)*

34 Litres Capacity
Rotisserie Function
Convection Function
1600 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
6 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 24L

24 Litres Capacity
Rotisserie Function
Convection Function
1600 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
4 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 20L

20 Litres Capacity
1400 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
4 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 9L

9 Litres Capacity
1000 Watts
30 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
SS Heating Element
With Indicator Light
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



Juice Everything

Juice | Smoothies | Nut Milk | Sorbet | Salad Maker



High Performance
200W DC Motor



Below
45db Noise



Upto 95%
Efficiency



BPA Free Plastic



Mesh Filter



Touch Buttons



SLOW JUICERS

FSJ 200 BK-M

- 80mm big feeder
- LCD display, digital control.
- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% juice rate
- Safety protection system
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 200W
- Materials: ABS, food grade PC jar, 304 stainless steel mesh filter
- Salad maker attachment



FSJ 150 R


- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% juice rate
- Safety protection system
- Low noise, Lower vibration
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 150W
- Materials: ABS, food grade PC jar, 304 stainless steel mesh filter



Salad Maker



FABER Slow Juicer



OTHER Centrifugal juicer



FRUITS (Hard & Soft)
Apple, Grape, Orange, Pomegranate, SweetLime, Grapefruit, Pineapple, Watermelon, Mango, Dragonfruit, Peach, Pear, etc



LEAFY GREENS
Wheatgrass, Celery, Parsley, Spinach, Kale, etc. Add Apple / Pineapple / Orange to Leafy Greens for delicious Healthy Juice.



VEGETABLES
Carrot, Beetroot, Cucumber, Tomato, Bottle-guard, Amla, Bitter-guard, etc



NUT MILK
Almond, Cashew, Soy, etc. Prepare Delicious & Healthy Vegan Nut Milk

Healthy Cooking Made Easy.

Experience the power of air frying.



Rapid Air Technology



SMART LIGHT INDICATOR



8 PRE SET COOKING



6.5L CAPACITY



↓ 85%
REDUCED OIL USAGE



FAF 6.5 L SS BK

- Capacity: 6.5L
- 220-240V 50/60Hz 1750W
- Plastic body with metal painting decoration
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- 30/60 min timer automatically shut off for precise cooking
- LED display, touch panel
- Power cord storage
- Operation light indicator
- With few drops of oil or no oil during frying process, healthy lifestyle
- Non-slip feet



FAF 4.5 AS BK

- Capacity: 4.5L
- 220-240V 50/60Hz 1500W
- Plastic body with metal painting decoration
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- 30/60 min timer automatically shut off for precise cooking
- LED display, touch panel
- Power cord storage
- Operation light indicator
- With few drops of oil or no oil during frying process, healthy lifestyle
- Can fry MAX 1500g frozen fries. (basket)



FAF 3.0 L BK

- Capacity: 3.0L
- 220-240V 50/60Hz 1300W
- Plastic Body
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- Power cord storage
- Operation light indicator
- Non-slip feet
- With few drops of oil or no oil during frying process, healthy lifestyle



FAF 2.0 DLX BK

- Capacity: 2.0L
- 220-240V 50/60Hz 1200W
- Plastic Body
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- Power cord storage
- Operation light indicator
- Non-slip feet
- With few drops of oil or no oil during frying process, healthy lifestyle



FAQA Certified



ISO 9001:2008 Certified Factory



180 Quality Tests



AUTO SHUT OFF



PFOA FREE




BPA FREE




DISHWASHER SAFE PAN



FRY



ROAST



BAKE



GRILL

From bean to cup, a delicious journey awaits...

- FCM 0.6L SS BK



Food Grade Heating Element



Keep Warm



Water Level Indicator



0.6 L Capacity



Power-800 Watt



Removable Filter



POWER Blender

- FPB 1800 W BK

The force is now with you.



6mm Boron
Octagonal Glass Jar



3D Cyclone Flow
Technology



1000 W
Copper Motor



800 W
Ceramic Heater



BPA Free
Plastics



6 Leaf Blade
Serrated Knife



Digital Control



Leak Proof
Safety Lids



Metal Coupler



SPORTZ BLENDER

Transform ordinary ingredients into extraordinary creations.



SPORTZ BLENDER FSB 3in1 NERO

Color/Finish: Black /Silver
220-240V 50Hz, 400W
20000 RPM*
Easy Clean PC Jar
Precise Overheat Protector
100% Fresh ABS
Nutri Lock Jars Reduced Friction & Heat
Ergonomically Designed Push and Lock Controls



SPORTZ BLENDER FSB 2in1 NERO

Color/Finish: Black /Silver
220-240V 50Hz, 400W
20000 RPM*
Easy Clean PC Jar
Precise Overheat Protector
100% Fresh ABS
Nutri Lock Jars Reduced Friction & Heat
Ergonomically Designed Push and Lock Controls



400 W Copper Motor



High Strength Blades



Swirl Hi-Flow Technology



BPA Free Plastics



Lockable Lids



PC Jars

Panini Maker

A toast to taste!

- FPB 2200 W 3-IN 1 SS BK

3in1 Griller



Panini Press / Sandwich Grill



180 Degree BBQ Griller



Contact Griller



Auto Cut-Off
Thermostat



Cool Touch
Housing



Bpa Free Plastic



2200 W Max Input



High Performance
Heating Element



Non Stick Coating





FT 950W DLX BK

Capacity: 2-short slice
220-240V 50-60Hz 950W
Electronic control
With reheat/defrost/cancel setting and have red indicator
Adjustable browning control/7 setting
With anti-jam function
Removable Crumb Tray



FT 900W BK

Capacity: 2-short slice
220-240V 50-60Hz 900W
Electronic control
With reheat/defrost/cancel setting and have red indicator
Adjustable browning control/7 setting
With anti-jam function
Removable Crumb Tray



FT 750W

Capacity: 2-short slice
220-240V 50-60Hz 750W
Food Grade Heating Element
Auto Pop-Up
6 Browning Settings
Special Dust Cover
With anti-jam function
Removable Crumb Tray



Features:



2 Bread Slice Slot
120cm x 120cm



Cool Touch
Body



950 W Max/900 W
Input



Food Grade
Heating Element



Reheat Function



Defrost Function



Cancel Function



6-7 Browning Setting

Convenience



Removable Crumb
Tray



Food Grade
Plastic



Auto Pop Up



Thermostatically
controlled Auto Cut off



BPA free
plastic



Non Stick
Coating



750 W Max
Input



Cool Touch
Housing



High Performance
Heating Element



FSTG 750 DLX BK

SANDWICH MAKER
Cool touch housing
2-slice sandwich maker grill
Non-stick coating plate for easy cleaning
Antiskid feet
Cord storage
Thermostatically controlled lamp
Power & ready lights

FSTG 750 BK

SANDWICH MAKER
Cool touch housing
2-slice sandwich maker grill
Non-stick coating plate for easy cleaning
Antiskid feet
Cord storage
Thermostatically controlled lamp
Power & ready lights





180 Quality Tests



FAQA Certified



BPA FREE



PFOA FREE



ISO 9001:2008 Certified Factory



KETTLE SS

Capacity: 1.8L, 1.5L, 1.2L
220-240V 50Hz 1500W
Auto Switch off
Hinged and locking lid
Detachable jug kettle with 360 power base
Cool touch Handle
Dry Heat Protection
Over Heat Protection
Auto Switch Off when water is boiled
Stainless steel body with pre attached Filter



KETTLE 1.7L

Capacity: 1.7L
220-240V 50/60Hz, 2200W
Plastic kettle with a detachable non-slip base
Safety lock lid
With steam and anti-dry
Overheating the power-off function of triple protection
Stainless steel heat element heating
On/off switch and light indicator
Transparent water gauge show the water level
With detachable filter for convenient cleaning



Features:



ON/OFF Switch with light indicator



Removable filter



360 degree base



Dry heating protection




1.7 Litres



Water level indicator



Cool Touch Body



Hidden SS 304 Element



2200 W Max Input



FAQ Certified



ISO 9001:2008 Certified Factory



180 Quality Tests



BPA FREE



PFOA FREE



DURAMAX WH 150W

Capacity: 2 Litres

Stainless Steel Drum

Overload Protector

Direct Drive Transmission

150 Watts Motor, 960RPM, 230V, 50Hz

Transparent Lid & Air Vent



2 Litres



25 MINUTES
CONTINUOUS
RUNNING



SPECIAL HIGH
GRADE STONE



MULTI COOKER

FMC 1.2 BK Capacity: 1.2L
220-240V, 50-60Hz, 700W
SS 304 Container
Multi Cooker
Cool Touch



1.2 LITRES



FOOD GRADE
INTERNAL



COOL TOUCH
BODY

FWK 1.2 L MULTI COOKER

Capacity: 1.2L
220-240V, 50-60Hz, 600W
SS 304 Container, Multi Cooker
Accessories: Egg Boiler Stand



FWK 1.2 L STEAMER

Capacity: 1.2L
220-240V, 50-60Hz, 600W
SS 304 Container, Multi Cooker
Accessories: Steamer






250 W Copper Motor



BPA Free Plastics



High Strength Blades



High Torque Gears

PRO FOOD CHOPPER



Motor Capacity: 250 Watts

Jar: 0.5 Ltrs

Blades: High Performance SS & Whisking Disk

Speed: 1 Single Speed

Color: White

100% Copper Winding

ABS Plastic Body



INDUCTION FIP REMO BK 1800



Auto Pan Detection

Power: 220-240V~,50/60Hz, 1800 W

24 Hrs Delay Timer & 3 Hrs Cooking Timer

Black Crystal Glass

Energy Efficient Intelligent IC

Soft Touch Control

Over Heat Protection

Shock Proof Body

1800
WATT



8
AUTO COOK
FUNCTIONS



4 Digit LED Display



Preset Programmable Timer



INDUCTION FIP ZION 1600W BK



Auto Pan Detection

Power: 220-240V~,50/60Hz, 1600 W

Crystal Unpolished Glass

Energy Efficient Intelligent IC

Soft Touch Control Buttons

24 Hrs Delay Timer & 3 Hrs Cooking Timer

Over Heat Protection

Shock Proof Body

BLEND LIKE A PRO, our hand blender makes it easy to go with the flow.



High Performance
DC Motor



Swirl Flow



BPA Free Plastics



Gearbox Drive



Super Quiet > 45 dB



Infinitely Adjustable
Control

FHB 6059 FS BK

- 44 mm Diameter
- 550w DC Motor
- ABS Plastic Body
- SS Shaft & Blade
- 1 Speed + Stepless Variable Speed
- Chopper bowl, Whisk, Measuring Cup,
- 1L Storage Container



FHB 6059 SO BK

- 44 mm Diameter
- 550w DC Motor
- ABS Plastic Body
- SS Shaft & Blade
- 1 Speed + Stepless Variable Speed
- 1L Storage Container



FHB 300 SS BK

- 44 mm Diameter
- 300w DC Motor
- ABS Plastic Body
- SS Shaft & Blade
- Turbo Speed





Micromesh
Juicing Sieve



Multi
Purpose SS Jar



3-Speed
Control



Powerful
500W Motor



Double Lock
System

FJMG REGAL TREND 2J

Motor Capacity: 500 Watts

Jar: 0.8 L / 1.5 L

High Performance Blade

Micromesh Juicing Sleeves

Speed: 3 Speed + 1 Pulse (18000 RPM)

Accessories: Spatula

Color: White - Cherry Red

2 Pin 2 Core Plug



YOU AND YOUR FAMILY... NOW SAFER WITH FABER



Effective disinfection
Seafoam



Fruit & vegetables



Meat



Tableware

Available Colour



Seafoam

Blonde

Indigo

Iris

OXPURE 10

- 10 Litres Capacity
- ABS Material
- 230V 50Hz, AC Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Table Mounted Installation
- 1.45 Kgs Product Weight
- Dimension (L*W*H): 330*270*320 mm



TAD 1L SS

- 1 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



TAD 2L SS

- 2 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



TAD 5L SS

- 5 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



TAD 2L 3-in-1

- 2 Litre Capacity
- Plastic, HDPE/PET Material
- 1 Meter Without Charger Socket Charging Cable
- Plug & Play Type
- Dual, Table Top or Wall Mounted Installation
- 3-in-1 Dispenser with option of dispensing Liquid, High Viscose Gel and Soap
- Wall Mounting Plastic Stand Unit as Accessories with the product



FDS CARE PRO

- DC 5V / 2Amp Rated Input
- 100 W Rated Power
- 0.5 kg Net weight
- 245 x 200 x 170mm Product Size
- Type-C or USB Input interface
- 0-40°C Working Temperature
- Full UV disinfection of upper and lower double layers
- Removes bacteria & viruses within 3 minutes
- 254 to 260 mm range powerfully germicidal
- Portable & compact design
- Unlike chemical treatments, the process of UV disinfection is environmentally friendly



FDS CARE PLUS-FR

- 220V~, 50Hz Rated Voltage
- 100 W Rated Power
- 0.69 kg Net weight
- Protection from dust
- Removes bacteria & viruses
- Multi functional foldable UV Box
- 310 mm x 60 mm Product size (Unfolding)
- 310 mm x 160 mm Product size (Unfolding)
- 3 in 1 (UV Sterilization + Pasteurization +Cloth dryer)
- A cloth dryer (360 degree cycle drying)
- Aroma Therapy (Removes odour)
- 254 to 260 mm range powerfully germicidal
- Portable & compact design
- Unlike chemical treatments, the process of UV disinfection is environmentally friendly



FDS SUV 20 / FDS SUV 30

- 20 Litres / 30 Litres Capacity
- 230V AC 50Hz Rated Input Voltage
- 22 W Operating Power (W)
- 0.5 W Stand by Power (W)
- 2 Nos each of 11 W Germicidal Lamps
- 3 Pin 5A, 1.2 meters Power Cable
- 1 to 12 minutes Timer Setting
- Metallic Powder Coated Material of Body
- Digital Display Type
- 8 Buttons Control Panel
- 254 nm UV-C Light Output
- 0°C - 45°C, 10-85% humidity Operation Temperature
- UV-C protection against opening of door





FABER

FRANKE'S AIR EXPERT

FRANKE FABER INDIA PRIVATE LIMITED

Regd. Office/ Factory: 1086/1/2, Sanaswadi, Nagar Road, Tal Shirur, Pune 412208, Maharashtra, India
Toll Free Helpline: 1800 209 3484, email: ks-customer-care.in@franke.com, website: www.faberindia.com

Follow us on:  /faberindia  /faberindia  /faberindia You  /FaberSpaindia  /company/faber-india/

Franke Faber India Private Limited is Licensed User of ©Trademark of FABER S.P.A

Features and specifications are subject to change without prior notice. Pictorial representation may not be identical to actual product.