

Anteazole[®] Dog

Reg. No. G2772 Act 36/1947



Dewormer —
1 Tablet per 10kg

What is Anteazole[®] Dog?

Broad-spectrum anthelmintic for dogs containing praziquantel, pyrantel pamoate and oxantel pamoate; for treatment of roundworm, tapeworm, whipworm and hookworm infections.

Worm
Dogtor



How does Anteazole[®] Dog work?

The tablets contain three powerful, safe and highly effective deworming substances:

- Praziquantel is the most favoured drug treatment for all species of tapeworm because it is extremely effective and safe.
- Pyrantel pamoate is extremely effective against hookworms and roundworms and also safe.
- Oxantel Pamoate is also effective against roundworms and is especially effective for whipworms.

How do you use Anteazole[®] Dog?

Dogs don't need to be fed or fast before they are given the tablets. One dose is sufficient to kill all the worms. The tablets can be given directly covered in Nutrostim on its own or crushed and mixed with food. They dissolve within a few minutes in the dog's stomach and start to act immediately. The tablets are scored in quarters — this makes it easy to break and give small or more exact dosages as needed.

How often should you treat with Anteazole[®] Dog?

- Starting at 2 weeks of age, puppies should be dewormed every 2 weeks until they are 12 weeks old.
- All dogs are likely to pick up worms again after deworming and so they should be dewormed regularly — after puppyhood, every 3 months is the recommended time interval.

Pack size(s)

50 tablets (with dispensing envelopes)

Storage

Store in a cool dry place (below 25°C)



Antezole® Liquid

Reg. No. G2624 Act 36/1947



Deworming Suspension dosage

What is Antezole® Liquid?

Palatable suspension of pyrantel pamoate for the treatment of roundworms and hookworms in dogs, cats, puppies and kittens. For a bad case of worms it is best to start with the Liquid and then to follow up with the broad-spectrum Antezole® Paste.

How does Antezole® Liquid work?

The liquid contains pyrantel pamoate which is extremely effective against hookworms and roundworms and also safe.

How do you use Antezole® Liquid?

Can be easily administered directly into the mouth or by mixing the required amount of dewormer into a small quantity of food to ensure consumption. It is not necessary to either feed or fast animals before treatment. The supplied doser accurately delivers 1ml with every depression of the plunger.

How often should you treat with Antezole® Liquid?

- Starting at 1 week of age, puppies should be dewormed every 2 weeks until they are 12 weeks old.
- Starting at 1 week of age, kittens should be dewormed every 3 weeks until they are 12 weeks old.
- All dogs and cats are likely to pick up worms again after deworming and so they should be dewormed regularly — after puppyhood, every 3 months is the recommended time interval and after kittenhood, every 3 to 6 months is the recommended interval.

Dosage:

Dogs: 1ml per 10kg

Cats: 1ml per 2½kg

Pack size(s)

100ml amber glass bottles with a dosage pump delivering a dose of 1ml.

Storage

Store in a cool dry place (below 25°C)



One of the safest anthelmintics known, the salts of pyrantel are generally free of toxic effects in all hosts at dosages up to approximately seven times the normal therapeutic dose.

Antezole® Paste

Reg. No. G2361 Act 36/1947



**Deworming Paste —
2ml per 9 kg**

What is Antezole® Paste?

The most convenient broad-spectrum dewormer around with a “tried & tested formulation” that can be used on dogs, cats, puppies and kittens, making it ideal for a multi-pet household. It can also be used on pregnant bitches and queens 10 days before whelping.

How does Antezole® Paste work?

The paste contains praziquantal, fenbendazole and pyrantel pamoate which is extremely effective against ascarids, hookworms, roundworms and tapeworms and is also safe.

How do you use Antezole® Paste?

Can be easily & conveniently administered with the easy-to-use dial-a-dose syringe - no more sticking your fingers in the pets mouth and the butterscotch flavour pets just love making it palatable. The paste administered according to their weight and the dosing chart assists with giving the correct dose according to the pets weight. The paste can be used on small, medium & large breeds.

How often should you treat with Antezole® Paste?

- Starting at 2 weeks of age, puppies should be dewormed every 3 weeks until they are 12 weeks old.
- Starting at 4 weeks of age, kittens should be dewormed every 3 weeks until they are 12 weeks old.
- All dogs and cats are likely to pick up worms again after deworming and so they should be dewormed regularly — after puppyhood, every 3 months is the recommended time interval and after kittenhood, every 3 to 6 months is the recommended interval.

Pack size(s)

15ml syringe, 30ml syringe

Storage

Store in a cool dry place (below 25°C)





Horse Deworming Powder

What is Anteazole[®]-H?

Equine anthelmintic: a palatable granule containing pyrantel for the treatment of large and small strongyle, ascarid and pinworm infestations in horses.

How does Anteazole[®]-H work?

ANTEZOLE[®]-H contains pyrantel pamoate, which has excellent activity in killing roundworms. At double the normal therapeutic dose (i.e. 2 measures of ANTEZOLE[®]-H per 150kg bodymass), pyrantel is also effective against equine tapeworm.

How do you use Anteazole[®]-H?

ANTEZOLE[®]-H is in granule form making it easier to dose in feed as opposed to inserting a syringe into the horse's mouth. Pyrantel is so safe that it can be given on a daily basis in the feed (although a much lower dose is then employed).

How often should you treat with Anteazole[®]-H?

Generally horses should be dewormed with a broad-spectrum anthelmintic at least twice a year (autumn and spring). However, twice-yearly deworming is not enough to ensure that horses are free of worms, so treat in summer and winter as well. Rotation of anthelmintics or alteration of anthelmintic classes is desirable because it minimises the chance of build-up of resistance. ANTEZOLE[®]-H is an affordable year-round dewormer that presents the ideal alternative to the use of macrocyclic lactones.

Pack size(s)

250g tub with measure

Storage

Store in a cool place (below 25°C)



When moving horses to pastures known or suspected to be contaminated with worms, the worm burden can be kept to minimum levels by dosing Anteazole[®]-H daily for 2 to 3 months (approximately 1g per 150kg bodymass per day — one-third of a measure).