DANGER

Protects against termites, ants and other destructive insects

🗭 Interior & Exterior

of Mould resistant

Versatile Sanitary Grade Construction Silicone Sealant



Colour - Light Grev

- 𝗭 Termite-Proof Silicone for Joining Ant Caps
- Ø Pesticide free
- 𝞯 Inhibits mould and mildew growth
- Adheres to most building materials including plastics
- 𝞯 Neutral cure
- Withstands movement to ±25%
- 𝞯 Working temperature -20° C to +100° C



APPLICATIONS:

Specifically designed for use with:

- Termite resistant materialsAluminium, zincalume,
- galvanised metal, PVC, concrete and stainless steel

Meets the requirements of AS 3660 Termite management.

DIRECTIONS:

- 1. Surface must be completely clean and dry.
- 2. Extrude and tool sealant fully into joint.
- Extrude ample sealant onto ant capping to ensure continuous seal, overlap ant caps by 40 mm. Hold in position with weights till sealant cures.
- Sealant should skin within 10 minutes and cure at a rate of 1-2 mm in 24 hours.
- 5. Use Mineral Turpentine to remove uncured sealant.

Precautions for Use:

Do not apply sealant to wet surfaces. Sealant cannot be painted over.

Safety & First Aid:

Use of eye protection is always recommended. Direct contact with uncured product and vapours may irritate eyes, throat, nasal membranes and skin. Wear suitable protective clothing and gloves. Sealant will release methylethylketoxime vapour until fully cured. Avoid breathing vapours. Use in well ventilated conditions. Eye Contact: Immediately flush with water for 30 minutes. Obtain prompt medical consultation, preferably from an ophthalmologist. Suitable emergency eye wash facility should be immediately available.

Skin contact: Remove material from skin immediately by washing with soap and plenty of water. Remove contaminated clothing and shoes while washing. Seek medical attention if irritation or rash occurs. Wash clothing before reuse.

Ingestion: If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.


May damage the unborn child.

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 11 26.

Shelf Life:

call 13 35 36.

18 months from date of manufacture when stored in cool, dry conditions, below 25° C. Refer to product Data Sheet or SDS for further technical or safety information. See www.Ensystex.com.au or



ENSYSTEX AUSTRALASIA PTY LTD ABN 53 102 221 965 Warehouse D, Building 6, The Switchyard 161 Manchester Road Auburn NSW 2144 CUSTOMER SERVICE 13 35 36 www.NOVITHOR.com



