GENERAL INSTRUCTIONS

Remove people, mammals, fish and birds from area to be treated. Remove people, mammas, rish and birds from area to be treated.

For best results, ignite the generator late in the evening and leave or the stream of the st area closed overnight.

All building openings, including doors and vents, must be closed state of the building should state of the building after ignition.

The state of the state of the building should state of the bui

remain open uniti operator leaves the building after ignition.
Place the generator on a fireproof base, on a protective floor
Place the generator on a fireproof base, on a protective floor
Cellophane Seeve around the generator.
To jenite, light the protective callonhane sleave.

To ignite, light the protective cellophane sleeve. To ignite, light the protective cellophane sleeve.

Always ignite those generators furthest away, lighting those always ignite those generators furthest away, lighting smoke learnest for the protection of the p

generators.

The generator will burn for approximately 30 seconds, however free generator will burn for approximately 30 seconds, however free generators.

For authorizing the generators of the generators of the generators of the generators of the generators.

DO NOT use in premises when food producing animals are

present.
Remove or cover exposed food, food utensils, food processing free foods and fish tanks. Aerators should be turned off areas, pet bowls and fish tanks. Aerators should be turned off areas, pet bowls and fish tanks. areas, pet bowls and fish tanks. Aerators should be turned of while the product is in use and while the aquarium is covered. While the product is in use and while the advantage to some test.

Turn off or isolate smoke detectors before using this product. Turn off or isolate smoke detectors before using this product.

Remove all RAYON and SILK fabrics (clothing, curtains, drages, etc.) from the area to be treated as discolouration may result.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to fish. Fish tanks and aquariums should be removed very toxic to tish. Fish rains and aquariums should be remove or covered prior to use of this product. DO NOT contaminate or covered prior to use or this product bo Nor-containinate soils, streams, rivers or waterways with the chemical or used

STURAGE AND DISPUSAL

Store in the closed, original container in a dry, cool, well-ventilated store in the closed, original container in a dry, cool, well-ventilated store in the closed store are all officers or the container in the closed store and place in waste bin. Safely, wrap empty generator in paper and place in waste bin.

DO NOT inhale vapour. Leave immediately after lighting smoke generators. Thoroughly ventilate treated areas before regenerators. Thoroughly ventilate treated areas before regenerators. Occupying, Wear respirator and gloves to collect used generators.

For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

Additional information is listed in the Safety Data Sheet which is available from Ensystex.

Ensystex warrants that this product conforms to its chemical Ensystex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the description and is reasonably nation are purposes stated on it. label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or normal conditions of use. No warranty or merchantability or fitness for a particular purpose, express or implied, extends to the fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Ensystex, or under abnormal conditions.

™ Trademark of Ensystex, Inc. used by licence to Ensystex New Zealand Ltd.

L-NZ-CHEFD1003 1.02 07.19

KEEP OUT OF REACH OF CHILDREN ECOTOXIC

INSECTICIDE SMOKE GENERATOR

ACTIVE INGREDIENT: 20 g/kg DELTAMETHRIN ALSO CONTAINS: 244 g/kg POTASSIUM CHLORATE

For the control of a range of insect pests as specified in the Directions for Use.

Net Contents: 400 g (20 x 20 g Generators)

ENSYSTEX NEW ZEALAND LTD

17C Corinthian Drive, Albany, Auckland 0752 www.ensystex.co.nz | Tel: 0800 ENSYSTEX (0800 367 978) Approved pursuant to the HSNO Act 1996, Approval Code: HSR 101185

DIRECTIONS FOR USE

TESTIONS FO	DR USE	
Situations		
Commercial, industri	Pests Controlled	
agricultural, domestic	Id Apt-	
and public services buildings	silverfices, mosquitoes bicokroaches 1	
	riceas, files, mosquishinders, cockroaches, silverfish, bed by use, hide beetles, broduct insects, bed by use of the solved beetles, broduct insects uses, spiders, stored beetles, deaths, bird mites of the solved beetles, deaths, bird mites of the solved beetles, deaths, bird mites of the solved by the solved	
Glasshouses	sinvertish, bed blue-ber, hide beetles, product insects, bird mites, carpet beetles, clothes moths.	
ornamentals only	Aphids category	
	Aphids, caterpillars. Ants, cockroaches, fleas, flies, mosquitees, silverfish, spiders. Flies, mosquitees.	
	Ants, cockroaches, fleas, flies, Ants, cockroaches, fleas, flies, mosquitoes, silverfich, silverfich	
Agricultural buildings	Ants, cockroaches, fleas, flies, mosquitoes, silverfish, spiders. Flies, mosquitoes Refer to "Genes He and those of Smoke release will commodity residues may not be controlled." Refer to "Genes He and those of Smoke release will commodity residues may not be controlled."	
and animal housing	Flies, mosquitoes. Refer to "General Instructions" before using 1 generator/ Felease 7 to 1 generator Felease 7 to 1 gener	
	1 generator/ repare populations as	
	I generator/ If pest populations are heavy, a second smoke	
	For best population to may be record smoke	
Approved HSNO	I generator/ 250 m³ I pest populations are heavy, a second smoke for best results use late in the eventue to reduce treated area closed-up once evening the late of the la	
a) applied in wider: This pro-	Hazard Classifications: 5.1.18, 6.1D, 6.38 6.40	
h) used him wide dispersive	e manual be under the person, 0.1D, 6.3B 6.4A	

Approved Handler: This product must be under the personal control of an Approved Handler when -Hazard Classifications: 5.1.1B, 6.1D, 6.3B, 6.4A, 6.9B, 9.1A, 9.2D, 9.3C, 9.4A of use as post harvesting treatment.

b) used by a commercial culturactor.

Record Keeping: Records of use must be kept if more than 3 kg is applied or discharged within 24 hours in a place where the substance is likely to enter the air or water and leave the place.

inhalation. Avoid contact with eyes and skin. May cause organ damage from repeated oral and inhalation exposure at high doses.

Very toxic to fish and aquatic organisms. Avoid contamination of any water source (including drains, sewers, ponds, creeks etc.) with product or empty container. Harmful to soil environment and terrestrial vertebrates. Very toxic to terrestrial invertebrates.

PRECAUTIONS

Keep out of reach of children Do not eat drink or smoke while using product. Avoid skin and eye contact and inhalation of smoke Wash hands and exposed skin before

ENSYSTEX

DIRECTIONS FOR USE

Situations	Pests Controlled	Rate	Critical Comments	
Commercial, industrial, agricultural, domestic and public services buildings	Ants, aphids, caterpillars, cockroaches, fleas, flies, mosquitoes, hide beetles, silverfish, bed bugs, spiders, stored product insects, bird mites, carpet beetles, clothes moths.	1 generator/ 125 m³	Refer to "General Instructions" before using this product. Insects active at the time of smoke release will be controlled, but those hatching from eggs, immigrant insects or storage insects emerging from commodity residues may not be controlled.	
Glasshouses ornamentals only	Aphids, caterpillars.			commodity residues may not be controlled.
	Ants, cockroaches, fleas, flies, mosquitoes, silverfish, spiders.		Refer to "General Instructions" before using this product.	
Agricultural buildings and animal housing	Flies, mosquitoes.	1 generator/ 250 m ³	If pe'st populations are heavy, a second smoke release 2 to 3 days later may be required to reduce the insect population to an acceptable level. For best results use late in the evening, leaving treated area closed-up overnight. Do not use as post harvesting treatment.	

HSNO Hazard Classifications: 5.1.1B, 6.1D, 6.3B, 6.4A, 6.9B, 9.1A, 9.2D, 9.3C, 9.4A

Approved Handler: This product must be under the personal control of an Approved Handler when -

- a) applied in wide dispersive manner, or
- b) used by a commercial contractor.

Record Keeping: Records of use must be kept if more than 3 kg is applied or discharged within 24 hours in a place where the substance is likely to enter the air or water and leave the place.

TOXICITY

Harmful – May be harmful if swallowed or inhaled. Avoid inhalation. Avoid contact with eyes and skin. May cause organ damage from repeated oral and inhalation exposure at high doses.

FCOTOXICITY

Very toxic to fish and aquatic organisms. Avoid contamination of any water source (including drains, sewers, ponds, creeks etc.) with product or empty container. Harmful to soil environment and terrestrial vertebrates. Very toxic to terrestrial invertebrates.

PRECAUTIONS

Keep out of reach of children. Do not eat drink or smoke while using product. Avoid skin and eye contact and inhalation of smoke. Wash hands and exposed skin before meals and after work.

GENERAL INSTRUCTIONS

Remove people, mammals, fish and birds from area to be treated. For best results, ignite the generator late in the evening and leave area closed overnight.

All building openings, including doors and vents, must be closed prior to ignition. The intended exit door of the building should remain open until operator leaves the building after ignition. Place the generator on a fireproof base, on a protective floor covering or in a metal bucket. DO NOT remove protective cellophane sleeve around the generator.

To ignite, light the protective cellophane sleeve.

Always ignite those generators furthest away, lighting those nearest your exit last. Leave immediately after lighting smoke generators.

The generator will burn for approximately 30 seconds, however keep area airtight for at least 3 hours after lighting. Ventilate for 60 minutes before re-entry.

PRECAUTIONS

DO NOT use in premises when food producing animals are present.

Remove or cover exposed food, food utensils, food processing areas, pet bowls and fish tanks. Aerators should be turned off while the product is in use and while the aquarium is covered. Turn off or isolate smoke detectors before using this product. Remove all RAYON and SILK fabrics (clothing, curtains, drapes, etc.) from the area to be treated as discolouration may result.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to fish. Fish tanks and aquariums should be removed or covered prior to use of this product. DO NOT contaminate soils, streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Dispose of used smoke generator safely, wrap empty generator in paper and place in waste bin.

SAFETY DIRECTIONS

DO NOT inhale vapour. Leave immediately after lighting smoke generators. Thoroughly ventilate treated areas before recoupying. Wear respirator and gloves to collect used generators.

FIRST AID

For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

SAFFTY DATA SHFFT

Additional information is listed in the Safety Data Sheet which is available from Ensystex.

NOTICE

Ensystex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Ensystex, or under abnormal conditions.

Batch No.:	
Date of Manufacture:	

™ Trademark of Ensystex, Inc. used by licence to Ensystex New Zealand Ltd.

L-NZ-CHEFD1003 1.02 07.19