

HARMFUL-CORROSIVE
KEEP OUT OF REACH OF CHILDREN

MAXXTHOR®
TURBO

FAST KILL INSECTICIDE

**ACTIVE INGREDIENT: CONTAINS 100 G/L BIFENTHRIN AND 10 G/L IMIPROTHRIN
IN THE FORM OF A SUSPO-EMULSION. ALSO CONTAINS
120 G/L PIPERONYL BUTOXIDE AND 32 G/L NONYL PHENOL ETHOXYLATE.**

For the control of a range of urban pests in Domestic,
Commercial, Public and Industrial buildings &
structures (including food handling premises)

Proprietor:
ENSYSTEX NEW ZEALAND LTD
17C Corinthian Drive
Albany, Auckland 0752
www.Ensystex.co.nz

CUSTOMER SERVICE 0800 ENSYSTEX (0800 367 978)

Approved pursuant to the HSNO Act 1996, Approval Code: HSR100792.
MPI Approved Type B (all animal product except dairy)

® Registered trademarks of Ensystex, Inc. used by licence to Ensystex New Zealand Ltd.

ENSYSTEX®

MAXXTHOR®
TURBO
FAST KILL INSECTICIDE

FIRST AID

If swallowed wash out mouth with water. Do NOT induce vomiting but contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If contact in the eyes wash out with running water for at least 15 minutes. If spilt on skin or hair wash with plenty of soap and water.

NOTES

The treated area must be ventilated following application. Do NOT spray directly on humans, pets or animals. Remove any animals or pets from areas to be treated and do not allow humans or pets to enter until the spray has dried. Cover or remove any open food or water containers, fishponds and aquariums before spraying. Avoid contact with food, food utensils or preparation surfaces and wash thoroughly treated surfaces and items after application.

STORAGE

Store in closed original containers, in a cool, well ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

Spillage: In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter. Dispose of waste in an appropriate landfill.

Disposal: Do not re-use empty container but triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. If recycling, replace cap and return clean containers to recycler or designated collection point. Otherwise, do not burn but puncture, crush and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit clear of waterways, desirable vegetation and tree roots.

SAFETY DATA SHEET:

Additional information is listed on the Safety Data Sheet available from Ensystex on request or at the web site at www.Ensystex.co.nz.

WARRANTY:

Ensystex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under abnormal conditions.



ENSYSTEX®

HSNO Classifications: 6.1D, 6.3B, 6.5B, 6.9B, 8.3A, 9.1A, 9.2C, 9.3B, 9.4A

APPROVED HANDLER

MAXXTHOR TURBO must be under the personal control of an approved handler when it is:

- a) applied in a wide dispersive manner; or
- b) used by a commercial contractor.

MAXXTHOR TURBO can only be applied using ground based methods.

TOXICITY

Toxic – may cause target organ damage from repeated oral exposure at high doses.

Harmful – May be harmful if swallowed or absorbed through the skin. May cause sensitisation from prolonged skin contact.

Facial Skin contact may cause temporary facial numbness.

ECOTOXICITY
Very toxic to fish and aquatic organisms. Avoid contamination of any water supply with product or empty container. MAXXTHOR TURBO must not be applied onto or into water

Harmful to the soil environment. Toxic to terrestrial vertebrates.

Very toxic to terrestrial invertebrates such as bees. Spray must not be applied in areas where bees are foraging.

PRECAUTIONS

Keep out of reach of children. Avoid contact with skin and eyes and inhalation of spray mist.

When mixing and applying wear protective clothing such as goggles, waterproof gloves, cotton overalls and boots. Wash hands and exposed skin before eating, drinking and after work. Wash gloves and protective clothing daily.

Danger – May cause eye damage.

DIRECTIONS FOR USE

RESTRAINTS

Do NOT use this product at less than nor greater than the indicated label rates.

PEST	SITUATIONS	RATE/10L	CRITICAL COMMENTS
Spiders	Internal & external areas & surrounds of Domestic, Commercial, Public and Industrial buildings & structures (including food handling premises).	25 - 50 mL	Use the higher rate in situations where pest pressure is high and/or maximum residual protection is desired. Pay particular attention to dark areas such as cracks and crevices. For maximum protection use a two-part treatment. 1. Treatment of cracks and crevices. 2. Overall surface spray.
Wasps		50 mL	Apply prepared suspension to the point of run-off directly to the nest ensuring thorough and even coverage. When all adult wasps have been knocked down the nest may be safely removed from the structure.
Ants, Cockroaches, Mosquitoes, Biting midges, Fleas, Ticks, Flies, Biting insects, Sheep blowflies, Silverfish, Clothes moths, Bed bugs, Millipedes.		50-100 mL	Apply prepared suspension to indoor and outdoor surfaces where insects rest or harbour. For perimeter treatments apply the prepared suspension to a band of soil or vegetation two to three metres wide around and adjacent to the structure. Also treat the foundation of the structure to a height of approximately one metre. Reapply as necessary.

Batch No.:

Date of Manufacture:

L-NZ-CHEMT1001 3.01 02.23