Page: 1 of 6 This version issued: January 2024

#### Section 1 - Identification of The Material and Supplier

Ensystex Australasia Pty Ltd Warehouse D, Building 6, The Switchyard 161 Manchester Road, Auburn, NSW 2144 13 35 36 (all hours) Ensystex New Zealand Ltd 17C Corinthian Drive Albany, Auckland 0752 0800 ENSYSTEX (0800 367 978)

Chemical nature:	Fipronil is a phenylpyrazole derivative and is presented here as a water solution.	
Trade Name:	ULTRATHOR™ Water based Termiticide & Insecticide	
Product Code:	Australia APVMA: 64449 New Zealand HSR Approval: HSR 100810	
Product Use:	Termiticide & Insecticide for use as described on the registered product label.	
Creation Date:	September, 2013	
This version issued:	<b>January 2024</b> and is valid for 5 years from this date.	

Section 2 - Hazards Identification

#### **Statement of Hazardous Nature**

Not subject to the ADG Code when transported in Australia by Road or Rail in packages 500 kg(L) or less; or IBCs (refer to SP AU01). However, if transported by Air or Sea, this provision does not apply. Then the product is classed as Dangerous (Class 9 Environmentally Hazardous) by IATA and IMDG respectively. See details below and in Section 14 of this SDS.

#### SUSMP Classification: S5

ADG Classification: Class 9: Miscellaneous Dangerous Goods.

UN Number: 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

#### **GHS Classification:**

Acute toxicity – Inhalation: Category 4 Hazardous to aquatic environment, long-term hazard: Category 1



# **GHS Signal word: WARNING**

# HAZARD STATEMENT:

H332: Harmful if inhaled.

H410: Very toxic to aquatic life with long lasting effects.

#### PREVENTION

P102: Keep out of reach of children.

P261: Avoid breathing fumes, mists, vapours or spray.

- P264: Wash contacted areas thoroughly after handling.
- P270: Do not eat, drink or smoke when using this product.
- P271: Use only outdoors or in a well ventilated area.
- P273: Avoid release to the environment.

#### RESPONSE

P312: Call a POISON CENTRE or doctor if you feel unwell.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P391: Collect spillage.

#### STORAGE DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

#### **Emergency Overview**

Physical Description & Colour: Cream opaque suspension.

Odour: Mild characteristic odour.

Major Health Hazards: This product is harmful by inhalation.

™ Trademark of Ensystex, Inc. used under license by Ensystex Australasia Pty Ltd and Ensystex New Zealand Ltd.

#### SAFETY DATA SHEET

Issued by: Ensystex Australasia Pty Ltd

Phone: 13 35 36 (ALL HOURS)

Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand)

#### **Potential Health Effects**

### Inhalation:

**Short Term Exposure:** Available data shows product may be mildly irritating, although unlikely to cause more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term inhalation.

### Skin Contact:

Short Term Exposure: Available data shows that this product is not a skin irritant.

Long Term Exposure: No data for health effects associated with long term skin exposure.

### Eye Contact:

Short Term Exposure: Available data shows this product is not an eye irritant.

Long Term Exposure: No data for health effects associated with long term eye exposure.

#### Ingestion:

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. This product is an oral irritant. Symptoms may include reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term Exposure: No data for health effects associated with long term ingestion.

#### Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** No significant ingredient is classified as carcinogenic by IARC.

Section 3 - Composition/Information on Ingredients					
Ingredients	CAS No	Conc., %	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )	
Fipronil	120068-37-3	10	not set	not set	
Other non-hazardous ingredients	various	approx 10	not set	not set	
Water	7732-18-5	to 100	not set	not set	

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other nonhazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5-day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

#### **Section 4 - First Aid Measures**

#### **General Information:**

Issued by: Ensystex Australasia Pty Ltd

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned, or irritated by this product. The number is 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** If symptoms of poisoning become evident, contact a Poisons Information Centre, or call a doctor at once. Remove source of contamination or move victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow victim to move about unnecessarily. Symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.

**Skin Contact:** Wash gently and thoroughly with warm water (use non-abrasive soap if necessary) for 10-20 minutes or until product is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard. If irritation persists, repeat flushing and seek medical attention.

**Eye Contact:** Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre or call a doctor.

Phone: 13 35 36 (ALL HOURS)

Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand)

# Product Name: ULTRATHOR™ Water-based Termiticide & Insecticide

Page: 3 of 6 This version issued: January 2024

#### Section 5 - Fire Fighting Measures

**Fire and Explosion Hazards**: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is little risk of an explosion from this product if commercial quantities are involved in a fire.

Only small quantities of decomposition products are expected from this product at temperatures normally achieved in a fire. This will only occur after heating to dryness.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures. **Extinguishing Media:** In case of fire, use carbon dioxide, dry chemical, foam, water fog. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used. Try to contain spills, minimise spillage entering drains or water courses.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. There is little danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.

Flash point:	Does not burn.
Upper Flammability Limit:	Does not burn.
Lower Flammability Limit:	Does not burn.
Autoignition temperature:	Does not burn.
Flammability Class:	Does not burn.

#### Section 6 - Accidental Release Measures

**Accidental release:** In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include PVC, Nitrile. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8). Otherwise, not normally necessary.

Stop leak if safe to do so and contain spill. Absorb onto sand, vermiculite, or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Because of the environmentally hazardous nature of this product, special care should be taken to restrict release to waterways or drains. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## Section 7 - Handling and Storage

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport, and storage of this schedule of poison. Check packaging - there may be further storage instructions on the label.

 SAFETY DATA SHEET

 Issued by: Ensystex Australasia Pty Ltd
 Phone: 13 35 36 (ALL HOURS)

 Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand)

Page: 4 of 6 This version issued: January 2024

#### **Section 8 - Exposure Controls and Personal Protection**

The following Australian Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

TWA  $(mg/m^3)$ SWA Exposure Limits

STEL (ma/m<sup>3</sup>)

Exposure limits have not been established by SWA for any of the significant ingredients in this product. The ADI for Fipronil is set at 0.0002 mg/kg/day. The corresponding NOEL is set at 0.02 mg/kg/day. ADI means

Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, Dec 2012.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. Ventilation: This product should only be used in a well-ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Protective glasses or goggles should be worn when this product is being used. Emergency eye wash facilities are recommended in an area close to where this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: PVC, nitrile. Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Otherwise, not normally necessary.

#### Section 9 - Physical and Chemical Properties

Odour:MildBoiling Point:ApprFreezing/Melting Point:ApprVolatiles:WateVapour Pressure:2.37Vapour Density:As forSpecific Gravity:1.00Water Solubility:CompH:7 - 8Volatility:No dOdour Threshold:No d	ata. ata. or water.
--	---------------------------

#### Section 10 - Stability and Reactivity

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf-life properties.

**Conditions to Avoid:** Protect this product from light. Store in the closed original container in a dry, cool, wellventilated area out of direct sunlight.

Incompatibilities: No particular Incompatibilities.

**Fire Decomposition:** Only small quantities of decomposition products are expected from this product at temperatures normally achieved in a fire. This will only occur after heating to dryness. Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. May form oxides of sulfur (sulfur dioxide is a respiratory hazard) and other sulfur compounds. Most will have a foul odour. May form hydrogen chloride gas, other compounds of chlorine. May form hydrogen fluoride gas and other compounds of fluorine. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death. **Polymerisation:** This product will not undergo polymerisation reactions.

#### SAFETY DATA SHEET

Issued by: Ensystex Australasia Pty Ltd Phone: 13 35 36 (ALL HOURS) Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand)

This version issued: January 2024

#### **Section 11 - Toxicological Information**

**Toxicity:** Acute Oral, Rat, female:  $LD_{50} > 2000 \text{ mg/kg}$  (OECD 425).

Acute Dermal, Rat (male and female): LD<sub>50</sub> >2000 mg/kg (OECD 420).

Acute Dermal Irritation, Rabbit: Not classified as a skin irritant (OECD 404).

Acute Eye Irritation, Rabbit: Not classified as an eye irritant (OECD 405).

Skin Sensitisation, Guinea Pig: Not considered as a skin sensitiser (OECD 406).

Acute Inhalation, Rat (male and female): LC<sub>50</sub> 3.022 mg/L air. Based on the results of this study ULTRATHOR is rated Category 4 under the Globally Harmonized System of Classification and Labelling of Chemicals (GHS 2017).

#### **Classification of Hazardous Ingredients**

Ingredient

**Risk Phrases** 

Fipronil

>=10%Conc<25%: T; R48/25; R20/21/22

There is no data to hand indicating any particular target organs.

# Section 12 - Ecological Information

This product is toxic to bees. Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment. This product is biodegradable. It will not accumulate in the soil or water or cause long term problems. Fish: LC<sub>50</sub> bluegill sunfish (*Lepomis macrochirus*): 0.085 mg/L

In laboratory studies, Fipronil has a half-life of 122-128 days in oxygenated sandy loam. In field studies, dissipation half-life on soil surfaces ranged from 0.7 to 1.7 months. Half-life of Fipronil applied by soil incorporation ranged from 3 to 7.3 months. Residues remain mainly in the upper 30 cm of soil. Fipronil has low soil mobility - it binds to the soil and has little potential for groundwater contamination.

Fipronil degrades slowly in water and sediment that lack oxygen, with a half-life ranging from 116 to 130 days. Fipronil is stable to breakdown by water at mildly acidic to neutral pH values.

When exposed to light, Fipronil has a half-life of 3.6 hours in water, and 34 days in loamy soil.

**Fish:** LC<sub>50</sub> rainbow trout (*Oncorhynchus mykiss*): 0.248 mg/L. LC<sub>50</sub> carp (*Cyprinus carpio*): 0.430 mg/L **Daphnia:** EC<sub>50</sub> 0.19 mg/L

#### **Section 13 - Disposal Considerations**

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 http://www.chemclear.com.au/ and for help with the disposal of empty drums, contact DrumMuster http://www.drummuster.com.au/ where you will find contact details for your area.

#### **Section 14 - Transport Information**

Not subject to the ADG Code when transported by Road or Rail in Australia, in packages 500kg(L) or less; or IBCs, but classed as Dangerous by IATA and IMDG when carried by Air or Sea transport (see details below).

ADG Code: 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazchem Code: •3Z

Special Provisions: 179, 274, AU01

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

Dangerous Goods Class: Class 9: Miscellaneous Dangerous Goods.

Packaging Group: III

Packaging Method: P001, IBC03, LP01

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

# Section 15 - Regulatory Information

**AICS:** All of the significant ingredients in this formulation are compliant with NICNAS regulations. The following ingredient: Fipronil, is mentioned in the SUSMP.

# SAFETY DATA SHEET

Issued by: Ensystex Australasia Pty Ltd

Phone: 13 35 36 (ALL HOURS)

Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand)

# This version issued: January 2024

### Section 16 - Other Information

#### This SDS contains only safety-related information. For other data see product literature.

If there is any conflict between this SDS and the registered label, instructions on the label prevail.

#### Acronyms:

ADG Code AICS SWA CAS number	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition) Australian Inventory of Chemical Substances Safe Work Australia, formerly ASCC and NOHSC Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UN Number	United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD STATEMENT: INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE. IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

#### Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (December 2011)