ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR ADVANCED FORMULATION AND HV PART NUMBER: 710XX300, 710XX301,

710XX316, 710XX964

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: NOVEMBER 30, 2022

SECTION 1 – GENERAL INFORMATION

MANUFACTURER'S NAME: HYLOMAR LTD

TRADE NAME & SYNONYMS: HYLOMAR ADVANCED FORMULATION (SOLVENT FREE) AND ADVANCED

FORMULATION HV

USES: Non-Setting and Non-Hardening Gasketing Compound

SHELF LIFE: 3 YEARS

SECTION 2 - HAZARDS IDENTIFICATION

PHYSICAL HAZARDS Not classified

HEALTH HAZARDS Not classified

OSHA DEFINED HAZARDS Not classified

LABEL ELEMENTS

Hazard symbol None Signal word None

Hazard statement The mixture does not meet the criteria for classification

Precautionary statement

Prevention
Response
Get medical attention/advice if you feel unwell
Storage
Store away from incompatible materials

Disposal Dispose of waste and residues in accordance with local authority requirements

Hazard(s) not otherwise classified

(HNOC)

None known

Supplemental Information None

SECTION 3 - COMPOSITION

MIXTURES

Chemical name	CAS number	%
Butane-1,4-diol	110-63-4	1-2
Ethylene glycol	107-21-1	1-2

Composition commentsAll concentrations are in percent by weight unless ingredient is a gas. Gas

concentrations are in percent by volume.

SECTION 4 - FIRST AID

FIRST AID PROCEDURES

INHALATION: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for

breathing. Call a physician if symptoms develop or persist.

SKIN CONTACT: Wash off with soap and water. Get medical attention if irritation develops and persists

EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses

if present and easy to do. Continue rinsing. Get medical attention immediately.

INGESTION: Rinse mouth. Drink a few glasses of water or milk. Get medical attention if any discomfort

continues.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR ADVANCED FORMULATION AND HV PART NUMBER: 710XX300, 710XX301,

710XX316, 710XX964

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: NOVEMBER 30, 2022

SECTION 4 - FIRST AID (CONT)

effects acute and delayed

Most Important symptoms Direct contact with eyes may cause temporary irritation

Indication of immediate Medical attention and

Provide general supportive measures and treat symptomatically

Special treatment needed

General Information

Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves

SECTION 5 - FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE

EXTINGUISHING MEDIA: Water spray, foam, dry powder or carbon dioxide.

Do not use water jet as an extinguisher as this will spread the fire.

PROTECTION OF FIREFIGHTERS SPECIFIC HAZARDS ARISING

FROM THE CHEMICAL: By heating and fire toxic vapors/gases may be formed

PROTECTIVE EQUIPMENT AND

PRECAUTIONS:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general

fire precautions indicated in the workplace

FIRE FIGHTING

EQUIPMENT AND INSTRUCTIONS: Cool containers exposed to heat with water spray and remove container if no risk

is involved. Prevent runoff from fire control or dilution for entering streams,

sewers or drinking water supply

General fire hazards The product is not flammable. Will burn if involved in a fire

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Avoid contact with skin and eyes. In case of spills, beware of slippery floors and surfaces. Keep unnecessary personnel away. Wear protective clothing as

described in Section 8 of this SDS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Scrape up the spilled material. Transfer to a container for disposal. Following product recovery, flush area with water. For waste disposal, see Section 13 of this SDS.

ENVIRONMENTAL PRECAUTIONS

Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR ADVANCED FORMULATION AND HV PART NUMBER: 710XX300, 710XX301,

710XX316. 710XX964

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: NOVEMBER 30, 2022

SECTION 7 - HANDLING AND STORAGE

SAFE HANDLING Keep away from sources of ignition - NO SMOKING. Wear protective clothing

> as described in Section 8 of this safety data sheet. Avoid prolonged exposure. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good hygiene practices. Avoid release to the environment. Avoid

contact with skin and eyes.

STORAGE Keep container tightly closed in a cool well-ventilated place. Keep away from

spark, open flames and other sources of ignition. Store away from incompatible materials in a cool, dark place at temperatures between 5°C(41°F) and

35°C(95°F).

SECTION 8 - PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

No exposure limits noted for ingredient(s)

BIOLOGICAL LIMIT VALUES

No biological exposure limits noted for the ingredient(s)

APPROPRIATE ENGINEERING CONTROLS

Provide adequate ventilation. Not likely, due to the form of the product

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION Wear safety glasses with side shields (or goggles)

SKIN PROTECTION

HAND PROTECTION PVC or rubber gloves are recommended. Be aware that the liquid may

penetrate the gloves. Frequent change is advisable. Suitable gloves can be

recommended by the glove supplier

OTHER Normal work clothing (long sleeved shirts and long pants) is recommended

RESPIRATORY PROTECTION Under normal conditions, respirator is not normally required. If engineering

controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a

program should be instituted to assure compliance with OSHA 29 CFR 1910.134

THERMAL HAZARDS Not applicable

GENERAL HYGIENE Always observe good personal hygiene measures, such as washing after **CONSIDERATIONS** handling the material and before eating, drinking and/or smoking. Routinely

wash work clothing and protective equipment to remove contaminants

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR ADVANCED FORMULATION AND HV PART NUMBER: 710XX300, 710XX301,

710XX316, 710XX964

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: NOVEMBER 30, 2022

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

PHYSICAL STATE Liquid
FORM Paste
COLOR Blue

ODOR Almost odorless
ODOR THRESHOLD Not available
pH Not available
MELTING POINT/FREEZING POINT
INITIAL BOILING POINT/BOILING RANGE Not applicable

FLASH POINT >737.6 °F (> 392.0 °C)

EVAPORATION RATE

FLAMMABILITY (SOLID, GAS)

Not applicable

Not applicable

UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS

FLAMMABILITY LIMIT-LOWER (%)
FLAMMABILITY LIMIT-UPPER (%)
EXPLOSIVE LIMIT-LOWER (%)
EXPLOSIVE LIMIT-UPPER (%)
Not available
Not available

VAPOR PRESSURE Not available

 VAPOR DENSITY
 2(Air = 1) (20 °C/68 °F)

 RELATIVE DENSITY
 1.18 (20 °C/68 °F)

SOLUBILIT(IES)

SOLUBILITY (WATER) Not miscible PARTITION COEFFICIENT Not available

(n-octanol/water)

AUTO-IGNITION TEMPERATURE

DECOMPOSITION TEMPERATURE

Not available
Not available

VISCOSITY 275000 cP (Hylomar Advanced Formulation) (25 °C/77 °F) 1000000 cP (Hylomar Advanced Formulation HV) (25 °C/77 °F)

1500000 CP (Hylomar Advanced Form Ultra HV) (25 °C/77 °F)

OTHER INFORMATION

EXPLOSIVE LIMIT Not available EXPLOSIVE PROPERTIES Not explosive OXIDIZING PROPERTIES Not oxidizing

VOC 0 (Hylomar Test Method 1.1A Determination of Volatile Matter)

SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY The product is stable and non reactive under normal conditions of use,

Storage and transport

CHEMICAL STABILITY: Material is stable under normal conditions

CONDITIONS TO AVOID: Heat, flames and sparks. Avoid temperatures exceeding the flash point

POSSIBILITY OF HAZARDOUS No dangerous reaction known under conditions of normal use

REACTIONS

INCOMPATIBLE MATERIALS Strong oxidizing agents. Strong alkalis

HAZARDOUS DECOMPOSITION No hazardous decomposition products are known

PRODUCTS

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR ADVANCED FORMULATION AND HV PART NUMBER: 710XX300, 710XX301,

710XX316, 710XX964

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.:(513) 874-6550

DATE ISSUED: NOVEMBER 30, 2022

SECTION 11 - TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE

INHALATION Under normal conditions of intended use, this material is not expected to be an

inhalation hazard

SKIN CONTACT No adverse effects due to skin contact are expected

EYE CONTACT May cause eye irritation on direct contact INGESTION Ingestion may cause irritation and malaise

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS

Direct contact with eyes may cause temporary irritation

INFORMATION ON TOXILOGICAL EFFECTS

ACUTE TOXICITY May cause discomfort if swallowed

PRODUCT SPECIES TEST RESULTS

Hylomar Advanced Formulation / Hylomar Advanced Formulation HV / Hylomar Advanced Form Ultra HV (CAS Mixture)

ACUTE Dermal

ATE

> 5000 mg/kg

INHALATION

ATE > 5 mg/l

ORAL

ATE > 5000 mg/kg

COMPONENTS SPECIES TEST RESULTS____

Ethylene Glycol (CAS 107-21-1)

ACUTE Dermal

LD50 Mouse > 3500 mg/kg

INHALATION

Aerosol

LC50 Rat > 2.5 mg/l, 6 Hours

ORAL

LD50 Rat 7712 mg/kg

SKIN CORROSION/IRRITATION No adverse effects due to skin contact are expected SERIOUS EYE DAMAGE/IRRITATION May cause eye irritation on direct contact

RESPIRATORY OR SKIN SENSITIZATION

RESPIRATORY SENSITIZATION
SKIN SENSITIZATION
Based on available date, the classification criteria are not met
Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met
CARCINOGENICITY
Based on available data, the classification criteria are not met

IARC MONOGRAPHS OVERALL EVALUATION OF CARCINOGENICITY

Not listed

NTP REPORT ON CARCINOGENS

Not listed

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR ADVANCED FORMULATION AND HV PART NUMBER: 710XX300, 710XX301,

710XX316, 710XX964

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: NOVEMBER 30, 2022

SECTION 11 - TOXICOLOGICAL INFORMATION (CONT)

OSHA SPECIFICALLY REGULATED SUBSTANCES (29 CFR 1910.1001-1053)

Not listed

REPRODUCTIVE TOXICITY Based on available data, the classification criteria are not met

SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE

Based on available data, the classification criteria are not met

SPECIFIC TARGET ORGAN

TOXICITY REPEATED EXPOSURE

Based on available data, the classification criteria are not met

ASPIRATION HAZARDDue to the physical form of the product it is not an aspiration hazard

CHRONIC EFFECTS None known

FURTHER INFORMATION No other specific acute or chronic health impact noted

SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY The product is not classified as environmentally hazardous. However, this does

not exclude the possibility that large or frequent spills can have a harmful or

damaging effect on the environment.

PRODUCT SPECIES TEST RESULTS

Hylomar Advanced Formulation/Hylomar Advanced Formulation HV/Hylomar Advanced Form Ultra HV

(CAS Mixture)

Acute

ATE > 100 mg/l

Chronic

ATE > 100 mg/l

COMPONENTS SPECIES TEST RESULTS

Ethyl glycol (CAS 107-21-1)

Aquatic

AlgaeIC50Pseudokirchneriella subcapitata10940 mg/l, 96 hoursCrustaceaEC50Daphnia magna> 100 mg/l, 48 hoursFishLC50Fathead minnow (Pimephales promelas)72860 mg/l, 96 hours

PERSISTENCE AND DEGRADABILITY

There are no data on the degradability of this product

BIOACCUMULATIVE POTENTIAL No data available Partition coefficient n-octanol/water (log Kow)

Ethylene glycol (CAS 107-21-1) -1.36

MOBILITY IN SOIL No data available

MOBILITY IN GENERAL The product is insoluble in water

OTHER ADVERSE EFFECTS None known

SECTION 13 - DISPOSAL

DISPOSAL INSTRUCTIONS: Do not discharge into drains, water courses or onto the ground. Collect and

reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/

international regulations

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR ADVANCED FORMULATION AND HV PART NUMBER: 710XX300, 710XX301,

710XX316, 710XX964

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: NOVEMBER 30, 2022

SECTION 13 - DISPOSAL (CONT)

LOCAL DISPOSAL REGULATIONS Dispose of in accordance with local regulations

HAZARDOUS WASTE CODE The Waste code should be assigned in discussion between the user, the

producer and the waste disposal company

WASTE FROM RESIDUES/UNUSED

PRODUCTS

Do not discharge into rivers, lakes, mountains, etc. because the product may

affect the environment

CONTAMINATED PACKAGING Empty containers should be taken to an approved waste handling site for

recycling or disposal

SECTION 14 - TRANSPORTATION

DOT

Not regulated as a hazardous material by DOT

IATA

Not regulated as dangerous goods

IMDG

Not regulated as dangerous goods

TDG

Not regulated as dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15 - REGULATORY INFORMATION

US FEDERAL REGULATIONS

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29CFR 1910.1200

TSCA SECTION 12(b) EXPORT NOTIFICATION (40 CFR 707, SUBPT. D)

Not regulated

CERCLA (SUPERFUND) REPORTABLE QUANTITY (lbs) (40 CFR 302.4)

Ethylene glycol (CAS 107-21-1) Listed

SARA 304 EMERGENCY RELEASE NOTIFICATION

Not regulated

OSHA SPECIFICALLY REGULATED SUBSTANCES (29 CFR 1910.1001-1053)

Not listed

TOXIC SUBSTANCES CONTROL ACT (TSCA)

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA) SARA 302 EXTREMELY HAZARDOUS SUBSTANCE

Not listed

SARA 311/312 HAZARDOUS CHEMICAL

No

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR ADVANCED FORMULATION AND HV PART NUMBER: 710XX300, 710XX301,

710XX316, 710XX964

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: NOVEMBER 30, 2022

SECTION 15 - REGULATORY INFORMATION(CONT)

SARA 313 (TRI REPORTING)

CHEMICAL NAME CAS NUMBER % by wt Ethylene glycol 107-21-1 1-2

OTHER FEDERAL REGULATIONS

CLEAN AIR ACT (CAA) SECTION 112 HAZARDOUS AIR POLLUTANTS (HAPs) LIST

Ethylene glycol (CAS 107-21-1)

CLEAN AIR ACT (CAA) SECTION 112 (r) ACCIDENTAL RELEASE PREVENTION (40 CFR 68.130)

Not regulated

SAFE DRINKING WATER ACT (SDWA)

Not regulated

US STATE REGULATIONS

US MASSACHUSETTS RTK - SUBSTANCE LIST

Ethylene glycol (CAS 107-21-1)
US NEW JERSEY WORKER AND COMMUNITY RIGHT-TO-KNOW ACT

Ethylene glycol (CAS 107-21-1)

US PENNSYLVANIA WORKER AND COMMUNITY RIGHT-TO-KNOW ACT

Ethylene glycol (CAS 107-21-1)

US RHODE ISLAND RTK

Ethylene glycol (CAS 107-21-1)

CALIFORNIA PROPOSITION 65



WARNING: This product can expose you to Ethylene glycol which is known in the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

CALIFORNIA PROPOSITION 65 - CRT: LISTED DATE/DEVELOPMENTAL TOXIN

Ethylene glycol (CAS 107-21-1)

Listed: June 19, 2015

US CALIFORNIA CANDIDATE CHEMICALS LIST SAFER CONSUMER PRODUCTS REGULATIONS (CAL CODE REGS, TIT. 22, 69502.3, subd. (a))

Ethylene glycol (CAS 107-21-1)

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR ADVANCED FORMULATION AND HV PART NUMBER: 710XX300, 710XX301,

710XX316, 710XX964

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: NOVEMBER 30, 2022

SECTION 16 - OTHER INFORMATION

RECOMMENDED USE Non-Setting and Non-Hardening Gasketing Compound

HMIS® RATINGS Health:

Flammability: 1 Physical Hazard 0



NFPA RATINGS

LIST OF ABBREVIATIONS

LD50: Lethal Dose 50%

LC50: Lethal Concentration 50%
NOEC: No observed effect concentration
TWA: Time weighted average

TWA: Time weighted average STEL: Short term exposure limit

IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods

MARPOL: International Convention for the Prevention of Pollution from Ships

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE; OBTAINED FROM SOURCES BELIEVED BY VALCO CINCINNATI, INC. TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCT ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THIS PRODUCT OR THE INFORMATION PROVIDED HEREWITH.