




Trail Gear Oasis Rain Cover Instructions

Trail Gear Oasis Installation Instructions (4 Door and 2 Door Wranglers)


Step 1:

2 Door: There are 6 velcro straps that come on the product, 2 on each outer side and 2 in the middle. For the 2 door version you only use the 2 outers on each side because there is no middle roll bar like the 4 door. Right behind the sound bar, about 4-5 inches back from there is where our product mounts.



Strap the Velcro the same on the driver side and passenger side of the vehicle.

4 Door: Attach the bag by overlapping velcro around the passenger side roll bar on the top side of the middle support beam. Secure Velcro around the bottom side of the support beam just above the seat belt mount. The Top left photo is how it should look once attached.



Step 2:

Open bag by separating velcro and unroll cover. (Same for 2 door versions) When you first unroll the product, all the spikes and sandbags and tent poles are rolled up in the material you will then separate them and put them in their separate compartment inside the bag. We tell people to stow the sand bags under the rear storage compartment.



Step 3:

Pull cover toward the front of the vehicle and secure under windshield wipers. (Same for 2 door versions) Secure velcro at windshield area. (Same for 2 door versions)



Step 4:

Adjust cover so seams meet at corner of top. (Same for 2 door versions)



Step 5:



Secure velcro tabs at rear flaps. (Same for 2 door versions)

Step 6 At the front tire on both sides of the vehicle secure hooks in the vehicle frame and tighten straps. (Same for 2 door versions)



Step 7 At the rear of the vehicle there's a small hook point on the frame which is shown below (2 door versions will attach a hook at the center of the vehicle just under the door opening).



Step 8 Secure elastic around rear tail lights. (Same for 2 door versions)



Step 9 Attach strap around spare tire. Buckle and secure. (Same for 2 door versions)



Step 9 Shown is how it should look as a rain cover



Step 10 Rolling our product back up and into the bag



-- Fold to the Middle seams of the Product



--Fold one more time in half



--Flip and Roll as tight as possible





--Place back into Bag



Step11 Be sure that the product is dry once you get home or wherever you are traveling. Roll it back out for 5-10 minutes and allow it to dry before storing for long periods of time

Thank You For Choosing Trail Gear Oasis!!!

