

CARMEL GROUP INC.

SAFETY DATA SHEET

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Disappearing Tailor Chalk		Revision date 10/20/2020
Previous revision date 05/01/2017	Product code TC13203	Material use Formulated to disappear overtime by itself or immediately upon ironing.
Manufacturer Name and issuing location CARMEL GROUP INC. 10220 ARMAND LAVERGNE, MONTRÉAL, QUEBEC, CANADA, H1H 3N4 Tel : 514-270-5377 Fax : 514-270-2025 Internet : www.carmelindustries.com		EMERGENCY PHONE NUMBER CHEMTREC USA 800-424-9300 International 1-703-527-3887

SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	Note (Sect 15)	CAS #	Amount	Toxicity in Solid format (mg/kg)		
				LD50 (Oral)	TDLo (Subcutaneous, rat)	TDLo (Intramuscular, rat)
None as defined by OSHA 29 CRF 1910.1200 & by Canadian WHMIS CPR						

SECTION 3 – HAZARD IDENTIFICATION

Emergency Overview			
The product is not expected to present any unusual hazards in proper use. Overheating is considered abnormal usage of the product.			
EYE CONTACT	Not likely to occur because solid chalk at room temperature.		
SKIN CONTACT	No danger at room temperature.		
INHALATION	No fume or aerosol at room temperature.		
INGESTION	This material is essentially inert and non-toxic. Regardless it should not be ingested.		
Potential Health Effects (NFPA Classification)			
Fire hazard : 1	Health Hazard : 0	Reactivity : 0	Personal Protection : See Section 8
0 = Minimal 1 = Slight hazard 2= Moderate Hazard 3 = Serious Hazard 4 = Severe Hazard			
Potential Health Effects (HMIS Rating)			
Health : 0		Flammability : 1	Reactivity : 0
0 = Minimal 1 = Slight hazard 2= Moderate Hazard 3 = Serious Hazard 4 = Severe Hazard			

SECTION 4 – FIRST AID MEASURES

EYE CONTACT	Rinse with cold water; seek medical attention if irritations persist.
SKIN CONTACT	Wash skin with water & soap or industrial hand cleaner.
INHALATION	Not likely to occur with solid product.
INGESTION	Not likely to occur, large amounts may cause intestinal blockage and necessitate medical attention if discomfort occurs.
ADDITIONAL INFO	None

SECTION 5 – FIRE FIGHTING MEASURES

Extinguishing Media	Treat as an oil fire. For small fire use CO ₂ , dry powder or foam. For large fire use alcohol-type foam, universal-type foam or water fog.
Special Firefighting Procedure	Keep people away from fire and smoke, Wear full firefighting turn-out gear and respiratory protection (SCBA). Use water spray cool fire-exposed containers and structures. Do not direct a solid stream of water or foam into burning molten material; this may cause spattering and spread the fire.

Unusual Fire and Explosion Hazards	This product will burn if involved in a fire. This product will float upon water, so water spray is not suitable extinguishing agents as it may cause fire to spread.		
SECTION 6 – ACCIDENTAL RELEASE MEASURES			
Small Spills	Not likely to occur in solid format. Sweep and scrap the spill.		
Large Spills	Not likely to occur in solid format. May melt if exposed to excessive heat. In that case, let the material solidify and scrap the spill.		
SECTION 7 – HANDLING AND STORAGE			
Handling procedures	None special needed. Handle as a fragile material.		
Storage precautions	Normal precaution should be followed in handling and storage. Store in a dry place. Keep out of direct sunlight. Do not store at temperature : > 104°F / 40°C		
SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION			
PERSONAL PROTECTION			
Respiratory protection	No special respiratory protection is normally required.		
Protective gloves	None are normally required.		
Eye protection	None is normally required.		
Clothing	No special clothing recommended.		
SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES			
Appearance Rectangular chalk	Odor None	Physical state Solid @ 77°F/25°C	Boiling point N / AV.
Melting point ~60°C / 140°F	Specific gravity (H ₂ O=1) < 1	Vapor pressure (mm Hg) <0.01 @ 77°F/25°C	Solubility in water Insoluble
Solubility in organic solvent Soluble	Partitioning coefficient N / AV.	Flash point N / AV.	Percent volatiles Nil
SECTION 10 – STABILITY AND REACTIVITY DATA			
Stability Stable	Hazardous polymerization Will not occur.		
Incompatibility Normally unreactive; however avoid contact with strong oxidizing agent (ex. Peroxides, chlorine), Sunlight or ultraviolet light, heat or high temperature.			
Hazardous decomposition products Burning can produce noxious and toxic fumes, and the following combustion products: Carbon Oxides & Other complex chemical.			
SECTION 11 – TOXICOLOGICAL INFORMATION			
Carcinogenicity Not listed	Mutagenicity / Teratogenicity Not listed		
Irritancy of Material N / AV.	Sensitizing Capability N / AV.		
Reproductive Effects None known	Synergistic Materials None known		
SECTION 12 – ECOLOGICAL INFORMATION			
This product is stable in water, and can be mechanically separated from water. The water may be suitable for disposal in a biological waste water treatment plant.			
SECTION 13 – DISPOSAL CONSIDERATION			
Dispose of in accordance with appropriate Federal, State and local regulation.			
SECTION 14 – TRANSPORT INFORMATION			
Dot Hazard Classification Not regulated.			
IATA Classification Not regulated.			
ICAO Classification Not regulated.			
IMO Classification Not regulated.			

TDG Hazard Classification Not regulated.	
UN / NA Hazard No. No number as product is not regulated.	
Other N / AV.	
SECTION 15 – REGULATORY INFORMATION	
Hazard Details of SECTION 2	None
SARA Status	None
SARA Hazard Cat.	None
TSCA Status	All ingredients of this product are listed on the U.S. EPA TSCA (Toxic Substances Control Act) Chemical Substance Inventory.
TSCA Notification	None
DSL Status	All ingredients of this product are listed on the Canadian EPA (CEPA) Domestic Substances List (DSL).
EINECS Status	All ingredients of this product are listed on the European Inventory of Existing Chemical Substances (EINECS).
AICS Status	All ingredients of this product are listed on the Australian Inventory of Chemical Substances (AICS).
OSHA Status	Not a controlled material as defined by U.S. OSHA HCS (29 CFR 1910.1200).
WHMIS Status	Not a controlled material as defined by Canadian WHMIS Controlled Product Regulation (CPR).
OSHA HCS Compliance	SDS of the product is classified in accordance with all the required information for his hazard criteria under the Health Communication Standards of the U.S. OSHA.
WHMIS CPR Compliance	SDS of the product is classified in accordance with all the required information for his hazard criteria under the Controlled Products Regulations of the Canadian WHMIS.
ANSI Z400.1-1993 Compliance	SDS of the product is made following the Z400.1-1993 standards of the ANSI.
SECTION 16 – OTHER INFORMATION	
N/AV=NOT AVAILBLE	
SDS Originally made by Carmel Industries	

Inc.

The information contained in this document is derived from data supplied to Carmel Group by the manufacturers or distributors of the raw materials combined to form this product. However, Carmel Group makes no representations as to its completeness or accuracy. To the best of our knowledge all hazards have been noted for the intended use of the product and, since Carmel Group cannot control conditions of use, the end user is obliged to determine the conditions permitting safe use of the product. In no event will Carmel Group be responsible for damage of any nature whatsoever resulting from the use of or reliance upon the information contained herein.

CARMEL GROUP INC.

DISAPPEARING TAILOR CHALK

Product code	Product Description
TC13203	White (Slow)
TC13303	White (Quick)