SDS Periphery Wax / PW40004

## CARMEL GROUP INC.

## SAFETY DATA SHEET

| SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION  Product: Periphery Wax  Previous revision date 11/27/2015  Product code 11/27/2015  PW40004  Material use Miscellaneous Processing Dental Waxes.  Manufacturer's Name and issuing location |   |  |  |  |  |  |  |
|---|---|--|--|--|--|--|--|
| Previous revision date Product code Material use PW40004 Miscellaneous Processing Dental Waxes.   |   |  |  |  |  |  |  |
| 11/27/2015 PW40004 Miscellaneous Processing Dental Waxes.   |   |  |  |  |  |  |  |
|   |   |  |  |  |  |  |  |
| Manufacturer's Name and issuing location  |   |  |  |  |  |  |  |
|   |   |  |  |  |  |  |  |
| CARMEL GROUP INC. 10220 ARMAND LAVERGNE EMERGENCY PHONE NUMBER  | EMERGENCY DUONE NI IMDED  |  |  |  |  |  |  |
| 10220 THUMEN DELIVERONE,  |   |  |  |  |  |  |  |
| Morritaria, College,  |   |  |  |  |  |  |  |
| CANADA, H1H 3N4 International 1-703-527-3887 Tel: 514-270-5377 Fax: 514-270-2025  | mtemational 1-/03-32/-388/  |  |  |  |  |  |  |
| INTERNET: www.carmelindustries.com  |   |  |  |  |  |  |  |
| SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS  |   |  |  |  |  |  |  |
| Note (Sect Exposure Limits (ppm)  |   |  |  |  |  |  |  |
| Hazardous ingredients   15)   CAS #   Amount   OSHA   NIOSH   ACGIH   A   | CGIH  |  |  |  |  |  |  |
| None as defined by OSHA 29 CRF  | LV-STEL   |  |  |  |  |  |  |
| 1910.1200 & by Canadian WHMIS CPR   |   |  |  |  |  |  |  |
| SECTION 3 – HAZARD IDENTIFICATION   |   |  |  |  |  |  |  |
| Emergency Overview  |   |  |  |  |  |  |  |
| The product is not expected to present any unusual hazards in proper use.   |   |  |  |  |  |  |  |
| SKIN CONTACT No danger at room temperature.  EYE CONTACT No danger at room temperature.   |   |  |  |  |  |  |  |
| INHALATION No danger at room temperature.  Not likely to occur as the product is not volatile at room temperature.  |   |  |  |  |  |  |  |
| INGESTION May cause gastrointestinal irritation, nausea, vomiting and diarrhea if ingested in large quantity.   |   |  |  |  |  |  |  |
| Potential Health Effects (NFPA Classification)  |   |  |  |  |  |  |  |
| Fire hazard: 1 Health Hazard: 0 Reactivity: 0 Personal Protection: See Section 8  |   |  |  |  |  |  |  |
| 0 = Minimal 1 = Slight hazard 2= Moderate Hazard 3 = Serious Hazard 4 = Severe Hazard   |   |  |  |  |  |  |  |
| Potential Health Effects (HMIS Rating)  |   |  |  |  |  |  |  |
| Health: 0 Flammability: 1 Reactivity: 0   |   |  |  |  |  |  |  |
| 0 = Minimal 1 = Slight hazard 2= Moderate Hazard 3 = Serious Hazard 4 = Severe Hazard   |   |  |  |  |  |  |  |
| SECTION 4 – FIRST AID MEASURES  |   |  |  |  |  |  |  |
| Exposure to fumes, vapors or smoke of the thermally degraded product can result in irr  |   |  |  |  |  |  |  |
|   | to the eye and direct contact of the molten material will cause eye injury and burns. Should an accident occur, flush eyes with generous amounts of water for at least 15 minutes. Call a |  |  |  |  |  |  |
|   | physician to attend to the injury.  |  |  |  |  |  |  |
|   | Exposure to fumes, vapors or smoke of thermally degraded product can result in irritation   |  |  |  |  |  |  |
| to skin and direct contact of the molten material will cause injury and burns. For burns  | to skin and direct contact of the molten material will cause injury and burns. For burns apply  |  |  |  |  |  |  |
|   | running water over the injured area for 15 minutes. Do not attempt to remove any material bonded  |  |  |  |  |  |  |
|   | to skin. Call a physician to attend to the injury.  |  |  |  |  |  |  |
| INHALATION Remove individual to a well-ventilated area for fresh air and call a physician to attend to  | the   |  |  |  |  |  |  |
| Material is not acutely toxic by ingestion If material is ingested, do not induce   | injury.  Material is not acutely toxic by ingestion. If material is ingested, do not induce   |  |  |  |  |  |  |
| ingestion vomiting. Call a physician.   |   |  |  |  |  |  |  |
| ADDITIONAL INFO None  |   |  |  |  |  |  |  |
| SECTION 5 – FIRE FIGHTING MEASURES  |   |  |  |  |  |  |  |
| Extinguishing Media Treat as an oil fire. Use Foam, Dry Chemical and CO <sub>2</sub> .  |   |  |  |  |  |  |  |

SDS Periphery Wax / PW40004

| Special Firefighting  | Keep people away from fire and smoke, Wear full firefighting turn-out gear and  |   |                 |                                  |  |
|---|---|---|-----------------|----------------------------------|--|
| Procedure   | respiratory protection (SCBA).  |   |                 |                                  |  |
| Unusual Fire and  | This product will burn if involved in a fire.   |   |                 |                                  |  |
| <b>Explosion Hazards</b>  | -   |   |                 |                                  |  |
|   | SECTION 6 – ACCIDEN   |   |                 | S                                |  |
| Small Spills  | Not likely to occur in solid form   |   |                 |                                  |  |
| Large Spills  | Not likely to occur in solid form   |   | osed to excessi | ive heat. In that case, let the  |  |
| _mgr ×p   | material solidify and scrap the   |   | OD A CE         |                                  |  |
| TT 11:  | SECTION 7 – HAN   |   |                 | c :                              |  |
| Handling procedures   | Handle as a fragile material. Wash thoroughly exposed body part after using.  |   |                 |                                  |  |
| Storage precautions   | Normal precaution should be followed in handling and storage. Store in a dry & cool place Keep out of strong sunlight. Do not store at temperature : > 50°C / 120°F or near spark or open contents. |   |                 |                                  |  |
| Storage precautions   | flame.  | o not store at tempe                              | rature . > 50   | C / 120 1 of fical spark of open |  |
| SECTIO  | ON 8 – EXPOSURE CONT  | ROLS / PERSON                                     | AL PROTE        | CTION                            |  |
| SECTION   |   | L PROTECTION                                      | TETROTE         | C11011                           |  |
| Respiratory protection  | No special respiratory protection   |   | uired.          |                                  |  |
| Protective gloves   | Rubber glove to prevent bur   | per glove to prevent burning with the melted wax. |                 |                                  |  |
| Eye protection  | Protective goggle to prevent  | burning by splatter of                            | of melted wax.  |                                  |  |
| Clothing  | Standard industrial.  |   |                 |                                  |  |
|   | ECTION 9 – PHYSICAL A   |   |                 |                                  |  |
| Appearance  |   | Odor  | Physical state  | ~ ·                              |  |
| Blue rods put in sheet  |   | None  | Solid @ 2       |                                  |  |
| Melting point   | Specific gravity (H <sub>2</sub> O=1)   | Vapor pressu                                      |                 | Solubility in water              |  |
| ~ 75°C / 167°F  | < 1   | <0.01 @ 2:  | 5°C///F         | Insoluble                        |  |
| Solubility in organic solvent   | Partitioning coefficient  | Flash point                                       |                 | Percent volatiles                |  |
| Soluble   | N/Av.   | N/Av.   |                 | Nil                              |  |
|   | SECTION 10 – STABILI  |   |                 | I A                              |  |
| Stability   | Hazardous polymerization Will not occur.  |   |                 |                                  |  |
| Stable  | will not occur.   |   |                 |                                  |  |
| Incompatibility   | · havvavar avaid aantaat vyi  | th strong oxidizin                                | a agant         |                                  |  |
| Hazardous decomposition productive  | ; however avoid contact with  | ili sirolig oxidizili                             | g agent.        |                                  |  |
|   | noxious and toxic fumes, an   | nd the following                                  | combustion      | products: Oxides of              |  |
| carbon & Other compl  |   | nd the following                                  | comoustion      | products. Oxides of              |  |
| carbon & Other compr  | SECTION 11 – TOXICO   | OLOCICAL INEC                                     | DMATION         | Ţ                                |  |
| Carcinogenicity   | SECTION II – TOXICO   |   |                 | N                                |  |
| Not listed, not carcino   |   | Mutagenicity / Teratogenicity Not listed          |                 |                                  |  |
| Irritancy of Material   |   | Sensitizing Capability                            |                 |                                  |  |
| None known  | None known  |   |                 |                                  |  |
| Reproductive Effects  |   | Synergistic Materials                             |                 |                                  |  |
| None known None known   |   |   |                 |                                  |  |
| - · · ·   | SECTION 12 – ECOL   | li e e e e e e e e e e e e e e e e e e e          |                 |                                  |  |
| This product is stable in v   | water, and can be mechanically  |   |                 | may be suitable for disposal in  |  |
|   | atment plant. Not expected to be  |   |                 |                                  |  |
| SECTION 13 – DISPOSAL CONSIDERATION   |   |   |                 |                                  |  |
| Incineration is probably the best mean of disposal. Dispose as industrial waste in accordance with appropriate Federal, |   |   |                 |                                  |  |
| State and local regulation.   |   |   |                 |                                  |  |
|   | SECTION 14 – TRANSPORT INFORMATION  |   |                 |                                  |  |
| Dot Hazard Classification   |   |   |                 |                                  |  |
| Not regulated   |   |   |                 |                                  |  |
| IATA Classification   |   |   |                 |                                  |  |
| Not regulated   |   |   |                 |                                  |  |
| ICAO Classification   |   |   |                 |                                  |  |

SDS Periphery Wax / PW40004

| Not regulated            | I |
|--------------------------|---|
| IMO Classification       |   |
| Not regulated            |   |
| DG Hazard Classification |   |
| Not regulated            | ļ |
| IN / NA Hazard No.       |   |
| None necessary           | ļ |
| ther                     |   |
| J/Av.                    | ļ |

| SECTION 15 – REGULATORY INFORMATION |  |  |  |  |
|-------------------------------------|--|--|--|--|
| Hazard Details of SECTION 2         | None   |  |  |  |
| SARA Status                         | No reporting requirement.  |  |  |  |
| SARA Hazard Cat.                    | None   |  |  |  |
| TSCA Status                         | All ingredients of this product are listed on the U.S. EPA TSCA (Toxic Substances Control Act) Chemical Substance Inventory.   |  |  |  |
| DSL Status                          | All ingredients of this product are listed on the Canadian EPA (CEPA)  Domestic Substances List (DSL).   |  |  |  |
| EINECS Status                       | All ingredients of this product are listed on the European Inventory of Existing Chemical Substances (EINECS).   |  |  |  |
| AICS Status                         | All ingredients of this product are listed on the Australian Inventory of Chemical Substances (AICS).  |  |  |  |
| OSHA Status                         | Not a controlled or hazardous material as defined by U.S. OSHA HCS (29 CFR 1910.1200).   |  |  |  |
| WHMIS Status                        | Not considered to be hazardous material as defined by Canadian WHMIS Controlled Product Regulation (CPR).  |  |  |  |
| OSHA HCS<br>Compliance              | MSDS of the product is classified in accordance with all the required information for his hazard criteria under the Health Communication Standards of the U.S. OSHA.       |  |  |  |
| WHMIS CPR<br>Compliance             | MSDS of the product is classified in accordance with all the required information for his hazard criteria under the Controlled Products Regulations of the Canadian WHMIS. |  |  |  |
| ANSI Z400.1-1993<br>Compliance      | MSDS of the product is made following the Z400.1-2003 standards of the ANSI.   |  |  |  |

## SECTION 16 – OTHER INFORMATION N/Av.= NOT AVAILBLE SDS Originally made by Carmel Industries

The information contained in this document is derived from data supplied to Carmel Group by the manufacturers or distributors of the raw materials combined to form this product. However, Carmel Group makes no representations as to its completeness or accuracy. To the best of our knowledge all hazards have been noted for the intended use of the product and, since Carmel Group cannot control conditions of use, the end user is obliged to determine the conditions permitting safe use of the product. In no event will Carmel Group be responsible for damage of any nature whatsoever resulting from the use of or reliance upon the information contained herein.

PERIPHERY\_PW40004 04/23/2021 3 of 3