

## 6200 Series – Asylum Trim Cylindrical Latches

### Standard Features

- Helps support a safer environment in hospitals and other institutions where safety is of the highest priority
- Cylindrical latch application – passage function
- 1-3/4" standard door thickness (specify if different)
- "SEC" Security fasteners provided standard
- Trim is mounted using four thru-bolts for maximum stability
- Non-handed unit for installation and stocking ease
- **UL Listed** in U.S.A and Canada for use on door fire rated 90 minutes or less, up to 4'0" x 8'0"
- 1/2" Latch Bolt Throw
- **Patent# 6,196,599 & Additional Patent Pending**


### Selecting the Right Asylum Trim for You

ABH manufactures three Asylum Trim types from which to choose - all operate in the same manner, by simply rotating the "knob" either clockwise or counter-clockwise.

- **"B"** – Round Asylum Trim
  - Place your thumb on top of the knob and your finger beneath to rotate the knob
- **"C"** – Angled Asylum Trim
  - This sleek design models the look of a thumb turn
- **"FM"** – Flush Mount Asylum Trim
  - Trim is flush to the door – picture on C-11 shows the side profile of a door with FM trim mounted on both sides (no projection).
  - Pull side FM trim incorporates a ring that sits flush inside the door until manually lifted and rotated to operate the latch and help pull the door open (see picture on C-11).



*"B" Round  
Asylum Trim*



*"C" Angled  
Asylum Trim*



*"FM" Flush Mount  
Asylum Trim on one side  
and LR6000 on other side*



## 6200 Series - Asylum Cylindrical Latches

### Mounting Options

- **"AB" - Asylum Trim on Both Sides**


Asylum trim is provided on both sides of the door in lieu of standard hospital push/pull trim.



"B" Round Asylum Trim



6200 - B - AB



- **"PLA" - Asylum Trim on Push Side**


Asylum trim is provided on push side of the door and standard pull trim is provided on the pull side.



"C" Angled Asylum Trim



6200 - C - AB



- **"PSA" - Asylum Trim on Pull Side**


Asylum trim is provided on pull side of the door and standard push trim is provided on the pull side.



"FM" Flush Mount  
Asylum Trim



6200 - FM - AB



### How to Order:

**Example: 62 2 A - B -US32D - PLA - AM**

**Model:** \_\_\_\_\_

• 62 = 6200 Series

**Latch Backset:** \_\_\_\_\_

- 2 = 2-3/4"    • 5 = 5"
- 3 = 3-3/4"    • 7 = 7"

**Strike:** \_\_\_\_\_

- T = 2-3/4" T-Strike
- A = 4-7/8" ASA Strike

**Asylum Knob Type:** \_\_\_\_\_

- B = Round Knob    • FM = Flush Mount
- C = Angled Knob

**Finish:** \_\_\_\_\_

- US32D    • US32    • US10B    • US3
- US26D    • US26    • US10    • US4

**Required Option (must choose one):** \_\_\_\_\_

- PLA = Pull side has standard pull trim & push side has asylum trim
- PSA = Push side has standard pull trim & pull side has asylum trim
- AB = Both push and pull side have asylum trim

**Options, if Needed:**

- H    • AM    • L    • PL
- PS    • EX    • X    • J
- RC    • THICK    • P

(See pages C-3 to C-5 for details)





US32D - 630 - Satin Stainless Steel



US26D - 626 - Satin Chrome



US10B - 613 - Oil Rubbed Bronze



US10 - 612 - Satin Bronze



US4 - 606 - Satin Brass



S1 - 689 - Painted Aluminum



S2 - Painted Brass (to match US4)



S3 - Painted Bronze (to match US10)



S4 - Painted Black



S5 - Painted Dark Bronze (to match US10B)



S8 - Painted White



US3 - 605 - Bright Brass



US32 - 629 - Bright Stainless Steel



US26 - 625 - Bright Chrome