

BB1199

Five Knuckle Ball Bearing Heavy Weight

Application

- ANSI A2111 (Brass)
- ANSI A5111 (Stainless Steel)
- Four ball bearings
- Non-rising removable pin with tip and plug
- For use on heavy weight doors and doors requiring high frequency service $% \left(1\right) =\left(1\right) \left(1\right)$

Note:

- Stainless steel model complies with NFPA80 requirements for use on fire rated door assemblies

Electric Modifications:

- EMN (Electric Monitor Only)
- ETW (Electric Through-Wire Only)
- ETM (Electric Through-Wire with Monitoring)
- Quick Connect





PRODUCT SPECIFICATIONS

MATERIAL:

- Brass with Stainless Steel pin
- Stainless Steel with Stainless Steel pin

FINISHES:

- US3, US4, US10, US10B, US15, US26, US26D, US32, US32D

PRODUCT SIZE OPTIONS

| HINGE SIZE (INCHES) | HINGE SIZE (MM) | GAUGE OF METAL | HOLE COUNT | SCREW SIZE (MACHINE) | SCREW SIZE (WOOD) |
|------------------------|--------------------|-------------------|---------------|-------------------------|----------------------|
| 6 x 5 | 152 x 114 | 0.203 | 10 | 1/2 x 1/4-20 | 11/2 x 14 |
| 6 x 6 | 152 x 152 | 0.203 | 10 | 1/2 x 1/4-20 | 11/2 x 14 |
| 8 x 6 | 203 x 152 | 0.203 | 16 | 1/2 x 1/4-20 | 1 1/2 x 14 |
| 8 x 8 | 203 x 203 | 0.203 | 16 | 1/2 x 1/4-20 | 1 1/2 x 14 |
| 4 1/2 × 4 | 114 x 102 | 0.180 | 8 | 1/2 x 12-24 | 1 1/4 x 12 |
| 4 1/2 x 4 1/2 | 114 x 114 | 0.180 | 8 | 1/2 x 12-24 | 1 1/4 x 12 |
| 5 x 4 | 127 x 102 | 0.190 | 8 | 1/2 x 12-24 | 1 1/4 x 12 |
| 5 x 4 1/2 | 127 x 114 | 0.190 | 8 | 1/2 x 12-24 | 1 1/4 x 12 |
| 5 x 5 | 127 x 127 | 0.190 | 8 | 1/2 x 12-24 | 1 1/4 x 12 |
| 6 x 4 1/2 | 152 x 114 | 0.203 | 10 | 1/2 x 1/4-20 | 11/2 x 14 |
| | | | | | |