

# Model 600S



## 600 lbs Single Magnetic Lock

### Specifications

- 600 lbs holding force
- Magnet size: 9-7/8" L x 1-11/16" H x 1" W
- Armature size: 7-1/4" L x 1-7/16" H x 5/8" W
- Operates on 12 or 24 VDC, selectable
- Low current draw: 400 mA at 12 VDC, 200 mA at 24 VDC
- Operating Temperature: +14 to +131F [-10 to +55C]

### Features

- Instant release, no hysteresis
- Non-aluminum parts are plated to resist corrosion
- Built-in arc suppression
- Can be used with any access control system
- E-Z mount system, no special tools required
- Self drilling TEC screws

### Options

- Clear anodized (US28) finish standard
- Duranodic (US40) finish available
- Dress covers in polished chrome and brass are available

### Certifications & Listings

- UL 294 listed
- UL 10C fire rated
- CAN/ULC-S104 fire door conformant
- ULC-S527 listed
- UL 864 listed

### Models

#### 600S

600 lbs Single Door Magnetic Lock, 12 or 24 VDC, UL 10C and Canadian UL Listed

#### 600SDURO

600 lbs Single Door Magnetic Lock, 12 or 24 VDC, US 40 Duranodic Finish, UL 10C and Canadian UL Listed

# ALARM CONTROLS



ASSA ABLOY

Experience a safer and more open world

# Magnetic Locks and Accessories

## Cross Reference Guide



**MODEL 300S**  
**300 lbs Single Lock**  
 Ideal for cabinets  
 and showcases



**MODEL 600S**  
**600 lbs Single Lock**  
 Recommended for  
 interior doors



**MODEL 600L**  
**600 lbs Single Lock  
 with status LED**  
 Recommended for  
 interior doors




**MODEL 600LB**  
**600 lbs Single Lock  
 with Bond Sensor, Door  
 Status Sensor and LED**  
 Recommended for  
 interior doors



**MODEL 600D**  
**600 lbs Double Lock**  
 Recommended for  
 interior doors




**MODEL 600DLB**  
**600 lbs Double Lock  
 with Bond Sensor,  
 Door Status Sensor  
 and LED**  
 Recommended for  
 interior doors




**MODEL 600WP**  
**600 lbs Weatherproof  
 Gate Lock**  
 Recommended for  
 exterior gates


### 300 and 600 Series Maglocks




| L-Brackets |        |         |        |        |
|------------|--------|---------|--------|--------|
|            | AM3320 | AM3320C | AM3325 | AM3326 |
| 300S       |        |         |        |        |
| 600S       | ●      | ●       | ●      |        |
| 600D       |        |         |        | ●      |
| 600DLB     |        |         |        | ●      |
| 600L       | ●      | ●       | ●      |        |
| 600WP      | ●      | ●       |        |        |



| Z-Brackets |        |        |         |        |
|------------|--------|--------|---------|--------|
|            | AM2370 | AM3370 | AM3370C | AM3375 |
| 300S       | ●      |        |         |        |
| 600S       |        | ●      | ●       |        |
| 600D       |        |        |         | ●      |
| 600DLB     |        |        |         | ●      |
| 600L       |        | ●      | ●       |        |
| 600WP      |        | ●      | ●       |        |



| Drop Down Plates for Single Locks |        |        |        |        |
|-----------------------------------|--------|--------|--------|--------|
|                                   | AM1500 | AM3300 | AM3305 | AM3330 |
|                                   | 1/8"   | 1/2"   | 5/8"   | 1/4"   |
| 300S                              | ●      |        |        |        |
| 600S                              |        | ●      | ●      | ●      |
| 600L                              |        | ●      | ●      | ●      |
| 600LB                             |        | ●      | ●      | ●      |
| 600WP                             |        | ●      | ●      | ●      |



| Drop Down Plates for Double Locks |        |        |        |
|-----------------------------------|--------|--------|--------|
|                                   | AM3331 | AM3332 | AM3334 |
|                                   | 1/4"   | 1/2"   | 1/4"   |
| 600D                              | ●      | ●      | ●      |
| 600DLB                            | ●      | ●      | ●      |

# Magnetic Locks and Accessories

## Cross Reference Guide *(continued)*



**MODEL 1200S**  
**1200 lbs Single Lock**  
*Recommended for exterior doors*



**MODEL 1200L**  
**1200 lbs Single Lock with status LED**  
*Recommended for exterior doors*



**MODEL 1200LB**  
**1200 lbs Single Lock with Bond Sensor, Door Status Sensor and LED**  
*Recommended for exterior doors*



**MODEL 1200D**  
**1200 lbs Double Lock with Bond Sensor, Door Status Sensor and LED**  
*Recommended for exterior doors*



**MODEL 1200WP**  
**1200 lbs Weatherproof Gate Lock**  
*Recommended for exterior gates*


### 1200 Series Maglocks





| L-Brackets |        |         |        |        |
|------------|--------|---------|--------|--------|
|            | AM6320 | AM6320C | AM6325 | AM3326 |
| 1200S      | ●      | ●       | ●      |        |
| 1200D      |        |         |        |        |
| 1200DLB    | ●      | ●       | ●      | ●      |
| 1200L      | ●      | ●       | ●      | ●      |
| 1200WP     | ●      | ●       | ●      |        |



| Z-Brackets |        |         |        |
|------------|--------|---------|--------|
|            | AM6370 | AM6370C | AM6375 |
| 1200S      | ●      | ●       |        |
| 1200D      |        |         | ●      |
| 1200DLB    |        |         | ●      |
| 1200L      | ●      | ●       |        |
| 1200WP     | ●      | ●       |        |



| Drop Down Plates for Single Locks |        |        |        |
|-----------------------------------|--------|--------|--------|
|                                   | AM6300 | AM6305 | AM6330 |
|                                   | 1/2"   | 5/8"   | 1/4"   |
| 1200S                             | ●      | ●      | ●      |
| 1200L                             | ●      | ●      | ●      |
| 1200LB                            | ●      | ●      | ●      |
| 1200WP                            | ●      | ●      | ●      |



| Drop Down Plates for Double Locks |        |        |        |
|-----------------------------------|--------|--------|--------|
|                                   | AM6331 | AM6332 | AM6334 |
|                                   | 1/2"   | 5/8"   | 1/4"   |
| 1200D                             | ●      | ●      | ●      |