

**ANTI-STATIC SPRAY**

References: 0501

**1. Introduction**

An aqueous light duty cleaner designed to help dissipate static electrical charges and prevent dust and dirt accumulation, particularly on plastic surfaces.

**2. Where to use**

This product is suitable for most water resistant substrates, including applications on any equipment where static accumulation is a nuisance, e.g. in the textile, paper, plastics industries, and on lighter duty applications including office furniture, telephones, copiers, VDU screens, bar coding readers and labels, and synthetic fabrics.

**3. Where not to use**

- No major restrictions.

**4. Benefits**

- Swiftly removes superficial grime.
- Suitable for an extensive range of surfaces
- Residual anti-static effect.
- Safe for use on plastics
- Streak free use on screens

**5. Physical properties [Cleaner base except where stated]**

Appearance	A clear colourless liquid with an ammoniacal odour.
pH [10% Soln]	10.0 +/- 1.0
Specific Gravity	0.94 +/- 0.010
Non Volatiles % m/m	< 1
Active Content % m/m, as supplied	60 - 80
Viscosity @ 20°C	Thin, free flowing liquid
Flammability, as supplied	Extremely flammable, flash point below -20°C.
Composition Data, as supplied	An aqueous solution of propan-2-ol, 2-butoxyethanol, amphoteric surfactant, and corrosion inhibitors including mixed amines and ammonium hydroxide in butane/isobutane/propane propellant.
Service Temperature	Designed for use at ambient temperatures.

**6. Application Details**

Shake well before use. For impervious substrates, spray evenly onto the surface from a distance of 20 – 25cm. Wipe away with a clean cloth.

For porous surfaces, such as synthetic carpets of fabrics, apply as above, and allow to dry naturally.

**7. Availability**

400ml Aerosols.

B100345, February 2020