

TECHNICAL DATA SHEET P309 SELF-ETCHING PRIMER

Description

Premium one-step etch primer

Tygris P309 is an acrylic-based high performance self-etching primer and designed to prepare clean bare metal surfaces, aluminium and fiberglass for a topcoat finish. Specially formulated with inhibitors for effective corrosion prevention, P309 provides optimum adhesion to bare substrates and is ideal for use with the Tygris Varispray range of top coat paints.

Outstanding Features

- · Acrylic formulation for greater flexibility
- · Easy to use dual-action etch / primer
- · Provides optimum adhesion
- Compatible with most substrates
- · High opacity
- Lead Free
- · Excellent UV stability
- Tygris Variable Nozzle

Directions for Use

Ensure the surfaces are clean, dry and free from dust, oil and grease. We recommend the use of Tygris R207 as an effective surface cleaner. Shake can well before and during use. Twist nozzle to create spray pattern required and apply in cross coats from a distance of 25-30cm (10-12 inches) For best results, apply 2 or 3 thin coats and allow each to dry for 2-3 minutes before applying the next coat. Touch dry and ready to overcoat within 30 minutes. After use, invert can and spray to clear nozzle.

Technical Data

Appearance Light grey paint

Odour Characteristic paint aroma

Contents Blend of pigments, viscosity modifiers, stabilisers, solvents and Propane, Butane

and Isobutane Propellants

Storage Below 50°C

Solubility Insoluble in water

Flash Point <0°C

Temperature range

Density at 20 °C 0.75 g/cm³

Pack Sizes 12 x 400ml cans

The content of this data sheet is given in good faith but without warranty.