

Product: Watermelon

Print Date: 2024-02-14

Revised Date: 2024-02-14

**1. Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade Name: Watermelon

**1.2 Relevant identified product use**

Intended use: Compound used in customer substance/mixture/product

**1.3 Details of the manufacturer/supplier of the safety data sheet**

Manufacturer: Scent Studio  
619 Emperor Street SW  
Grand Rapids, MI 49504, USA

**1.4 Emergency telephone number**

(616) 570-0147 Domestic and International use

**2. Hazards Identification****2.1 Classification of the substance or mixture**

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

**Classification according to GHS**

Flammable Liquids, Category 3	H226 : Flammable liquid and vapour
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

**Classification OSHA (Provisions 1910.1200 of title 29)**

Flammable Liquids, Category 3	H226 : Flammable liquid and vapour
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction

**Classification Other**

Carcinogenicity

This mixture does not contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

**2.2 Label elements**

Labelling (GHS)

Hazard pictograms



Product: Watermelon

**Signal Word: Warning****Hazard statements**

H226	Flammable liquid and vapour
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

**Precautionary Statements****Prevention:**

P233	Keep container tightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light/.../equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

**Response:**

P302 + P352	IF ON SKIN: Wash with soap and water
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P352	Wash with soap and water
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO <sub>2</sub> ), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage.

**2.3 Other Hazards**

no data available

**3. Composition/Information on Ingredients****3.1 Mixtures**

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Name	CAS	%	GHS Classification
Benzyl Benzoate	120-51-4	30 - 40 %	H302; H313; H400; H411

Product: **Watermelon**

Methyl ester of rosin (partially hydrogenated)	8050-15-5	10 - 20 %	H402; H412
Isobutyl isobutyrate	97-85-8	10 - 20 %	H226; H333; H402
Ethyl acetoacetate	141-97-9	5 - 10 %	H227
Raspberry Ketone	122-40-7	2 - 5 %	H303; H316; H317; H401; H411
Amyl Cinnamal	5989-27-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene	141-78-6	2 - 5 %	H225; H319; H336
Ethyl acetate	141-78-6	2 - 5 %	H225; H319; H336
gamma-Undecalactone	104-67-6	2 - 5 %	H316; H402; H412
Ethyl Methylphenylglycidate	77-83-8	2 - 5 %	H317; H401; H411
Amyl butyrate	540-18-1	2 - 5 %	H226
Dimethyl Heptenal	106-72-9	2 - 5 %	H227; H317; H401
Isobutyl Methyl Tetrahydropyranol	63500-71-0	1 - 2 %	H319
Coumarin	91-64-5	0.1 - 1.0 %	H301; H317; H402
Methyl-2-Octynoate	111-12-6	0.1 - 1.0 %	H317; H400; H412

## 4. First Aid Measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
<b>Eye Exposure:</b>	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
<b>Skin Exposure:</b>	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist
<b>Ingestion:</b>	Rinse mouth with water and obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms:</b>	no data available
<b>Risks:</b>	Refer to Section 2.2 "Hazard Statements"

### 4.3 Indication of any immediate medical attention and special treatment needed Treatment:

None expected, see Section 4.1 for further information

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

<b>Suitable:</b>	Carbon dioxide, Dry chemical, Foam
<b>Unsuitable</b>	Do not use a direct water jet on burning material

### 5.2 Special hazards arising from the substance or mixture

<b>During fire fighting:</b>	Carbon monoxide, Unidentified organic compounds
------------------------------	---

### 5.3 Advice for firefighters

Product: **Watermelon**

Print Date: 2024-02-14

Revised Date: 2024-02-14

Further information:

In case of insufficient ventilation, wear suitable respiratory equipment.

**6. Accidental Release Measures****6.1 Personal precautions, protective equipment and emergency procedures**

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

**6.2 Environmental precautions**

Keep away from drains, soil, and surface and groundwater.

**6.3 Methods and materials for containment and cleaning up**

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

**6.4 Reference to other sections**

Not Applicable

**7. Handling and Storage****7.1 Precautions for safe handling**

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

**7.3 Specific end uses**

No information available

**8. Exposure Controls/Personal Protection****8.1 Control parameters****Exposure Limits:****Component**

		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
141-78-6	<i>Ethyl acetate</i>	400		400	

**Engineering Controls:** Use local exhaust as needed.

**8.2 Exposure controls - Personal protective equipment**

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

**9. Physical and Chemical Properties****9.1 Information on basic physical and chemical properties**

**Appearance:** Liquid

Product: **Watermelon**

<b>Odor:</b>	Characteristic
<b>Color:</b>	Greenish Yellow (G3-6)
<b>Viscosity:</b>	Liquid
<b>Freezing Point:</b>	Not determined
<b>Boiling Point:</b>	Not determined
<b>Melting Point:</b>	Not determined
<b>Flashpoint (CCCFP):</b>	57.78 °C
<b>Auto flammability:</b>	Not determined
<b>Explosive Properties:</b>	None Expected
<b>Oxidizing properties:</b>	None Expected
<b>Vapor Pressure (mmHg@20 C):</b>	3.9709
<b>%VOC:</b>	31.40
<b>Specific Gravity @ 25 C:</b>	1.0160
<b>Density (g/mL) @ 25 C:</b>	1.0130
<b>Refractive Index @ 20 C:</b>	1.5000
<b>Soluble in:</b>	Oil

## 10. Stability and Reactivity

<b>10.1 Reactivity</b>	Presents no significant reactivity hazard, by itself or in contact with water.
<b>10.2 Chemical stability</b>	Stable
<b>10.3 Possibility of hazardous reactions</b>	None known
<b>10.4 Conditions to avoid</b>	None known
<b>10.5 Incompatible materials</b>	Avoid contact with strong acids, alkalis or oxidising agents.
<b>10.6 Hazardous decomposition products</b>	Not expected.

## 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

<b>Acute toxicity - Oral - (Rat) mg/kg</b>	(LD50: 2581.5359) May be harmful if swallowed
<b>Acute toxicity - Dermal - (Rabbit) mg/kg</b>	(LD50: 3909.9227) May be harmful in contact with skin
<b>Acute toxicity - Inhalation - (Rat) mg/L/4hr</b>	(LD50: 43.8217) May be harmful if inhaled
<b>Skin corrosion / irritation</b>	Causes mild skin irritation
<b>Serious eye damage / irritation</b>	Not classified - the classification criteria are not met
<b>Respiratory sensitization</b>	Not classified - the classification criteria are not met
<b>Skin sensitization</b>	Sensitization - Skin Category 1
<b>Germ cell mutagenicity</b>	Not classified - the classification criteria are not met
<b>Carcinogenicity</b>	Not classified - the classification criteria are not met

Product: **Watermelon**

<b>Reproductive toxicity</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - single exposure</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - repeated exposure</b>	Not classified - the classification criteria are not met
<b>Aspiration hazard</b>	Not classified - the classification criteria are not met

## 12. Ecological Information

### 12.1 Toxicity

<b>Acute aquatic toxicity</b>	Very Toxic to aquatic life
<b>Chronic aquatic toxicity</b>	Toxic to aquatic life with long lasting effects
<b>Toxicity Data on soil</b>	no data available
<b>Toxicity on other organisms</b>	no data available

### 12.2 Persistence and degradability

no data available

### 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

### 12.5 Other adverse effects

no data available

## 13. Disposal Conditions

### 13.1 Waste treatment methods

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport Information

### Marine Pollutant

Yes. Ingredient of greatest environmental impact :

120-51-4 : (30 - 40 %) : Benzyl Benzoate

### ADR/RID (International Road/Rail)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	9	III	UN3082
---	---	-----	--------

### IATA (Air Cargo)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S	9	III	UN3082
--	---	-----	--------

### IMDG (Sea)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	9	III	UN3082
---	---	-----	--------

Product: **Watermelon**

Print Date: 2024-02-14

Revised Date: 2024-02-14

**15. Regulatory Information**

**U.S. Federal Regulations**

**TSCA (Toxic Substance Control Act)** All components of the substance/mixture are listed or exempt  
**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains the following  
 components: 141-78-6 205-500-4 2 - 5 % Ethyl acetate

**U.S. State Regulations**

**California Proposition 65 Warning** This product contains the following  
 components: 123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

**Canadian Regulations**

**DSL** 100.00% of the components are listed or exempt.

**16. Other Information**

**GHS H-Statements referred to under section 3 and not listed in section 2**

H225 : Highly flammable liquid and vapor	H227 : Combustible liquid
H301 : Toxic if swallowed	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H315 : Causes skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H336 : May cause drowsiness or dizziness	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H412 : Harmful to aquatic life with long lasting effects

**Total Fractional Values**

(TFV) Risk	(TFV) Risk
(114.10) Acute Toxicity Inhalation, Category 5	(17.01) Aquatic Chronic Toxicity, Category 3
(4.10) Sensitization, Skin, Category 1B	(2.44) Aquatic Chronic Toxicity, Category 4
(1.94) Acute Toxicity Oral, Category 5	(1.62) Aquatic Chronic Toxicity, Category 2
(1.60) Sensitization, Skin, Category 1A	(1.44) Aquatic Acute Toxicity, Category 1
(1.28) Acute Toxicity Dermal, Category 5	(1.11) Skin Corrosion/Irritation, Category 3

Remarks

This safety data sheet is based on the properties of the material known to Scent Studio at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Scent Studio holds no responsibility. This document is not intended for quality assurance purposes.