

In accordance with REACH Regulation EC No.1907/2006

Print Date: 2024-02-14 Revised Date: 2024-02-14

Page 1 of 7

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product:

Trade Name: Burnt Sugar

1.2 Relevant identified product use

Burnt Sugar

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Scent Studio

619 Emperor Street SW Grand Rapids, MI 49504, USA

1.4 Emergency telephone number

(616) 570-0147 Domestic and International use

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 3 H226 : Flammable liquid and vapour Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 3 H226: Flammable liquid and vapour

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Reproductive Toxicity, Category 2 H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture does not contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements Labelling (GHS) Hazard pictograms





In accordance with REACH Regulation EC No.1907/2006

Print Date: 2024-02-14

Page 2 of 7

Revised Date: 2024-02-14

Signal Word: Danger

Burnt Sugar

Hazard	statements
i iazai u	Statements

Product:

H226 Flammable liquid and vapour H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H333 May be harmful if inhaled

H361 Suspected of damaging fertility or the unborn child

H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P233 Keep container tightly closed

P235 Keep cool

P240 Ground/bond container and receiving equipment

P241 Use explosion-proof electrical/ventilating/light/.../equipment

P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P301 + P310 + P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT

induce vomiting

P302 + P352 IF ON SKIN: Wash with soap and water

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin

with water/shower

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P308 + P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P352 Wash with soap and water

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

2.30ther Hazards

no data available



In accordance with REACH Regulation EC No.1907/2006

Print Date: 2024-02-14 Revised Date: 2024-02-14

Page 3 of 7

3. Composition/Information on Ingredients

Burnt Sugar

3.1 Mixtures

Product:

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Name	CAS	%	GHS Classification	
Limonene	5989-27-5	30 - 40 %	H226; H304; H315; H317; H400; H412	
Citral	5392-40-5	2 - 5 %	H313; H315; H317; H319; H401	
Benzyl Alcohol	100-51-6	2 - 5 %	H302; H313; H319	
Ethyl Maltol	4940-11-8	2 - 5 %	H302; H401	
Ethyl Vanillin	121-32-4	2 - 5 %	H302; H401; H303; H320; H402	
Pinene	80-56-8	2 - 5 %	H226; H302; H304; H315; H317; H400; H410	
Anisaldehyde	123-11-5	1 - 2 %	H303; H402; H412	
Beta Pinene	127-91-3	1 - 2 %	H226; H304; H315; H317; H400; H410	
Gamma-Terpinene	99-85-4	0.1 - 1.0 %	H226; H303; H304; H316; H361	
Dimethyltetrahydro Benzaldehyde	68737-61-1	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401; H411	
Linalool	78-70-6	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical

attention.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed Treatment:

None expected, see Section 4.1 for further information

Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide, Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material



In accordance with REACH Regulation EC No.1907/2006

Page 4 of 7 Print Date: 2024-02-14

Revised Date: 2024-02-14

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Product:

Further information: In case of insufficient ventilation, wear suitable respiratory equipment.

6. Accidental Release Measures

Burnt Sugar

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH	ACGIH	OSHA	OSHA
TWA ppm	STFL ppm	TWA ppm	STFL ppm

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.



Product:

Safety Data Sheet

In accordance with REACH Regulation EC No.1907/2006

Print Date: 2024-02-14 Revised Date: 2024-02-14

Page 5 of 7

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Burnt Sugar

Odor: Conforms to Standard

Color: Yellow (G4-8)

Viscosity: Liquid

Freezing Point: Not determined
Boiling Point: Not determined
Melting Point: Not determined

Flashpoint (CCCFP): 54.44 C

Auto flammability: Not determined Explosive Properties: None Expected Oxidizing properties: None Expected

 Vapor Pressure (mmHg@20 C):
 0.5138

 %VOC:
 44.30

 Specific Gravity @ 25 C:
 0.9110

 Density (g/mL) @ 25 C:
 0.9080

 Refractive Index @ 20 C:
 1.4710

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis.

10.6 Hazardous decomposition products Not expected.

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3961.4260) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 78.2813) May be harmful if inhaled

Skin Corrosion / Irritation Skin Corrosion / Irritation Category 3

Serious eye damage / irritation Not classified - the classification criteria are not met

Respiratory sensitization Not classified - the classification criteria are not met



In accordance with REACH Regulation EC No.1907/2006

Print Date: 2024-02-14

Page 6 of 7

Product: Burnt Sugar Revised Date: 2024-02-14

Skin sensitization Sensitization - Skin Category 1

Germ cell mutagenicity

Carcinogenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Suspected of damaging fertility or the unborn child

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity

Very Toxic to aquatic life

Toxic to aquatic life with long lasting effects

Chronic aquatic toxicity

Toxicity Data on soil

Toxicity on other organisms

no data available

13. Disposal Conditions

13.1 Waste treatment methods

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact:

5989-27-5 : (30 - 40 %) : Limonene

ADR/RID (International Road/Rail)

ENVIRONMENTALLY 9 III UN3082 HAZARDOUS SUBSTANCE.

LIQUID, N.O.S.

IATA (Air Cargo)

ENVIRONMENTALLY 9 III UN3082

HAZARDOUS SUBSTANCE,

LIQUID, N.O.S

IMDG (Sea)
ENVIRONMENTALLY
9 III UN3082

HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.



In accordance with REACH Regulation EC No.1907/2006

Print Date: 2024-02-14

Page 7 of 7

Revised Date: 2024-02-14

15. Regulatory Information

Burnt Sugar

U.S. Federal Regulations

Product:

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways H313 : May be harmful in contact with skin

H315 : Causes skin irritation H319 : Causes serious eye irritation

H320 : Causes eye irritation H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(1.26) Acute Toxicity Oral, Category 5

(TFV) Risk
(63.87) Acute Toxicity Inhalation, Category 5
(44.14) Sensitization, Skin, Category 1
(44.14) Sensitization, Skin, Category 1A
(20.57) Aquatic Chronic Toxicity, Category 3
(4.98) Skin Corrosion/Irritation, Category 3
(4.32) Aspiration Hazard, Category 1
(1.83) Aquatic Chronic Toxicity, Category 4
(TFV) Risk
(44.14) Sensitization, Skin, Category 1
(13.38) Reproductive Toxicity, Category 2
(4.67) Skin Corrosion/Irritation, Category 2
(1.90) Aquatic Chronic Toxicity, Category 1
(1.73) Aquatic Acute Toxicity, Category 1

Remarks

This safety data sheet is based on the properties of the material known to Scent Studio at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Scent Studio holds no responsibility. This document is not intended for quality assurance purposes.