

In accordance with REACH Regulation EC No.1907/2006

Print Date: 2024-02-14 Revised Date: 2024-02-14

Page 1 of 8

. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product:

Trade Name: First Snow

1.2 Relevant identified product use

First Snow

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Scent Studio

619 Emperor Street SW Grand Rapids, MI 49504, USA

1.4 Emergency telephone number

(616) 570-0147 Domestic and International use

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1B H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1B H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation

Reproductive Toxicity, Category 1B H360: May damage fertility or the unborn child

Target Organ Systemic Toxicity – H371 : May cause damage to organs

Single Exposure, Category 2

Classification Other

Carcinogenicity

This mixture does not contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)
Hazard pictograms









In accordance with REACH Regulation EC No.1907/2006

Print Date: 2024-02-14

Page 2 of 8

Revised Date: 2024-02-14

Signal Word: Danger

First Snow

Hazard statements

Product:

H227 Combustible liquid

H303 May be harmful if swallowed

H313 May be harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation
H333 May be harmful if inhaled

H360 May damage fertility or the unborn child

H371 May cause damage to organs H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P233 Keep container tightly closed

P235 Keep cool

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product P271 Use only outdoors or in a well-ventilated area

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contactlenses if

present and easy to do. continue rinsing

P308 + P313 IF exposed or concerned: Get medical advice/attention

P309 IF exposed or you feel unwell:

P311 Call a POISON CENTER or doctor/physician

P312 Call a POISON CENTER or doctor/physician if you feel unwell

P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards no data available



First Snow

Safety Data Sheet

In accordance with REACH Regulation EC No.1907/2006

Page 3 of 8 Print Date: 2024-02-14

Revised Date: 2024-02-14

3. Composition/Information on Ingredients

3.1 Mixtures

Product:

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Name	CAS	%	GHS Classification		
Benzyl Benzoate	120-51-4	10 - 20 %	H302; H313; H400; H411		
Isobornyl acetate	125-12-2	10 - 20 %	H227; H316; H401		
Butylphenyl Methylpropional	80-54-6	10 - 20 %	H227; H302; H315; H317; H360; H401; H412		
Limonene	5989-27-5	5 - 10 %	H226; H304; H315; H317; H400; H412		
Benzyl Salicylate	118-58-1	5 - 10 %	H303; H317; H320; H401; H412		
Amyl salicylate	2050-08-0	5 - 10 %	H302; H400; H410		
Benzyl acetate	140-11-4	5 - 10 %	H303; H401; H412		
Hexyl cinnamal	101-86-0	2 - 5 %	H303; H316; H317; H400; H411		
Phenethyl alcohol	60-12-8	2 - 5 %	H302; H313; H316; H319		
Terpineol acetate	8007-35-0	2 - 5 %	H316; H401; H411		
Ethylene brassylate	105-95-3	2 - 5 %	H401		
Linalool	78-70-6	2 - 5 %	H227; H303; H315; H317; H319; H402		
Ethyl Vanillin	121-32-4	2 - 5 %	H303; H320; H402		
2,6-dimethyloct-7-en-2-ol	18479-58-8	2 - 5 %	H227; H303; H315; H319; H402		
Methoxy dicyclopentadiene	86803-90-9	1 - 2 %	H303; H317; H401; H411		
carboxaldehyde Methyldihydrojasmonate	93-92-5	1 - 2 %	H227; H402		
Eucalyptol	470-82-6	1 - 2 %	H226; H303; H317; H320; H402		
I-Menthone	14073-97-3	1 - 2 %	H227; H302; H315; H317; H402; H412		
Camphor	76-22-2	1 - 2 %	H228; H302; H315; H318; H332; H371; H401; H411		
Dimethyltetrahydro Benzaldehyde	68737-61-1	H411	H227; H303; H313; H315; H317; H401; H411		
Ethyl Maltol	4940-11-8	1 - 2 %	H302; H401		
Beta-Caryophyllene	87-44-5	0.1 - 1.0 %	H304; H317		
I-Carvone	6485-40-1	0.1 - 1.0 %	H227; H303; H313; H317; H401; H315; H317; H402;		
2-Methylundecanal	1335-66-6	0.1 - 1.0 %	H410 H227; H303; H317; H319; H401; H412		
IsoCycloCitral	119-36-8	0.1 - 1.0 %	H302; H317; H318; H361; H402; H412		
Methyl Salicylate	112-45-8	0.1 - 1.0 %	H316; H317; H332; H401; H412		
Undecylenal	80-56-8	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410		



Product:

Safety Data Sheet

In accordance with REACH Regulation EC No.1907/2006

Print Date: 2024-02-14

Page 4 of 8

Revised Date: 2024-02-14

4. First Aid Measures

4.1 Description of first aid measures

First Snow

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical

attention.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed Treatment:

None expected, see Section 4.1 for further information

Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide, Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: In case of insufficient ventilation, wear suitable respiratory equipment.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke



In accordance with REACH Regulation EC No.1907/2006

Page 5 of 8 Print Date: 2024-02-14

Revised Date: 2024-02-14

while handling. Respect good personal hygiene.

First Snow

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

Product:

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

·		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl acetate	10			
76-22-2 80-56-8	Camphor pinene	2 20	3		

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless G0 to Yellow (G4)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP): 78.89 C

Auto flammability: Not determined Explosive Properties: None Expected Oxidizing properties: None Expected

 Vapor Pressure (mmHg@20 C):
 0.1468

 %VOC:
 18.60

 Specific Gravity @ 25 C:
 0.9860

 Density (g/mL) @ 25 C:
 0.9830



In accordance with REACH Regulation EC No.1907/2006

Print Date: 2024-02-14

Page 6 of 8

Revised Date: 2024-02-14

Product: First Snow

Refractive Index @ 20 C: 1.4990 Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis.

10.6 Hazardous decomposition products Not expected.

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2473.0248) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3998.7751) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 59.8229) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization Sensitization - Skin Category 1

Germ cell mutagenicity

Not classified - the classification criteria are not met

Carcinogenicity

Not classified - the classification criteria are not met

Reproductive toxicity May damage fertility or the unborn child

Specific target organ toxicity - single exposure May cause damage to organs

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Toxic to aquatic life with long lasting effects

Chronic aquatic toxicity

Toxicity Data on soil

Toxicity on other organisms

no data available



Product:

Safety Data Sheet

In accordance with REACH Regulation EC No.1907/2006

Page 7 of 8 Print Date: 2024-02-14

Revised Date: 2024-02-14

13. Disposal Conditions

First Snow

13.1 Waste treatment methods

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (10 - 20 %): Benzyl Benzoate

ADR/RID (International Road/Rail)

ENVIRONMENTALLY 9 III UN3082

HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

IATA (Air Cargo)

ENVIRONMENTALLY 9 III UN3082

HAZARDOUS SUBSTANCE,

LIQUID, N.O.S

IMDG (Sea)

ENVIDONMENTALLY 9 III UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE.

LIQUID, N.O.S.

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following

components: 123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt. The

following components are NOT on the List:

94201-73-7 303-662-1 <= 5 ppm Tetrahydro-4-methyl-2-phenyl-2H-pyran.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways H313 : May be harmful in contact with skin

H315 : Causes skin irritation H319 : Causes serious eye irritation

H320 : Causes eye irritation H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting effects



First Snow

Product:

Safety Data Sheet

In accordance with REACH Regulation EC No.1907/2006

Print Date: 2024-02-14

Page 8 of 8

Revised Date: 2024-02-14

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(100.00) Reproductive Toxicity, Category 1B
(35.14) Aquatic Chronic Toxicity, Category 3
(10.00) Sensitization, Skin, Category 1B
(3.39) Aquatic Chronic Toxicity, Category 2
(2.47) Aquatic Chronic Toxicity, Category 4
(2.02) Acute Toxicity Oral, Category 5
(1.26) Acute Toxicity Dermal, Category 5
(1.00) Target Organ Systemic Toxicity - Single Exposure,

(TFV) Risk
(81.90) Acute Toxicity Inhalation, Category 5
(33.33) Reproductive Toxicity, Category 1B
(5.16) Skin Corrosion/Irritation, Category 3
(2.84) Skin Corrosion/Irritation, Category 2
(2.25) Eye Damage/Eye Irritation, Category 2A
(2.00) Reproductive Toxicity, Category 2
(1.18) Aquatic Acute Toxicity, Category 1

Remarks

Category 2

This safety data sheet is based on the properties of the material known to Scent Studio at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Scent Studio holds no responsibility. This document is not intended for quality assurance purposes.