

SAFETY DATA SHEET

	1. Identification			
Product identifier	BeautySoClean Cosmetic Sanitizer Mist (C2	246)		
Other means of identification	Not available.			
Recommended use	Cosmetic sanitizer			
Recommended restrictions	None known.			
Manufacturer/Importer/Supplier	Distributor information			
Manufacturer				
Company name	Professional Artists (Canada) Inc.			
Address	40 – 1110 Finch Avenue West			
	Toronto, ON, M3J 3M2			
Talanhana	Canada 416-848-1251			
Telephone E-mail	contact@beautysoclean.com			
Emergency phone number	905-761-8004			
	See above.			
Supplier				
	2. Hazard identification	1		
Physical hazards	Flammable liquids	Category 2		
Health hazards	Serious eye damage/eye irritation	Category 2A		
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation		
	Specific target organ toxicity, single exposure	Category 3 narcotic effects		
Environmental hazards	Not classified.			
WHMIS 2015 defined hazards	Not classified			
Label elements				
Signal word	Danger			
0	Ŭ			
Hazard statement	Highly flammable liquid and vapor. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.			
Precautionary statement				
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smokin Use explosion-proof electrical, ventilating and lighting equipment. Keep container tightly closed Ground and bond container and receiving equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing mist or vapor. Wash thoroughly after handling. Wear protective gloves and eye protection. Use only outdoors or in a well-ventilated area.			
Response	In case of fire: Use water fog, alcohol resistant foam, dry chemical powder or Carbon dioxide to extinguish.			
	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if preser and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.			
Storage	Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed.			
Disposal		regional, national and international regulations.		
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	None known			

Supplemental information

None known

None known.

None.

3. Composition/Information on ingredients

Mixture				
Chemical name	Common name and synonyms	CAS number	%	
Ethanol		64-17-5	90 - 100*	
Hexadecanoic acid, 1-methyleth ester	nyl	142-91-6	1 - 5*	
All concentrations are in percent by	y weight unless ingredient is a gas. Gas concer	ntrations are in percent by vol	ume.	
Composition comments	*CANADA GHS: The exact percentage (conc trade secret.	entration) of composition has	been withheld as a	
	US GHS: The exact percentage (concentration secret in accordance with paragraph (i) of §1		vithheld as a trade	
	4. First-aid measures			
Inhalation	IF INHALED: Remove person to fresh air and CENTER or doctor if you feel unwell.	l keep comfortable for breathi	ng. Call a POISON	
Skin contact	IF ON SKIN (or hair): Take off immediately al irritation occurs: Get medical attention.	I contaminated clothing. Rinse	e skin with water. If skin	
Eye contact	IF IN EYES: Rinse cautiously with water for s and easy to do. Continue rinsing. If eye irritat			
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT indu treatment advice.	uce vomiting. Call poison cont	rol center or doctor for	
Most important symptoms/effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Coughing.			
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.			
General information	Take off all contaminated clothing immediated label where possible). Ensure that medical per take precautions to protect themselves. Show Wash contaminated clothing before reuse. Av	ersonnel are aware of the mat v this safety data sheet to the	erial(s) involved and doctor in attendance.	
	5. Fire-fighting measur	es		
Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemi	cal powder. Carbon dioxide.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.			
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance of ignition and flash back. During fire, gases hazardous to health may be formed.			
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fir			
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you o so without risk.			
Specific methods	Use standard firefighting procedures and con	sider the hazards of other inv	olved materials.	
General fire hazards	Highly flammable liquid and vapor.			
Hazardous combustion products	May include and are not limited to: Oxides of	carbon.		
	6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep pe ignition sources (no smoking, flares, sparks, o protective equipment and clothing during clear demaged containers or spilled material unless	or flames in immediate area). an-up. Avoid breathing mist or	Wear appropriate vapor. Do not touch	

#27749

cannot be contained. For personal protection, see section 8 of the SDS.

damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages

Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.		
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.		
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.		
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.		
	7. Handling and storage		
Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist or vapor.		

	Avoid breatning mist or vapor. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure controls/Personal protection

Occupational exposure limits

Canada. Alberta OELs (Occupatio	onal Health & Safety Code, Sche		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3	
		1000 ppm	
Canada. British Columbia OELs. Safety Regulation 296/97, as ame		for Chemical Substances, Occupational Health and	
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Canada. Manitoba OELs (Reg. 21	7/2006, The Workplace Safety A	nd Health Act)	
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Ethanol (CAS 64-17-5) Canada. Ontario OELs. (Control c			
,			
Canada. Ontario OELs. (Control c Components	of Exposure to Biological or Che	emical Agents)	
Canada. Ontario OELs. (Control o Components Ethanol (CAS 64-17-5)	of Exposure to Biological or Che Type STEL	emical Agents) Value 1000 ppm	
Canada. Ontario OELs. (Control o Components Ethanol (CAS 64-17-5) Canada. Quebec OELs. (Ministry	of Exposure to Biological or Che Type STEL	emical Agents) Value	
Canada. Ontario OELs. (Control o Components Ethanol (CAS 64-17-5) Canada. Quebec OELs. (Ministry Components	of Exposure to Biological or Che Type STEL of Labor - Regulation respectin	emical Agents) Value 1000 ppm g occupational health and safety)	
Canada. Ontario OELs. (Control o Components Ethanol (CAS 64-17-5)	of Exposure to Biological or Che Type STEL of Labor - Regulation respectin Type	emical Agents) Value 1000 ppm g occupational health and safety) Value	
Canada. Ontario OELs. (Control o Components Ethanol (CAS 64-17-5) Canada. Quebec OELs. (Ministry Components Ethanol (CAS 64-17-5)	of Exposure to Biological or Che Type STEL of Labor - Regulation respectin Type TWA	emical Agents) Value 1000 ppm g occupational health and safety) Value 1880 mg/m3 1000 ppm	
Canada. Ontario OELs. (Control o Components Ethanol (CAS 64-17-5) Canada. Quebec OELs. (Ministry Components Ethanol (CAS 64-17-5) Canada. Saskatchewan OELs (Oc	of Exposure to Biological or Che Type STEL of Labor - Regulation respectin Type TWA	emical Agents) Value 1000 ppm g occupational health and safety) Value 1880 mg/m3 1000 ppm	
Canada. Ontario OELs. (Control o Components Ethanol (CAS 64-17-5) Canada. Quebec OELs. (Ministry Components	of Exposure to Biological or Che Type STEL of Labor - Regulation respectin Type TWA	emical Agents) Value 1000 ppm g occupational health and safety) Value 1880 mg/m3 1000 ppm egulations, 1996, Table 21)	

Components	Туре	Value
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3
		1000 ppm
US. ACGIH Threshold Lin	nit Values	
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
US. NIOSH: Pocket Guide	to Chemical Hazards	
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
logical limit values	No biological exposure limits noted	for the ingredient(s).
oosure guidelines	See above	
propriate engineering htrols	Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 ai changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
ividual protection measure	es, such as personal protective equip	ment
Eye/face protection	Wear safety glasses with side shield	ds.
Skin protection		
Hand protection	Wear appropriate chemical resistan	t gloves.
Other	Wear appropriate chemical resistant clothing. As required by employer code.	
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).	
Thermal hazards	Not applicable.	
neral hygiene	When using, do not eat, drink or smoke.	

9. Physical and chemical properties		
Appearance	Clear	
Physical state	Liquid.	
Form	Liquid.	
Color	Colorless	
Odor	ethanolic	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Pour point	Not available.	
Specific gravity	0.8 - 0.85	
Partition coefficient (n-octanol/water)	Not available.	
Flash point	62.6 °F (17.0 °C) Tag Closed Cup	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or exp	losive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not available.	

Vapor density	Not available.			
Relative density	Not available.			
Solubility(ies)	Soluble			
Auto-ignition temperature	Not available.			
Decomposition temperature	Not available.			
Viscosity	Not available.			
Other information				
Oxidizing properties	Not oxidizing.	Not oxidizing.		
	10. Stability and reac	tivity		
Reactivity	This product may react with strong oxidizir	ng agents.		
Possibility of hazardous reactions	Hazardous polymerization does not occur.	Hazardous polymerization does not occur.		
Chemical stability	Material is stable under normal conditions			
Conditions to avoid	Avoid heat, sparks, open flames and other	r ignition sources. Do not mix with other chemicals.		
ncompatible materials	Strong oxidizing agents.			
Hazardous decomposition products	May include and are not limited to: Oxides	May include and are not limited to: Oxides of carbon.		
	11. Toxicological infor	mation		
Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.			
Information on likely routes o	of exposure			
Indection	May cause stomach distress, nausea or vo	omiting.		
Ingestion	May cause drowsiness and dizziness. Headache. Nausea, vomiting. May cause irritation to the respiratory system. Prolonged inhalation may be harmful.			
Inhalation				
-		nay be harmful.		
Inhalation	respiratory system. Prolonged inhalation n	nay be harmful.		
Inhalation Skin contact	respiratory system. Prolonged inhalation n No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and	respiratory system. Prolonged inhalation n No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics	respiratory system. Prolonged inhalation n No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain.		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity	respiratory system. Prolonged inhalation n No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain.		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components	respiratory system. Prolonged inhalation n No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain.		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological o	respiratory system. Prolonged inhalation n No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain.		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5)	respiratory system. Prolonged inhalation n No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain.		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute	respiratory system. Prolonged inhalation n No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain.		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation	respiratory system. Prolonged inhalation n No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50	respiratory system. Prolonged inhalation n No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation	respiratory system. Prolonged inhalation n No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Mouse	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation LC50	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Mouse	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation LC50 Oral	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Mouse Rat	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA 31623 ppm, 4 Hours, HMIRA		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation LC50 Oral LD50	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Mouse Rat Rat	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA 31623 ppm, 4 Hours, HMIRA 12400 mg/kg, ECHA		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation LC50 Oral LD50	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Mouse Rat Rat	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA 31623 ppm, 4 Hours, HMIRA 12400 mg/kg, ECHA		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation LC50 Oral LD50 Hexadecanoic acid, 1-methylet	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Mouse Rat Rat	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA 31623 ppm, 4 Hours, HMIRA 12400 mg/kg, ECHA		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation LC50 Oral LD50 Hexadecanoic acid, 1-methyleth Acute	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Mouse Rat Rat	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA 31623 ppm, 4 Hours, HMIRA 12400 mg/kg, ECHA		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological characteristics Information on toxicological characteristics Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation LC50 Oral LD50 Hexadecanoic acid, 1-methyleth Acute Dermal	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Mouse Rat Rat hyl ester (CAS 142-91-6)	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA 31623 ppm, 4 Hours, HMIRA 12400 mg/kg, ECHA 10470 mg/kg, ECHA		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation LC50 Oral LD50 Hexadecanoic acid, 1-methylett Acute Dermal LD50	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Mouse Rat Rat hyl ester (CAS 142-91-6)	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA 31623 ppm, 4 Hours, HMIRA 12400 mg/kg, ECHA 10470 mg/kg, ECHA		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation LC50 Oral LD50 Hexadecanoic acid, 1-methylett Acute Dermal LD50 Inhalation LD50 Inhalation	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Mouse Rat Rat hyl ester (CAS 142-91-6) Rabbit	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA 31623 ppm, 4 Hours, HMIRA 12400 mg/kg, ECHA 10470 mg/kg, ECHA > 5000 mg/kg, Sigma Aldrich		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation LC50 Oral LD50 Hexadecanoic acid, 1-methylett Acute Dermal LD50 Inhalation LC50 Inhalation LC50	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Mouse Rat Rat hyl ester (CAS 142-91-6) Rabbit	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA 31623 ppm, 4 Hours, HMIRA 12400 mg/kg, ECHA 10470 mg/kg, ECHA > 5000 mg/kg, Sigma Aldrich		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological characteristics Information IC50 Inhalation IC50 Oral ID50 Inhalation IC50 Oral ID50	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Mouse Rat hyl ester (CAS 142-91-6) Rabbit Rat Mouse	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA 31623 ppm, 4 Hours, HMIRA 12400 mg/kg, ECHA 10470 mg/kg, ECHA > 5000 mg/kg, Sigma Aldrich > 5.3 mg/L, 4 Hours, ECHA > 5000 mg/kg, ECHA		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological of Acute toxicity Components Ethanol (CAS 64-17-5) Acute Dermal LD50 Inhalation LC50 Oral LD50 Hexadecanoic acid, 1-methylett Acute Dermal LD50 Inhalation LC50 Oral LD50 Inhalation LC50 Oral LD50 Skin corrosion/irritation	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Rabbit Rat hyl ester (CAS 142-91-6) Rabbit Rat Mouse Prolonged skin contact may cause tempor	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA 31623 ppm, 4 Hours, HMIRA 12400 mg/kg, ECHA 10470 mg/kg, ECHA > 5000 mg/kg, Sigma Aldrich > 5.3 mg/L, 4 Hours, ECHA > 5000 mg/kg, ECHA		
Inhalation Skin contact Eye contact Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological characteristics Information ILC50 Inhalation ILC50 Oral ILD50 Inhalation ILC50 Oral ILD50	respiratory system. Prolonged inhalation in No adverse effects due to skin contact are Causes serious eye irritation. May cause drowsiness and dizziness. Hea Symptoms may include stinging, tearing, r respiratory irritation. Coughing. Skin irritati effects Narcotic effects. May cause respiratory irri Species Rabbit Mouse Rat hyl ester (CAS 142-91-6) Rabbit Rat Mouse	nay be harmful. e expected. adache. Nausea, vomiting. Severe eye irritation. edness, swelling, and blurred vision. May cause ion. May cause redness and pain. itation. Test Results > 15800 mg/kg, SIDS initial assessment report > 60000 ppm, 60 Minutes, ECHA 31623 ppm, 4 Hours, HMIRA 12400 mg/kg, ECHA 10470 mg/kg, ECHA > 5000 mg/kg, Sigma Aldrich > 5.3 mg/L, 4 Hours, ECHA > 5000 mg/kg, ECHA		

Serious eye damage/eye irritation	Causes ser	ious eye irritation.		
Corneal opacity value	Not availab	le.		
Iris lesion value	Not availab	le.		
Conjunctival reddening value	Not availab	Not available.		
Conjunctival oedema value	Not availab	Not available.		
Recover days	Not availab	Not available.		
Respiratory or skin sensitization	n			
Respiratory sensitization	Not a respir	atory sensitizer.		
Skin sensitization	This produc	t is not expected to	o cause skin sensitization.	
Mutagenicity		ailable to indicate p or genotoxic.	roduct or any components	present at greater than 0.1% are
Carcinogenicity		Ethanol is not considered to be a carcinogenic component for this product. The product is not an alcoholic beverage for consumption. See below.		
Canada - Manitoba OELs: d	arcinogenici	ty		
Ethanol (CAS 64-17-5) IARC Monographs. Overall	Evaluation o	f Carcinogenicity	Confirmed animal carcine	ogen with unknown relevance to humans.
Ethanol (CAS 64-17-5)			Volume 44, Volume 96, V	/olume 100E
OCUA Encolfically Daniel-4	od Subotana		Volume 96, Volume 100	Ξ
OSHA Specifically Regulat Not listed.	ed Substance	S (29 CFR 1910.10	JUT-1052)	
Reproductive toxicity	This produc	t is not expected to	o cause reproductive or de	velonmental effects
Teratogenicity	Not availab	•		
Specific target organ toxicity - single exposure			n. May cause drowsiness a	and dizziness.
Specific target organ toxicity - repeated exposure	Not classifie	Not classified.		
Aspiration hazard	Not an aspi	Not an aspiration hazard.		
Chronic effects	Prolonged i	nhalation may be h	armful.	
		12 Ecologic	al information	
Ecotoxicity	See below			
Ecotoxicological data Components		Species		Test Results
Ethanol (CAS 64-17-5) Crustacea	EC50	Daphnia		11744.5 mg/L, 48 Hours
Aquatic				
Crustacea	EC50	Water flea (Da	phnia magna)	7.7 - 11.2 mg/L, 48 hours
Fish	LC50	Fathead minno	w (Pimephales promelas)	> 100 mg/L, 96 hours
Persistence and degradability	No data is a	available on the de	gradability of this product.	
Bioaccumulative potential		·	5 7 1	
Mobility in soil	No data ava	ailable.		
Mobility in general	Not availab	le.		
Other adverse effects				etion, photochemical ozone creation are expected from this component.
		-	considerations	· · ·
Disposal instructions		Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.		
Local disposal regulations	Dispose in	accordance with all	applicable regulations.	
Hazardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	product res	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging				low label warnings even after container is red waste handling site for recycling or

Transport of Dangerous Goods	Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of
(TDG) Proof of Classification	Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Basic shipping requireme	
UN number	UN1170
Proper shipping name	Ethanol solutions
Hazard class	3
Packing group	II
Special provisions	24, IB2, T4, TP1
Packaging exceptions	4b, 150
Packaging non bulk	202
Packaging bulk	242
ransportation of Dangerous	Goods (TDG - Canada)
Basic shipping requireme	nts:
UN number	LINI1170

UN number	UN1170
Proper shipping name	ETHANOL SOLUTION with more than 24% ethanol, by volume
Hazard class	3
Packing group	II
Special provisions	150

DOT






15. Regulatory information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada NPRI VOCs with	Additional Reporting Requirements: Mass reporting threshold/Identification Number
Ethanol (CAS 64-17-5) 1 TONNES
Export Control List (CEP	A 1999, Schedule 3)
Not listed.	
Greenhouse Gases	
Not listed.	
Precursor Control Regula	ations
Not regulated.	
WHMIS 2015 Exemptions	Not applicable
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Section 12(b) Expo	ort Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Sub	stance List (40 CFR 302.4)
Not listed.	

SARA 304 Emergency rel Not regulated.			
OSHA Specifically Regula	ated Substances (29 CFR 1910).1001-1052)	
Not listed.			
Superfund Amendments and	Reauthorization Act of 1986 (SARA)	
SARA 302 Extremely hazardous substance	No		
SARA 311/312 Hazardous chemical	Yes		
Classified hazard categories	Flammable (gases, aerosols, liquids, or solids) Acute toxicity (any route of exposure) Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)		
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Secti	on 112 Hazardous Air Polluta	nts (HAPs) List	
Not regulated. Clean Air Act (CAA) Secti	on 112(r) Accidental Release	Prevention (40 CFR 68.130)	
Not regulated.			
IS state regulations	See below		
US - California Hazar	dous Substances (Director's):	Listed substance	
Ethanol (CAS 64- US - Illinois Chemica	17-5) I Safety Act: Listed substance	Listed.	
Ethanol (CAS 64-			
-	Reporting: Listed substance	Listad	
Ethanol (CAS 64- US - Minnesota Haz S	Subs: Listed substance	Listed.	
Ethanol (CAS 64-		Listed.	
	creening Levels: Listed substa		
Ethanol (CAS 64-	17-5)	Listed.	
Hexadecanoic aci 142-91-6)	d, 1-methylethyl ester (CAS	Listed.	
US. Massachusetts R			
Ethanol (CAS 64-	,	A -4	
-	er and Community Right-to-K	now Act	
Ethanol (CAS 64-	orker and Community Right-to	-Know I aw	
Ethanol (CAS 64-			
US. Rhode Island RT			
Ethanol (CAS 64-	17-5)		
US. California Proposition	n 65		
-		e California Proposition 65 regulation.	
nventory status			
Country(s) or region	Inventory name		On inventory (yes/no
Canada	Domestic Substances List ((DSL)	Ye
Canada	Non-Domestic Substances	· · ·	Ν
United States & Puerto Ric			Ye

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)



Disclaimer The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. Issue date 31-March-2020 Version # 02 26-March-2020 Effective date Prepared by Dell Tech Laboratories Ltd. Phone: (519) 858-5021 **Further information** Not available. Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.