

Revision Date: Mar 2021



## 1. Product and Company Identification

<b>Product Name:</b>	<b>LiNiCoMnO<sub>2</sub> (Lithium Nickel Manganese Cobalt Oxide) powder</b>
<b>CAS#:</b>	346417-97-8
<b>Chemical Formula:</b>	LiNiMnCoO <sub>2</sub>
<b>Identified uses:</b>	Laboratory chemicals, Synthesis of substances
<b>Contact</b>	Beyond Battery PTE.LTD.
<b>Information:</b>	BLK 81 Ayer Rajah Crescent, #03-55, Singapore 139967 Email: tech@beyond-battery.com Website: <a href="https://beyond-battery.com/">https://beyond-battery.com/</a>

## 2. Hazards Identification

**Emergency Overview: GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Skin sensitization (Category 1A), H317

Carcinogenicity (Category 2), H351

**For the full text of the H-Statements mentioned in this Section, see Section 16**

### HMIS Rating

Health hazard: 2

Chronic Health Hazard: \*

Flammability: 0

Physical Hazard 0

### NFPA Rating

Health hazard: 2

Fire Hazard: 0

Reactivity Hazard: 0

### GHS Label elements, including precautionary statements

Pictogram	
Signal	Warning
Hazard statement(s)	
H317	May cause an allergic skin reaction.

Revision Date: Mar 2021



H351	Suspected of causing cancer.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P272	Contaminated work clothing should not be allowed out of the workplace
P280	Wear protective gloves.
P302 + P352	IF on skin: Wash with plenty of soap and water
P308 + P313	IF exposed or concerned: Get medical advice/ attentions.
P321	Specific treatment (see supplemental first aid instructions on this label)
P333 + P313	IF skin irritation or rash occurs: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

### Hazards not otherwise classified (HNOC) or not covered by GHS

None

## 3. Composition/Information on Ingredients

Substance	N.A
Synonyms:	NMC
Formula:	LiNi0.5Mn0.3Co0.2O2
Molecular weight:	N.A.
CAS-No.:	346417-97-8

Hazardous Components	Classification	Concentration
Lithium nickel manganese cobalt oxide	Skin Sens. 1; Carc.2; H317,H351	<= 100%

For the full text of the H-Statements mentioned in this Section, see Section 16.

Revision Date: Mar 2021



## 4. First Aid Measures

### 4.1 Description of first aid measures

#### **General Advice**

Move out of the dangerous area. Consult a physician. Show this to the doctor in attendance.

#### **If inhaled**

If breathed in, move the person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### **In the case of eye contact.**

Flush eyes with water as a precaution.

#### **In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

#### **If swallowed**

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. Firefighting Measures

### 5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol resistant-foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance mixture

No data available

Revision Date: Mar 2021



## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further Information

No data available

# 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment, and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

# 7. Handling and Storage

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

**For precautions see section 2.2.**

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Revision Date: Mar 2021



## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. Exposure Control/ Personal Protection

### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control Parameters	Basis
Lithium nickel manganese cobalt oxide	346417-97-8	TWA	0.02000mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Pulmonary function Asthma Myocardial effects Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans varies		
		TWA	0.02000mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Pulmonary function Asthma Myocardial effects Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans varies		

#### Biological occupational exposure limits

Component	CAS-No.	Parameter	Value	Biological Specimen	Basis
Lithium nickel manganese cobalt oxide	346417-97-8	Cobalt	15 µg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift at end of workweek			
		Cobalt		Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift at end of workweek			

Revision Date: Mar 2021



## 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday.

### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Body Protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Revision Date: Mar 2021



## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

a) Appearance	Form: Powder
	Colour: Black
b) Odour	No data available
c) Odour Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	Melting point/range: 290 °C (>554 °F) – lit
f) Initial boiling point and boiling range	No data available
g) Flash point	No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
l) Vapor density	No data available
m) Relative density	No data available
n) Water solubility	No data available
o) Partition coefficient: n-octanol/water	No data available
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

### 9.2 Other safety information

No data available.

## 10. Stability and Reactivity

### 10.1 Reactivity

No data available



Revision Date: Mar 2021



## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

Strong oxidizing agents

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Nickel/nickel oxides, Lithium oxides, Cobalt/cobalt oxides, Manganese/manganese oxides

**In the event of fire: see section 5**

# 11. Toxicological Information

## 11.1 Information on toxicological effects

### Acute toxicity

Inhalation: No data available

Dermal: No data available

### Skin corrosion/irritation

No data available

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

Limited evidence of a carcinogenic effect.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is



Revision Date: Mar 2021



identified as a carcinogen or potential carcinogen by OSHA.

### **Reproductive toxicity**

No data available

### **Specific target organ toxicity - single exposure**

No data available

### **Specific target organ toxicity - repeated exposure**

No data available

### **Aspiration hazard**

No data available

### **Additional Information**

RTECS: Not available

Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion.

## **12. Ecological Information**

### **12.1 Toxicity**

No data available

### **12.2 Persistence and degradability**

No data available

### **12.3 Bio accumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

Revision Date: Mar 2021



## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

## 12.6 Other adverse effects

No data available

## 13. Disposal Considerations

### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### **Contaminated packaging**

Dispose of as unused product.

## 14. Transport Information

#### **DOT (US)**

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

## 15. Regulatory Information

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Revision Date: Mar 2021



**SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312 Hazards**

Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right to Know Components**

No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right to Know Components**

Lithium nickel manganese cobalt oxide

**CAS-no.**

346417-97-8

**Revision Date**

2007-07-01

**New Jersey Right to Know Components**

Lithium nickel manganese cobalt oxide

346417-97-8

2007-07-01

**California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**16. Other Information**

**Full text of H-Statements referred to under sections 2 and 3.**

Carc.	Carcinogenicity
H317	May cause an allergic skin reaction
H351	Suspected of causing cancer
Skins Sens.	Skin sensitization

The information above is believed to be accurate and represents the best information currently available to us. However, it does not represent any guarantee of the properties of the product. We make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we shall not be held liable for any damage resulting from handling or from contact with the above product. Users should make their own investigations to determine the suitability of the information for their particular purposes.