

Golf Cart Gun Rack

We are striving to build a reliable brand of golf carts parts and accessories.

Hope this manual can assist you to easier install.

For more technical support, please reach us via

Website : www.10101.com

Email : sale_service@10101.com

Facebook : zhong zaiyang


Youtube : 10L0L

Contents	Qty	Installation Tools	Qty
Bottom Shelf.....	1	Marker.....	1
Top Shelf.....	1	Plastic Hammer.....	1
5 x 30 External Hexagon Screws.....	2	Electric Drill (Dia.3.14")	1
The Little Nut.....	2	10 mm Hex Wrench.....	2
Small Gasket.....	4	13 mm Hex Wrench.....	1
8 x 60 External Hexagon Screws.....	4	14 mm Hex Wrench.....	1
Big Nut.....	4		
Big Gasket.....	8		

See Figure 1



Installation Tools



Installation Steps

1. Docking according to bayonet.

See figure 1



2. Tap it in gently with a plastic hammer.

See figure 2




3. As is shown, prepare 5 x 30 outer hexagon screws and nuts.

See figure 3



4. Tighten the 5 x 30 outer hexagon screws and nuts with two 8mm wrenches.

See figure 4




5. Remove the small screw from the cover plate by hand.

See figure 5




6. The lid is detached from the bottom.

See figure 6




7. Choose the right position, pay attention to the hole position to avoid the chassis line and car bearing girder overlap.

See figure 7



8. Mark the hole location with a marker.

See figure 8



9. Drill the hole according to the mark with an 8mm diameter drill bit.

See figure 9



10. Use a 14mm wrench and a 13mm wrench to tighten the 8×60 outer hexagon screws and nuts.

See figure 10



11. As is shown .

See figure 11



12. Cover the top part.

See figure 12



13. Remove the small screw from the cover plate by hand.

See figure 13



14. The installation is complete.

See figure 14



15. Install in other positions.

See figure 15

